

# LIBP

Pescara "Pasquale Liberi"


# LICC

Catania-Fontanarossa "Vincenzo Bellini"

2024/05/17 1018Z

LIBP TEA **M736** SOR **Q58** SOBRI LICC

309.11 nm / 572.47 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LIBP	-	42.43120	0 ft	-	Pescara	"Pasquale Liberi"
APT	-	14.18290	0 m			
TEA	-	41.29680	24,500 ft	68	TEANO	
VOR	-	13.97070	7,468 m			
SOR	M736	40.58240	35,000 ft	45	SORRENTO	
VOR	AWY-HI	14.33500	10,668 m			
VARAL	Q58	40.01420	33,700 ft	36	-	
FIX	AWY-HI	14.64140	10,272 m			
AGNIS	Q58	39.80750	30,800 ft	13	-	
FIX	AWY-HI	14.75080	9,388 m			
SOBRI	Q58	39.08440	20,800 ft	46	-	
FIX	AWY-HI	15.13000	6,340 m			
LICC	-	37.46680	0 ft	97	Catania-Fontanarossa	"Vincenzo Bellini"
APT	-	15.06640	0 m			

## LIBP

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 45 ft / 14 m  
Location: 42.431200 14.182900  
Magnetic Var: 4.057 E

## METAR

LIBP 170950Z AUTO 10013KT 070V130 9999 NCD 23/13 Q1012

## TAF

TAF LIBP 170500Z 1706/1806 VRB05KT 9999 FEW030 BECMG 1706/1708 24010KT BECMG 1710/1712 10011KT BECMG 1716/1718 VR

## Frequencies

TWR - 118.45 MHz - PESCARA TOWER

APP - 120.05 MHz - PESCARA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	7,943 ft	37.38	ASPHALT	341 ft	0 ft
	46 m	2,421 m	33.32		104 m	0 m
22	151 ft	7,943 ft	217.39	ASPHALT	610 ft	0 ft
	46 m	2,421 m	213.33		186 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	IPS	110.70 MHz	18 nm	-	-	48 ft
				33 km	-		48 m
22	LOC-ILS	IPS	110.70 MHz	18 nm	217.39	-	48 ft
				33 km	213.33		48 m
22	GS	IPS	110.70 MHz	10 nm	217.40	3.00	48 ft
				19 km	213.34		48 m

## LICC

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 39 ft / 12 m  
Location: 37.466800 15.066400  
Magnetic Var: 3.833 E

## METAR

LICC 170950Z 09007KT 8000 NSC 23/18 Q1013

## TAF

TAF LICC 170500Z 1706/1806 26005KT 8000 FEW030 BECMG 1709/1711 09010KT BECMG 1716/1718 VRB05KT

## Frequencies

GND - 129.72 MHz - CATANIA GROUND  
APP - 120.80 MHz - CATANIA APPROACH  
REC - 127.67 MHz - ATIS

TWR - 118.70 MHz - CATANIA TOWER  
APP - 119.25 MHz - CATANIA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	8,000 ft	83.93	ASPHALT	308 ft	0 ft
	45 m	2,438 m	80.10		94 m	0 m
26	148 ft	8,000 ft	263.95	ASPHALT	285 ft	0 ft
	45 m	2,438 m	260.11		87 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	CTN	109.90 MHz	18 nm	-	-	45 ft
				33 km	-		45 m
08	LOC-ILS	CTN	109.90 MHz	18 nm	83.95	-	39 ft
				33 km	80.12		39 m
08	GS	CTN	109.90 MHz	10 nm	83.95	3.00	39 ft
				19 km	80.12		39 m