

SCEL

Arturo Merino Benitez Intl


DAAG

Alger/Houari Boumediene

2024/05/03 0811Z

SCEL GUVOL **UN527** JUA **UM529** VAS **UM403** BSI **UZ59** SIMUV **UZ18** MAGNO **UN866** AMDOL DENER **UW45** SVT **W14** CVS
UW11 GUNET **UN857** BIPET ROTUM CABEL **UA600** ADM **UG850** FES **UA411** OJD **A411** DAHRA DAAG

6081.59 nm / 11263.10 km



Notes

Basic altitude profile:

- Ascent Rate: 1600ft/min
- Ascent Speed: 200kts
- Cruise Altitude: 39000ft
- Cruise Speed: 460kts
- Descent Rate: 1600ft/min
- Descent Speed: 200kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SCEL	-	-33.39100	0 ft	-	Arturo Merino Benitez Intl
APT	-	-70.79430	0 m	-	
GUVOL	-	-32.37500	14,000 ft	67	-
FIX	-	-70.22500	4,267 m	-	
JUA	UN527	-31.56390	35,700 ft	104	SAN JUAN
VOR	AWY-HI	-68.42140	10,881 m	-	
BURMI	UM529	-31.05610	39,000 ft	73	-
FIX	AWY-HI	-67.12750	11,887 m	-	
KUGIN	UM529	-30.60110	39,000 ft	63	-
FIX	AWY-HI	-66.00920	11,887 m	-	
PORKA	UM529	-29.45530	39,000 ft	155	-
FIX	AWY-HI	-63.33250	11,887 m	-	
TIKLA	UM529	-28.48330	39,000 ft	125	-
FIX	AWY-HI	-61.21670	11,887 m	-	
MEXEM	UM529	-28.26810	39,000 ft	27	-
FIX	AWY-HI	-60.75560	11,887 m	-	
SIS	UM529	-27.44690	39,000 ft	102	RESISTENCIA
VOR	AWY-HI	-59.05710	11,887 m	-	
VUMDA	UM529	-27.01830	39,000 ft	30	-
FIX	AWY-HI	-58.76620	11,887 m	-	
FSA	UM529	-26.21030	39,000 ft	56	FORMOSA
VOR	AWY-HI	-58.22470	11,887 m	-	
ARPAS	UM529	-25.73170	39,000 ft	34	-
FIX	AWY-HI	-57.87530	11,887 m	-	
VAS	UM529	-25.24420	39,000 ft	34	ASUNCION
VOR	AWY-HI	-57.52190	11,887 m	-	
NILKI	UM403	-24.65640	39,000 ft	50	-
FIX	AWY-HI	-56.86940	11,887 m	-	
SOSMO	UM403	-23.63500	39,000 ft	86	-
FIX	AWY-HI	-55.75970	11,887 m	-	
REBOX	UM403	-23.40630	39,000 ft	19	-
FIX	AWY-HI	-55.51470	11,887 m	-	
KABEG	UM403	-22.55050	39,000 ft	71	-
FIX	AWY-HI	-54.60820	11,887 m	-	
VUMUB	UM403	-21.64200	39,000 ft	75	-
FIX	AWY-HI	-53.66800	11,887 m	-	
DUNCE	UM403	-21.45420	39,000 ft	15	-
FIX	AWY-HI	-53.47580	11,887 m	-	
VALEV	UM403	-21.08650	39,000 ft	30	-
FIX	AWY-HI	-53.08830	11,887 m	-	
ASEPO	UM403	-20.84850	39,000 ft	19	-
FIX	AWY-HI	-52.84930	11,887 m	-	
UTRAG	UM403	-20.64070	39,000 ft	17	-
FIX	AWY-HI	-52.63730	11,887 m	-	
VOVKO	UM403	-20.24320	39,000 ft	32	-
FIX	AWY-HI	-52.23380	11,887 m	-	
GEKOT	UM403	-19.93170	39,000 ft	25	-
FIX	AWY-HI	-51.91970	11,887 m	-	
VAMIK	UM403	-19.56630	39,000 ft	30	-
FIX	AWY-HI	-51.55200	11,887 m	-	
LITUS	UM403	-19.29600	39,000 ft	22	-
FIX	AWY-HI	-51.28350	11,887 m	-	
TESEK	UM403	-18.84550	39,000 ft	36	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-50.83920	11,887 m		
ANDIV	UM403	-18.47570	39,000 ft	29	-
FIX	AWY-HI	-50.48580	11,887 m		
EGONI	UM403	-18.00080	39,000 ft	38	-
FIX	AWY-HI	-50.02970	11,887 m		
SIBUT	UM403	-17.29130	39,000 ft	57	-
FIX	AWY-HI	-49.34620	11,887 m		
KETUL	UM403	-17.06750	39,000 ft	18	-
FIX	AWY-HI	-49.13200	11,887 m		
PAMEO	UM403	-16.91100	39,000 ft	12	-
FIX	AWY-HI	-48.98600	11,887 m		
SIREM	UM403	-16.55020	39,000 ft	29	-
FIX	AWY-HI	-48.64630	11,887 m		
BSI	UM403	-15.87190	39,000 ft	54	BRASILIA
VOR	AWY-HI	-48.02190	11,887 m		
SIMUV	UZ59	-15.55720	39,000 ft	43	-
FIX	AWY-HI	-47.34670	11,887 m		
PEDAL	UZ18	-14.85000	39,000 ft	53	-
FIX	AWY-HI	-46.79180	11,887 m		
KOGPU	UZ18	-14.44470	39,000 ft	30	-
FIX	AWY-HI	-46.47600	11,887 m		
KORAN	UZ18	-13.92380	39,000 ft	39	-
FIX	AWY-HI	-46.07220	11,887 m		
NECTO	UZ18	-13.32180	39,000 ft	45	-
FIX	AWY-HI	-45.60830	11,887 m		
DAMEX	UZ18	-11.39580	39,000 ft	144	-
FIX	AWY-HI	-44.14350	11,887 m		
OPRET	UZ18	-10.79750	39,000 ft	44	-
FIX	AWY-HI	-43.69250	11,887 m		
SUSDI	UZ18	-10.36500	39,000 ft	32	-
FIX	AWY-HI	-43.36880	11,887 m		
ISUGU	UZ18	-9.10033	39,000 ft	94	-
FIX	AWY-HI	-42.42770	11,887 m		
CADET	UZ18	-7.73517	39,000 ft	101	-
FIX	AWY-HI	-41.42480	11,887 m		
ISVIR	UZ18	-7.10700	39,000 ft	46	-
FIX	AWY-HI	-40.96430	11,887 m		
SIPEX	UZ18	-6.46833	39,000 ft	47	-
FIX	AWY-HI	-40.49300	11,887 m		
BASIL	UZ18	-6.09383	39,000 ft	27	-
FIX	AWY-HI	-40.22680	11,887 m		
ABUCU	UZ18	-4.58617	39,000 ft	111	-
FIX	AWY-HI	-39.13470	11,887 m		
FLZ	UZ18	-3.77227	39,000 ft	60	FORTALEZA
VOR	AWY-HI	-38.54770	11,887 m		
NISRU	UZ18	-3.40883	39,000 ft	40	-
FIX	AWY-HI	-37.98770	11,887 m		
MAGNO	UZ18	-1.74383	39,000 ft	181	-
FIX	AWY-HI	-35.46080	11,887 m		
SAKSI	UN866	0.84367	39,000 ft	177	-
FIX	AWY-HI	-34.04050	11,887 m		
CRUDE	UN866	1.73750	39,000 ft	61	-
FIX	AWY-HI	-33.54970	11,887 m		
OBKUT	UN866	3.43050	39,000 ft	116	-
FIX	AWY-HI	-32.61830	11,887 m		
DEKON	UN866	5.21667	39,000 ft	122	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-31.63170	11,887 m		
BUXON	UN866	8.48389	39,000 ft	225	-
FIX	AWY-HI	-29.78310	11,887 m		
NELTO	UN866	9.79500	39,000 ft	90	-
FIX	AWY-HI	-29.03170	11,887 m		
AMDOL	UN866	14.35330	39,000 ft	315	-
FIX	AWY-HI	-26.35830	11,887 m		
DENER	-	15.45670	39,000 ft	76	-
FIX	-	-25.69220	11,887 m		
SVT	UW45	16.82920	39,000 ft	90	SAO VICENTE
NDB	AWY-HI	-25.06460	11,887 m		
CVS	W14	16.73670	39,000 ft	121	SAL
VOR	AWY-LO	-22.95080	11,887 m		
PINPO	UW11	17.65140	39,000 ft	80	-
FIX	AWY-HI	-21.93560	11,887 m		
GUNET	UW11	19.59500	39,000 ft	171	-
FIX	AWY-HI	-19.73500	11,887 m		
ETIBA	UN857	21.33830	39,000 ft	120	-
FIX	AWY-HI	-18.67880	11,887 m		
BIPET	UN857	25.00000	39,000 ft	254	-
FIX	AWY-HI	-16.35880	11,887 m		
ROTUM	-	25.00000	39,000 ft	31	-
FIX	-	-15.78670	11,887 m		
CABEL	-	25.00000	39,000 ft	46	-
FIX	-	-14.94110	11,887 m		
ARENA	UA600	25.72810	39,000 ft	53	-
FIX	AWY-HI	-14.35860	11,887 m		
LAY	UA600	27.14290	39,000 ft	104	LAAYOUNE
VOR	AWY-HI	-13.21800	11,887 m		
SOLNA	UA600	27.66670	39,000 ft	45	-
FIX	AWY-HI	-12.59530	11,887 m		
AMLOK	UA600	29.81670	39,000 ft	187	-
FIX	AWY-HI	-10.02250	11,887 m		
TEKNA	UA600	30.03920	39,000 ft	19	-
FIX	AWY-HI	-9.73833	11,887 m		
ADM	UA600	30.32190	39,000 ft	25	AL-MASSIRA (AGADIR)
VOR	AWY-HI	-9.38347	11,887 m		
OLOMA	UG850	30.64080	39,000 ft	25	-
FIX	AWY-HI	-9.07167	11,887 m		
BIDLA	UG850	30.89560	39,000 ft	19	-
FIX	AWY-HI	-8.82278	11,887 m		
LISRA	UG850	31.23330	39,000 ft	26	-
FIX	AWY-HI	-8.48444	11,887 m		
MAK	UG850	31.61270	39,000 ft	30	MARRAKECH
VOR	AWY-HI	-8.10303	11,887 m		
OBOGA	UG850	31.83780	39,000 ft	20	-
FIX	AWY-HI	-7.81417	11,887 m		
VALBA	UG850	32.08060	39,000 ft	21	-
FIX	AWY-HI	-7.49937	11,887 m		
TIXAL	UG850	32.25900	39,000 ft	16	-
FIX	AWY-HI	-7.26560	11,887 m		
ERLAM	UG850	32.91920	39,000 ft	59	-
FIX	AWY-HI	-6.39000	11,887 m		
NEVEK	UG850	33.32970	39,000 ft	37	-
FIX	AWY-HI	-5.83704	11,887 m		
FES	UG850	33.92740	39,000 ft	54	FES

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-HI	-5.01358	11,887 m		
EMKOK	UA411	34.12040	39,000 ft	34	-
FIX	AWY-HI	-4.35116	11,887 m		
SOVAL	UA411	34.17280	39,000 ft	9	-
FIX	AWY-HI	-4.16889	11,887 m		
DOTIV	UA411	34.36250	39,000 ft	36	-
FIX	AWY-HI	-3.47472	11,887 m		
XAVOV	UA411	34.56000	39,000 ft	37	-
FIX	AWY-HI	-2.75250	11,887 m		
ROMOR	UA411	34.60170	39,000 ft	7	-
FIX	AWY-HI	-2.60000	11,887 m		
OJD	UA411	34.77340	39,000 ft	33	OUJDA
VOR	AWY-HI	-1.95044	11,887 m		
ORSUP	A411	34.84860	39,000 ft	7	-
FIX	AWY-HI	-1.84056	11,887 m		
ORA	A411	35.61260	39,000 ft	74	AHMED BENBELLA
VOR	AWY-HI	-0.65499	11,887 m		
MOS	A411	35.89860	32,700 ft	42	MOSTAGANEM
VOR	AWY-HI	0.13630	9,967 m		
DAHRA	A411	36.36530	17,700 ft	71	-
FIX	AWY-HI	1.50000	5,395 m		
DAAG	-	36.69750	0 ft	85	Alger/Houari Boumediene
APT	-	3.21225	0 m		

SCEL

Region: CHILE
Timezone: AMERICA/SANTIAGO
Runways: 2

Elevation: 1,555 ft / 474 m
Location: -33.391000 -70.794300
Magnetic Var: 0.788 E

METAR

SCEL 030800Z VRB02KT 9999 BKN130 05/02 Q1015 NOSIG

TAF

TAF SCEL 030417Z 0306/0406 14004KT 9999 FEW150 SCT170 TX16/0318Z TN00/0310Z BECMG 0308/0310 SCT170 TEMPO 0309/0310

Frequencies

REC - 132.70 MHz - ATIS	TWR - 118.10 MHz - SANTIAGO TOWER
TWR - 118.35 MHz - SANTIAGO TOWER	GND - 122.20 MHz - SANTIAGO GROUND
CLD - 121.70 MHz - CLEARANCE DELIVERY	APP - 119.70 MHz - SANTIAGO APPROACH
APP - 129.70 MHz - SANTIAGO APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	148 ft	12,479 ft	177.47	ASPHALT	0 ft	0 ft
	45 m	3,804 m	176.68		0 m	0 m
35L	148 ft	12,479 ft	357.47	ASPHALT	0 ft	0 ft
	45 m	3,804 m	356.68		0 m	0 m
17L	180 ft	12,315 ft	177.42	ASPHALT	0 ft	0 ft
	55 m	3,754 m	176.64		0 m	0 m
35R	180 ft	12,315 ft	357.42	ASPHALT	1,785 ft	0 ft
	55 m	3,754 m	356.64		544 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IUEL	110.30 MHz	18 nm	-	-	1,557 ft
				33 km	-		1,557 m
17R	DME	IMER	111.10 MHz	18 nm	-	-	1,555 ft
				33 km	-		1,555 m
17L	LOC-ILS	IUEL	110.30 MHz	18 nm	177.42	-	1,555 ft
				33 km	176.63		1,555 m
17R	LOC-ILS	IMER	111.10 MHz	18 nm	177.47	-	1,555 ft
				33 km	176.68		1,555 m
17L	GS	IUEL	110.30 MHz	10 nm	177.42	3.00	1,555 ft
				19 km	176.63		1,555 m
17R	GS	IMER	111.10 MHz	10 nm	177.47	3.00	1,555 ft
				19 km	176.68		1,555 m

DAAG

Region: ALGERIA
Timezone: AFRICA/ALGIERS
Runways: 2

Elevation: 82 ft / 25 m
Location: 36.697500 3.212250
Magnetic Var: 1.705 E

METAR

DAAG 030800Z 20003KT 110V280 CAVOK 18/09 Q1022

TAF

TAF DAAG 030500Z 0306/0406 VRB02KT CAVOK BECMG 0309/0312 36010KT BECMG 0318/0322 VRB02KT

Frequencies

GND - 121.80 MHz - ALGIERS GROUND
TWR - 119.70 MHz - ALGIERS TOWER
REC - 128.52 MHz - ATIS

TWR - 118.70 MHz - ALGIERS TOWER
APP - 121.40 MHz - ALGIERS APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	12,468 ft	91.69	CONCRETE	984 ft	0 ft
	45 m	3,800 m	89.98		300 m	0 m
27	148 ft	12,468 ft	271.72	CONCRETE	0 ft	0 ft
	45 m	3,800 m	270.01		0 m	0 m
05	197 ft	11,494 ft	52.68	CONCRETE	0 ft	0 ft
	60 m	3,503 m	50.98		0 m	0 m
23	197 ft	11,494 ft	232.70	CONCRETE	0 ft	0 ft
	60 m	3,503 m	230.99		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	HB	108.50 MHz	18 nm	91.70	-	82 ft
				33 km	89.99		82 m
23	LOC-ILS	AG	110.30 MHz	18 nm	232.70	-	82 ft
				33 km	230.99		82 m
27	LOC-ILS	AL	109.50 MHz	18 nm	271.70	-	82 ft
				33 km	269.99		82 m
09	GS	HB	108.50 MHz	10 nm	91.70	3.00	82 ft
				19 km	89.99		82 m
23	GS	AG	110.30 MHz	10 nm	232.70	3.00	82 ft
				19 km	230.99		82 m
27	GS	AL	109.50 MHz	10 nm	271.70	3.00	82 ft
				19 km	269.99		82 m