


2024/05/13 0423Z

VLVT UDN **R470** UBL 1500N10500E LEKOB **B329** PNH VDPP

452.96 nm / 838.88 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VLVT	-	17.98834	0 ft	-	Vientiane Wattay
APT	-	102.56322	0 m		
UDN	-	17.38450	13,600 ft	38	UDON VOR-DME
VOR	-	102.77501	4,145 m		
ROT	R470	16.11683	35,000 ft	95	ROI ET VOR-DME
VOR	AWY-LO	103.77207	10,668 m		
UBL	R470	15.24520	35,000 ft	82	UBON VOR-DME
VOR	AWY-HI	104.86592	10,668 m		
1500N10500E	-	15.00000	35,000 ft	16	-
LATLON	-	105.00000	10,668 m		
LEKOB	-	14.13000	33,300 ft	60	-
FIX	-	105.52000	10,150 m		
VIBUN	B329	13.79667	28,900 ft	20	-
FIX	AWY-HI	105.43167	8,809 m		
PNH	B329	11.54667	10,000 ft	139	PHNOM PENH VOR-DME
VOR	AWY-LO	104.84167	3,048 m		
VDPP	-	11.54654	0 ft	0	Phnom Penh Intl
APT	-	104.84414	0 m		

VLVT

Region: LAOS

Timezone: ASIA/VIENTIANE

Runways: 1

Elevation: 564 ft / 172 m

Location: 17.988300 102.563000

Magnetic Var: 0.937 W

METAR

VLVT 130400Z 16002KT 8000 FEW020 34/28 Q1011 NOSIG

TAF

TAF TAF VLVT 122300Z 1300/1324 27004KT 8000 FEW020 FEW200

Frequencies

APP - 119.70 MHz - VIENTIANE APPROACH

TWR - 118.10 MHz - VIENTIANE TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft	9,869 ft	135.43	ASPHALT	0 ft	197 ft
	45 m	3,008 m	136.36		0 m	60 m
31	148 ft	9,869 ft	315.43	ASPHALT	0 ft	194 ft
	45 m	3,008 m	316.37		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13	DME	IVTN	109.90 MHz	18 nm	-	-	550 ft
				33 km	-		550 m
13	LOC-ILS	IVTN	109.90 MHz	18 nm	135.43	-	553 ft
				33 km	136.37		553 m
13	GS	IVTN	109.90 MHz	10 nm	136.00	3.00	550 ft
				19 km	136.94		550 m

VDPP

Region: CAMBODIA
Timezone: ASIA/PHNOM_PENH
Runways: 1

Elevation: 40 ft / 12 m
Location: 11.546500 104.844000
Magnetic Var: 0.601 W

METAR

VDPP 130400Z 17006KT 140V230 9999 SCT017 34/25 Q1009

TAF

TAF VDPP 122300Z 1300/1318 18008KT 9999 SCT017 TEMPO 1307/1311 5000 TSRA SCT015 FEW017CB SCT040

Frequencies

REC - 131.45 MHz - D-ATIS	REC - 127.25 MHz - ATIS
TWR - 118.00 MHz - PHNOM PENH TOWER	GND - 129.00 MHz - PHNOM PENH GROUND
DEP - 123.80 MHz - PHNOM PENH DEPARTURE	APP - 123.80 MHz - PHNOM PENH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	9,864 ft	45.56	ASPHALT	0 ft	650 ft
	45 m	3,007 m	46.16		0 m	198 m
23	148 ft	9,864 ft	225.56	ASPHALT	492 ft	653 ft
	45 m	3,007 m	226.16		150 m	199 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	LOC-ILS	IPNP	109.70 MHz	18 nm	225.62	-	40 ft
				33 km	226.22		40 m
23	LOC-ILS	PNP	109.70 MHz	18 nm	225.57	-	40 ft
				33 km	226.17		40 m
23	GS	IPNP	109.70 MHz	10 nm	226.19	3.00	37 ft
				19 km	226.79		37 m
23	GS	PNP	109.70 MHz	10 nm	225.57	3.00	40 ft
				19 km	226.17		40 m