


2024/04/28 0149Z

KLVK CITIE **V107** AVE **J1** DERBB KSMO

275.40 nm / 510.05 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLVK APT	-	37.69320 -121.82000	0 ft 0 m	-	Livermore Muni
CITIE FIX	-	36.43060 -120.56300	34,500 ft 10,516 m	96	-
AVE VOR	V107 AWY-LO	35.64700 -119.97900	26,400 ft 8,047 m	54	AVENAL
DERBB FIX	J1 AWY-HI	35.25590 -119.64100	20,300 ft 6,187 m	28	-
KSMO APT	-	34.01580 -118.45100	0 ft 0 m	94	Santa Monica Municipal

## KLVK

Region: UNITED STATES  
Timezone: AMERICA/LOS\_ANGELES  
Runways: 2

Elevation: 399 ft / 122 m  
Location: 37.693200 -121.820000  
Magnetic Var: 12.775 E

## METAR

KLVK 280053Z 28010KT 10SM CLR 18/08 A3009 RMK A02 SLP186 T01780083

## TAF

TAF KLVK 272333Z 2800/2824 26015G20KT P6SM BKN250 FM280400 25010KT P6SM SCT025 BKN250 FM282100 26012G20KT P6SM SC

## Frequencies

REC - 119.65 MHz - ATIS  
COM - 122.95 MHz - UNICOM  
TWR - 118.10 MHz -  
APP - 125.35 MHz - NORCAL APP/DEP  
COM - 118.10 MHz - CTAF  
GND - 121.60 MHz -  
APP - 123.85 MHz - NORCAL APP/DEP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	98 ft	5,241 ft	90.57	ASPHALT	0 ft	151 ft
	30 m	1,598 m	77.79		0 m	46 m
25R	98 ft	5,241 ft	270.58	ASPHALT	0 ft	151 ft
	30 m	1,598 m	257.81		0 m	46 m
07R	75 ft	2,694 ft	90.58	ASPHALT	0 ft	0 ft
	23 m	821 m	77.80		0 m	0 m
25L	75 ft	2,694 ft	270.58	ASPHALT	0 ft	0 ft
	23 m	821 m	257.81		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ILVK	110.50 MHz	18 nm	270.56	-	365 ft
				33 km	257.79		365 m
25R	GS	ILVK	110.50 MHz	10 nm	271.15	3.00	393 ft
				19 km	258.37		393 m