

OBBI

Bahrain Intl


OPLA

ALLAMA IQBAL INTL

2024/04/27 0648Z

OBBI MIDS I **A453** BND BND **A453** PAROD **G202** ZB **J153** DI DI **A466** HARPA OPLA

1339.50 nm / 2480.76 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OBBI	-	26.26790	0 ft	-	Bahrain Intl
APT	-	50.63690	0 m		
MIDSI	-	26.69500	26,100 ft	73	-
FIX	-	51.91170	7,955 m		
LVA	A453	26.81210	35,000 ft	77	LAVAN ISLAND
VOR	AWY-HI	53.35590	10,668 m		
SERDU	A453	26.78750	35,000 ft	86	-
FIX	AWY-HI	54.96580	10,668 m		
KHM	A453	26.76310	35,000 ft	50	GHESHM ISLAND
NDB	AWY-HI	55.90770	10,668 m		
PAVON	A453	27.03500	35,000 ft	22	-
FIX	AWY-HI	56.19690	10,668 m		
BND	A453	27.19710	35,000 ft	13	BANDAR ABBAS
VOR	AWY-HI	56.36670	10,668 m		
BND	-	27.21700	35,000 ft	1	BANDAR ABBASS TACAN
DME	-	56.38110	10,668 m		
DAVEP	A453	27.70720	35,000 ft	58	-
FIX	AWY-HI	57.33580	10,668 m		
NABOX	A453	28.27500	35,000 ft	67	-
FIX	AWY-HI	58.43360	10,668 m		
PEKES	A453	28.99140	35,000 ft	87	-
FIX	AWY-HI	59.87250	10,668 m		
DANOV	A453	29.24560	35,000 ft	31	-
FIX	AWY-HI	60.39920	10,668 m		
ULOVI	A453	29.33000	35,000 ft	10	-
FIX	AWY-HI	60.57470	10,668 m		
ZDN	A453	29.48670	35,000 ft	19	ZAHEDAN
VOR	AWY-HI	60.90160	10,668 m		
PIRAN	A453	29.56860	35,000 ft	13	-
FIX	AWY-HI	61.13580	10,668 m		
GADER	A453	29.68330	35,000 ft	18	-
FIX	AWY-LO	61.46670	10,668 m		
OGOGO	A453	30.41580	35,000 ft	97	-
FIX	AWY-LO	63.15110	10,668 m		
VACUK	A453	30.71220	35,000 ft	40	-
FIX	AWY-LO	63.85530	10,668 m		
LOVIT	A453	31.15110	35,000 ft	64	-
FIX	AWY-LO	65.00720	10,668 m		
PAROD	A453	31.48330	35,000 ft	49	-
FIX	AWY-LO	65.90000	10,668 m		
VUSIP	G202	31.43220	35,000 ft	49	-
FIX	AWY-LO	66.87220	10,668 m		
RIMPA	G202	31.43330	35,000 ft	37	-
FIX	AWY-HI	67.60000	10,668 m		
ZB	G202	31.35590	35,000 ft	95	ZHOB
VOR	AWY-HI	69.45990	10,668 m		
DI	J153	31.90870	35,000 ft	80	DERA ISMAIL KHAN
NDB	AWY-HI	70.88850	10,668 m		
DI	-	31.91260	35,000 ft	0	DERA ISMAIL KHAN
VOR	-	70.88570	10,668 m		
JHANG	A466	31.26670	23,300 ft	82	-
FIX	AWY-HI	72.29940	7,102 m		
HARPA	A466	31.35000	15,500 ft	36	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	72.99940	4,724 m		
OPLA	-	31.52160	0 ft	72	ALLAMA IQBAL INTL
APT	-	74.40460	0 m		

OBBI

Region: BAHRAIN
Timezone: ASIA/BAHRAIN
Runways: 2

Elevation: 8 ft / 2 m
Location: 26.267900 50.636900
Magnetic Var: 3.063 E

METAR

OBBI 270600Z 23004KT 170V270 CAVOK 31/16 Q1009 NOSIG

TAF

TAF OBBI 270500Z 2706/2812 VRB05KT CAVOK BECMG 2713/2715 09010KT= TAF OKKK 270500Z 2706/2812 12008G18KT 6000 FEW0

Frequencies

TWR - 118.50 MHz - BAHRAIN TOWER
APP - 127.85 MHz - BAHRAIN APPROACH

GND - 121.85 MHz - BAHRAIN GROUND
REC - 127.20 MHz - BAHRAIN ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	148 ft	8,300 ft	122.73	ASPHALT	1,007 ft	0 ft
	45 m	2,530 m	119.67		307 m	0 m
30L	148 ft	8,300 ft	302.74	ASPHALT	397 ft	0 ft
	45 m	2,530 m	299.68		121 m	0 m
12L	197 ft	12,994 ft	122.77	ASPHALT	1,001 ft	207 ft
	60 m	3,961 m	119.70		305 m	63 m
30R	197 ft	12,994 ft	302.78	ASPHALT	997 ft	203 ft
	60 m	3,961 m	299.72		304 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IBIB	111.50 MHz	18 nm	-	-	42 ft
				33 km	-		42 m
30R	DME	IBIA	110.30 MHz	18 nm	-	-	42 ft
				33 km	-		42 m
12L	LOC-ILS	IBIB	111.50 MHz	18 nm	122.78	-	8 ft
				33 km	119.72		8 m
30R	LOC-ILS	IBIA	110.30 MHz	18 nm	302.78	-	8 ft
				33 km	299.72		8 m
12L	GS	IBIB	111.50 MHz	10 nm	122.78	3.00	8 ft
				19 km	119.72		8 m
30R	GS	IBIA	110.30 MHz	10 nm	302.78	3.00	8 ft
				19 km	299.72		8 m

OPLA

Region: PAKISTAN
Timezone: ASIA/KARACHI
Runways: 2

Elevation: 712 ft / 217 m
Location: 31.521600 74.404600
Magnetic Var: 2.386 E

METAR

OPLA 270625Z 36010KT 6000 SCT040 SCT100 27/16 Q1009 TEMPO 33015G25KT RMK QFE983 A29.80

TAF

TAF TAF OPLA 270500Z 2706/2812 34010KT 6000 SCT100 TX34/2710Z TN19/2801Z PROB30 TEMPO 2710/2714 35015G45KT 2000 T

Frequencies

REC - 126.30 MHz - ATIS
TWR - 118.10 MHz - LAHORE TWR
APP - 121.30 MHz - LAHORE APP

GND - 118.40 MHz - LAHORE GND
REC - 121.80 MHz - LAHORE UCM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18L	151 ft	11,016 ft	180.87	CONCRETE	0 ft	427 ft
	46 m	3,358 m	178.48		0 m	130 m
36R	151 ft	11,016 ft	0.87	CONCRETE	0 ft	417 ft
	46 m	3,358 m	358.48		0 m	127 m
18R	151 ft	9,058 ft	180.86	ASPHALT	0 ft	0 ft
	46 m	2,761 m	178.48		0 m	0 m
36L	151 ft	9,058 ft	0.86	ASPHALT	0 ft	0 ft
	46 m	2,761 m	358.47		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36R	DME	ILA	109.90 MHz	18 nm	-	-	712 ft
				33 km	-		712 m
36L	LOC-ILS	ILO	109.70 MHz	18 nm	0.86	-	712 ft
				33 km	358.47		712 m
36R	LOC-ILS	ILA	109.90 MHz	18 nm	0.87	-	712 ft
				33 km	358.48		712 m
36L	GS	ILO	109.70 MHz	10 nm	0.86	3.00	712 ft
				19 km	358.47		712 m
36R	GS	ILA	109.90 MHz	10 nm	0.87	3.00	712 ft
				19 km	358.48		712 m