

LIPH

Treviso-Sant'Angelo "Antonio Canova"


LOWW

Vienna

2024/05/17 0104Z

LIPH DEGUM KFT J21 GRZ LOWW

241.42 nm / 447.12 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
LIPH	-	45.64850	0 ft	-	Treviso-Sant'Angelo	"Antonio Canova"
APT	-	12.19400	0 m			
DEGUM	-	46.46590	28,400 ft	79	-	
FIX	-	13.69930	8,656 m			
KFT	-	46.59760	26,800 ft	36	KLAGENFURT	
VOR	-	14.56230	8,169 m			
GRZ	J21	46.95530	17,700 ft	42	GRAZ	
VOR	AWY-LO	15.44940	5,395 m			
LOWW	-	48.11010	0 ft	82	Vienna	
APT	-	16.56960	0 m			

LIPH

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 59 ft / 18 m
Location: 45.648500 12.194000
Magnetic Var: 3.883 E

METAR

UNKNOWN

TAF

TAF TAF LIPH 162144Z 1618/1718 CNL

Frequencies

TWR - 122.10 MHz - TREVISO TOWER
APP - 121.15 MHz - TREVISO APPROACH
APP - 122.10 MHz - TREVISO APPROACH

TWR - 118.70 MHz - TREVISO TOWER
APP - 120.40 MHz - TREVISO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	8,032 ft	69.21	ASPHALT	351 ft	886 ft
	45 m	2,448 m	65.33		107 m	270 m
25	148 ft	8,032 ft	249.23	ASPHALT	374 ft	0 ft
	45 m	2,448 m	245.35		114 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	TRE	109.30 MHz	18 nm	69.20	-	51 ft
				33 km	65.32		51 m
07	GS	TRE	109.30 MHz	10 nm	69.39	3.00	56 ft
				19 km	65.51		56 m

LOWW

Region: AUSTRIA
Timezone: EUROPE/VIENNA
Runways: 2

Elevation: 600 ft / 183 m
Location: 48.110100 16.569600
Magnetic Var: 5.016 E

METAR

LOWW 170020Z 10010KT 9999 FEW050 16/08 Q1009 TEMPO FM0100 RA

TAF

TAF LOWW 162315Z 1700/1806 12010KT 9999 BKN040 TX15/1700Z TN10/1804Z TEMPO 1702/1705 12015G25KT 2000 +TSRA BKN008

Frequencies

REC - 122.95 MHz - ATIS ARRIVAL	REC - 121.72 MHz - ATIS DEPARTURE
TWR - 124.47 MHz - WIEN TOWER	TWR - 123.80 MHz - WIEN TOWER
TWR - 121.20 MHz - WIEN TOWER	TWR - 119.40 MHz - WIEN TOWER
GND - 121.77 MHz - WIEN GROUND	GND - 121.60 MHz - WIEN GROUND
CLD - 122.12 MHz - CLEARANCE DELIVERY	APP - 134.67 MHz - WIEN RADAR
APP - 125.17 MHz - WIEN RADAR	APP - 129.05 MHz - WIEN RADAR
APP - 118.77 MHz - WIEN RADAR	APP - 136.25 MHz - WIEN RADAR
APP - 119.80 MHz - WIEN DIRECTOR	APP - 134.12 MHz - WIEN DIRECTOR
REC - 118.52 MHz - WIEN INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,822 ft	164.23	ASPHALT	0 ft	197 ft
	45 m	3,604 m	159.21		0 m	60 m
34	148 ft	11,822 ft	344.24	ASPHALT	0 ft	194 ft
	45 m	3,604 m	339.22		0 m	59 m
11	148 ft	11,495 ft	115.99	ASPHALT	0 ft	174 ft
	45 m	3,504 m	110.97		0 m	53 m
29	148 ft	11,495 ft	296.02	ASPHALT	0 ft	187 ft
	45 m	3,504 m	291.00		0 m	57 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	OEW	110.30 MHz	18 nm	-	-	593 ft
				33 km	-		593 m
16	DME	O EZ	108.50 MHz	18 nm	-	-	610 ft
				33 km	-		610 m
29	DME	O EX	109.55 MHz	18 nm	-	-	624 ft
				33 km	-		624 m
34	DME	O EN	108.10 MHz	18 nm	-	-	572 ft
				33 km	-		572 m
11	LOC-ILS	OEW	110.30 MHz	18 nm	116.04	-	600 ft
				33 km	111.02		600 m
16	LOC-ILS	O EZ	108.50 MHz	18 nm	164.25	-	600 ft
				33 km	159.24		600 m
29	LOC-ILS	O EX	109.55 MHz	18 nm	295.98	-	600 ft
				33 km	290.96		600 m
34	LOC-ILS	O EN	108.10 MHz	18 nm	344.21	-	600 ft
				33 km	339.20		600 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	GS	OEW	110.30 MHz	10 nm	116.02	3.10	593 ft
				19 km	111.00		593 m
16	GS	OEZ	108.50 MHz	10 nm	164.47	3.00	610 ft
				19 km	159.46		610 m
29	GS	OEX	109.55 MHz	10 nm	296.02	3.00	624 ft
				19 km	291.00		624 m
34	GS	OEN	108.10 MHz	10 nm	344.47	3.00	604 ft
				19 km	339.46		604 m