

EGGW

London Luton


LFML

Marseille Provence

2024/05/20 1817Z

EGGW XIDIL **UM605** PETAX **UZ296** VELOL **J150** VEPET **J151** MOBRO MOPAR PON TSU RESMI **UM728** KOTIS **A3** NEV
R31 AGREV LFML

561.56 nm / 1040.00 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGGW	-	51.87460	0 ft	-	London Luton
APT	-	-0.36843	0 m	-	
XIDIL	-	50.35170	35,000 ft	99	-
FIX	-	0.64139	10,668 m	-	-
PETAX	UM605	50.18670	35,000 ft	12	-
FIX	AWY-HI	0.84806	10,668 m	-	-
VELOL	UZ296	49.93860	35,000 ft	22	-
FIX	AWY-HI	1.28667	10,668 m	-	-
VEPET	J150	49.71030	35,000 ft	16	-
FIX	AWY-LO	1.50111	10,668 m	-	-
MOBRO	J151	49.45540	35,000 ft	15	-
FIX	AWY-LO	1.60644	10,668 m	-	-
MOPAR	-	49.29170	35,000 ft	11	-
FIX	-	1.75728	10,668 m	-	-
PON	-	49.09610	35,000 ft	16	PONTOISE CORMEILLES
VOR	-	2.03589	10,668 m	-	
TSU	-	48.75370	35,000 ft	20	TOUSSUS LE NOBLE
VOR	-	2.10236	10,668 m	-	
RESMI	-	48.56860	35,000 ft	11	-
FIX	-	2.19194	10,668 m	-	-
KOTAP	UM728	48.28330	35,000 ft	17	-
FIX	AWY-HI	2.30000	10,668 m	-	-
KETEX	UM728	48.13330	35,000 ft	9	-
FIX	AWY-HI	2.35972	10,668 m	-	-
KUSEK	UM728	47.70610	35,000 ft	27	-
FIX	AWY-HI	2.57111	10,668 m	-	-
KOTIS	UM728	47.23000	35,000 ft	30	-
FIX	AWY-HI	2.80250	10,668 m	-	-
NEV	A3	47.15300	35,000 ft	6	NEVERS
VOR	AWY-LO	2.92936	10,668 m	-	
MENOX	R31	46.57190	35,000 ft	36	-
FIX	AWY-LO	3.22000	10,668 m	-	-
TMA21	R31	46.33330	35,000 ft	15	-
FIX	AWY-LO	3.33539	10,668 m	-	-
TIS	R31	45.88180	35,000 ft	28	THIERS
VOR	AWY-LO	3.55358	10,668 m	-	
PIMAK	R31	45.39170	27,500 ft	35	-
FIX	AWY-LO	4.01472	8,382 m	-	-
VEROT	R31	45.21640	24,800 ft	12	-
FIX	AWY-LO	4.17722	7,559 m	-	-
AGREV	R31	45.06420	22,500 ft	10	-
FIX	AWY-LO	4.31750	6,858 m	-	-
LFML	-	43.43580	0 ft	105	Marseille Provence
APT	-	5.21343	0 m	-	

EGGW

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 524 ft / 160 m
Location: 51.874600 -0.368432
Magnetic Var: 0.377 E

METAR

EGGW 201750Z AUTO 02010KT 9999 NCD 17/12 Q1012

TAF

TAF EGGW 201654Z 2018/2118 03008KT 9999 FEW045 PROB30 TEMPO 2023/2107 SHRA BECMG 2100/2103 7000 BKN006 TEMPO 2103

Frequencies

REC - 120.57 MHz - LUTON INFORMATION
TWR - 126.72 MHz - LUTON TOWER
APP - 128.75 MHz - LUTON APPROACH
GND - 121.75 MHz - LUTON GROUND
APP - 129.55 MHz - LUTON APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	150 ft	7,067 ft	74.35	ASPHALT	0 ft	197 ft
	46 m	2,154 m	73.97		0 m	60 m
25	150 ft	7,067 ft	254.37	ASPHALT	279 ft	0 ft
	46 m	2,154 m	254.00		85 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-ILS	ILTN	109.15 MHz	18 nm	74.36	-	526 ft
				33 km	73.98		526 m
25	LOC-ILS	ILJ	109.15 MHz	18 nm	254.36	-	526 ft
				33 km	253.98		526 m
07	GS	ILTN	109.15 MHz	10 nm	74.36	3.00	526 ft
				19 km	73.98		526 m
25	GS	ILJ	109.15 MHz	10 nm	254.36	3.00	526 ft
				19 km	253.98		526 m

LFML

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 69 ft / 21 m
Location: 43.435800 5.213430
Magnetic Var: 2.286 E

METAR

LFML 201800Z AUTO 25008KT CAVOK 20/13 Q1008 NOSIG

TAF

TAF TAF LFML 201400Z 2015/2121 25008KT 9999 SCT035 TX24/2113Z TN13/2104Z BECMG 2111/2113 27015G25KT CAVOK

Frequencies

TWR - 125.35 MHz - PROVENCE ATIS	GND - 121.72 MHz - PROVENCE PREFLIGHT
GND - 121.90 MHz - PROVENCE GROUND	TWR - 133.10 MHz - PROVENCE TOWER
TWR - 123.72 MHz - PROVENCE TOWER	APP - 120.20 MHz - PROVENCE APPROACH
TWR - 120.87 MHz - PROVENCE APPROACH	APP - 121.42 MHz - PROVENCE APPROACH
APP - 124.35 MHz - PROVENCE APPROACH	APP - 127.72 MHz - PROVENCE APPROACH
TWR - 129.47 MHz - PROVENCE APPROACH	APP - 132.30 MHz - PROVENCE APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13L	148 ft	11,485 ft	134.05	ASPHALT	1,122 ft	295 ft
	45 m	3,501 m	131.76		342 m	90 m
31R	148 ft	11,485 ft	314.07	ASPHALT	2,165 ft	331 ft
	45 m	3,501 m	311.78		660 m	101 m
13R	148 ft	7,783 ft	134.89	ASPHALT	0 ft	197 ft
	45 m	2,372 m	132.61		0 m	60 m
31L	148 ft	7,783 ft	314.91	ASPHALT	348 ft	194 ft
	45 m	2,372 m	312.62		106 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
13L	DME	ML	110.30 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
13R	DME	MCE	108.30 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
31R	DME	MPV	111.15 MHz	27 nm	-	-	10 ft
				50 km	-		10 m
13L	LOC-ILS	ML	110.30 MHz	18 nm	134.05	-	74 ft
				33 km	131.76		74 m
13R	LOC-ILS	MCE	108.30 MHz	18 nm	134.90	-	74 ft
				33 km	132.61		74 m
31R	LOC-ILS	MPV	111.15 MHz	18 nm	314.05	-	74 ft
				33 km	311.76		74 m
13L	GS	ML	110.30 MHz	10 nm	134.05	3.00	10 ft
				19 km	131.76		10 m
13R	GS	MCE	108.30 MHz	10 nm	134.90	3.00	74 ft
				19 km	132.61		74 m
31R	GS	MPV	111.15 MHz	10 nm	314.05	4.00	10 ft
				19 km	311.76		10 m