


2024/06/04 1541Z

KGPI CORDU **Q140** GETNG TWISP **J52** SHUKA CYVR

371.16 nm / 687.39 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KGPI	-	48.31170	0 ft	-	Glacier Park Intl
APT	-	-114.25500	0 m	-	
CORDU	-	48.17960	34,600 ft	97	-
FIX	-	-116.67300	10,546 m	-	
GETNG	Q140	48.42520	34,100 ft	114	-
FIX	AWY-HI	-119.52700	10,394 m	-	
TWISP	-	48.26910	29,200 ft	22	-
FIX	-	-120.03800	8,900 m	-	
SHUKA	J52	48.82540	10,000 ft	89	-
FIX	AWY-HI	-122.13300	3,048 m	-	
CYVR	-	49.19400	0 ft	46	Vancouver
APT	-	-123.18500	0 m	-	

KGPI

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 2

Elevation: 2,976 ft / 907 m
Location: 48.311700 -114.255000
Magnetic Var: 12.765 E

METAR

KGPI 041455Z 17008KT 10SM OVC050 10/03 A2991 RMK A02 SLP132 T01000033 51008

TAF

KGPI 041134Z 0412/0512 15006KT P6SM BKN050 FM041900 19015G25KT P6SM -SHRA OVC050 FM050900 20012G22KT P6SM VCSH SC

Frequencies

REC - 132.62 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 124.55 MHz - GLACIER TOWER
APP - 133.40 MHz - SALT LAKE CITY CENTER
COM - 124.55 MHz - CTAF
GND - 121.60 MHz - GLACIER GROUND
DEP - 133.40 MHz - SALT LAKE CITY CENTER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	150 ft	9,001 ft	34.75	ASPHALT	0 ft	200 ft
	46 m	2,743 m	21.99		0 m	61 m
20	150 ft	9,001 ft	214.77	ASPHALT	0 ft	200 ft
	46 m	2,743 m	202.00		0 m	61 m
12	75 ft	3,506 ft	136.36	ASPHALT	0 ft	98 ft
	23 m	1,069 m	123.60		0 m	30 m
30	75 ft	3,506 ft	316.37	ASPHALT	0 ft	102 ft
	23 m	1,069 m	303.61		0 m	31 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IFCA	111.50 MHz	18 nm	34.72	-	2,978 ft
				33 km	21.96		2,978 m
02	GS	IFCA	111.50 MHz	10 nm	35.50	3.00	2,962 ft
				19 km	22.73		2,962 m

CYVR

Region: CANADA
Timezone: AMERICA/VANCOUVER
Runways: 3

Elevation: 13 ft / 4 m
Location: 49.194000 -123.185000
Magnetic Var: 15.257 E

METAR

CYVR 041500Z 12018G24KT 6SM BR FEW013 BKN100 BKN210 12/11 A2972 RMK ST2AC3CI1 CI TR VIS S 20 SLP067

TAF

TAF CYVR 041441Z 0415/0518 14015G25KT P6SM -RA SCT010 BKN025 OVC040 TEMPO 0415/0417 2SM -RA BR SCT008 OVC010 FM041

Frequencies

REC - 124.60 MHz - ATIS	CLD - 121.40 MHz - CLEARANCE DELIVERY
GND - 121.70 MHz - VANCOUVER GROUND	GND - 127.50 MHz - VANCOUVER GROUND
TWR - 118.70 MHz - VANCOUVER TOWER	TWR - 119.55 MHz - VANCOUVER TOWER
APP - 128.60 MHz - VANCOUVER APPROACH	APP - 133.10 MHz - VANCOUVER APPROACH
DEP - 126.12 MHz - VANCOUVER DEPARTURE	DEP - 132.30 MHz - VANCOUVER DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	200 ft	10,777 ft	99.88	ASPHALT	0 ft	0 ft
	61 m	3,285 m	84.62		0 m	0 m
26L	200 ft	10,777 ft	279.91	ASPHALT	0 ft	0 ft
	61 m	3,285 m	264.65		0 m	0 m
13	200 ft	7,294 ft	141.92	ASPHALT	0 ft	0 ft
	61 m	2,223 m	126.66		0 m	0 m
31	200 ft	7,294 ft	321.93	ASPHALT	0 ft	0 ft
	61 m	2,223 m	306.68		0 m	0 m
08L	200 ft	9,916 ft	99.89	CONCRETE	0 ft	0 ft
	61 m	3,022 m	84.63		0 m	0 m
26R	200 ft	9,916 ft	279.92	CONCRETE	0 ft	0 ft
	61 m	3,022 m	264.66		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	ITL	110.55 MHz	18 nm	-	-	1 ft
				33 km	-		1 m
08R	DME	IVR	109.50 MHz	18 nm	-	-	4 ft
				33 km	-		4 m
26L	DME	IFZ	111.95 MHz	20 nm	-	-	10 ft
				37 km	-		10 m
26R	DME	IRD	110.70 MHz	20 nm	-	-	10 ft
				37 km	-		10 m
08L	LOC-ILS	ITL	110.55 MHz	18 nm	99.90	-	13 ft
				33 km	84.64		13 m
08R	LOC-ILS	IVR	109.50 MHz	18 nm	99.89	-	13 ft
				33 km	84.63		13 m
13	LOC-ILS	IMK	111.10 MHz	18 nm	141.93	-	13 ft
				33 km	126.67		13 m
26L	LOC-ILS	IFZ	110.70 MHz	18 nm	279.89	-	13 ft
				33 km	264.63		13 m
26R	LOC-ILS	IRD	111.95 MHz	18 nm	279.90	-	13 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	264.64		13 m
08L	GS	ITL	110.55 MHz	10 nm	99.90	3.00	13 ft
				19 km	84.64		13 m
08R	GS	IVR	109.50 MHz	10 nm	99.89	3.00	13 ft
				19 km	84.63		13 m
13	GS	IMK	111.10 MHz	10 nm	141.93	3.00	13 ft
				19 km	126.67		13 m
26L	GS	IFZ	110.70 MHz	10 nm	279.89	3.00	13 ft
				19 km	264.63		13 m
26R	GS	IRD	111.95 MHz	10 nm	279.90	3.00	13 ft
				19 km	264.64		13 m