


2024/05/19 0457Z

VAAH SASRO A791 JI OMDB

984.15 nm / 1822.64 km



## Notes

Requested: VAAH SASRO A791 TELEM N894 LATEM R462 JI A791LALDO N300 NOLSU P307 KULBA L313 IMPED OMDB  
Unmatched points: R462 A791LALDO N300 NOLSU P307 KULBA L313 IMPED

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VAAH	-	23.07720	0 ft	-	AHMEDABAD
APT	-	72.63463	0 m		
SASRO	-	24.07128	0 ft	107	-
FIX	-	70.99961	0 m		
TELEM	A791	24.11722	0 ft	122	-
FIX	AWY-LO	68.76667	0 m		
DANGI	A791	24.71722	0 ft	74	-
FIX	AWY-LO	67.58333	0 m		
KC	A791	24.91048	0 ft	25	KARACHI VOR-DME
VOR	AWY-LO	67.17665	0 m		
BEGIM	A791	24.71722	0 ft	15	-
FIX	AWY-LO	67.00028	0 m		
KA	A791	24.82793	0 ft	19	CAPE MONZE NDB
NDB	AWY-LO	66.66442	0 m		
LOTAT	A791	24.61722	0 ft	72	-
FIX	AWY-HI	65.35056	0 m		
LATEM	A791	24.52889	0 ft	28	-
FIX	AWY-LO	64.82889	0 m		
JI	A791	25.07162	0 ft	168	JIWANI NDB
NDB	AWY-LO	61.79963	0 m		
OMDB	-	25.25491	0 ft	349	DUBAI INTL
APT	-	55.36426	0 m		

## VAAH

Region: INDIA  
Timezone: ASIA/KOLKATA  
Runways: 1

Elevation: 188 ft / 57 m  
Location: 23.077200 72.634400  
Magnetic Var: 0.898 E

## METAR

VAAH 190430Z 27007KT 5000 FU SCT080 36/13 Q1004 NOSIG

## TAF

TAF VAAH 182300Z 1900/2006 27006KT 4000 HZ FU FEW080 BECMG 1901/1903 32005KT 3000 HZ FU SCT080 BECMG 1904/1906 280

## Frequencies

TWR - 118.10 MHz - AHMEDABAD TOWER	TWR - 119.60 MHz - AHMEDABAD TOWER
APP - 119.80 MHz - AHMEDABAD APPROACH	APP - 123.75 MHz - AHMEDABAD RADAR
APP - 134.20 MHz - AHMEDABAD RADAR	REC - 126.80 MHz - AHMEDABAD INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	11,513 ft	44.50	ASPHALT	0 ft	0 ft
	45 m	3,509 m	43.61		0 m	0 m
23	148 ft	11,513 ft	224.51	ASPHALT	0 ft	0 ft
	45 m	3,509 m	223.61		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	DME	AHD	110.30 MHz	18 nm	-	-	180 ft
				33 km	-		180 m
23	LOC-ILS	IAHD	110.30 MHz	18 nm	224.50	-	188 ft
				33 km	223.60		188 m
23	GS	IAHD	110.30 MHz	10 nm	224.50	3.00	188 ft
				19 km	223.60		188 m

## OMDB

Region: UNITED ARAB EMIRATES  
Timezone: ASIA/DUBAI  
Runways: 2

Elevation: 62 ft / 19 m  
Location: 25.251100 55.371100  
Magnetic Var: 2.354 E

## METAR

OMDB 190400Z 20007KT 160V230 CAVOK 31/22 Q1006 NOSIG

## TAF

TAF OMDB 182300Z 1900/2006 27012KT CAVOK PROB40 1900/1905 21005KT BECMG 1917/1919 20007KT

## Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m