


2024/05/03 1706Z

YSTH NUNPA **W562** ONAGI YMEN

279.62 nm / 517.86 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
YSTH	-	-41.33780	0 ft	-	St Helens
APT	-	148.28500	0 m		
NUNPA	-	-40.09560	27,000 ft	75	-
FIX	-	148.01500	8,230 m		
ONAGI	W562	-38.47120	12,000 ft	147	-
FIX	AWY-LO	145.62300	3,658 m		
YMEN	-	-37.72910	0 ft	56	Essendon
APT	-	144.90200	0 m		

YMEN

Region: AUSTRALIA
Timezone: AUSTRALIA/MELBOURNE
Runways: 2

Elevation: 280 ft / 85 m
Location: -37.729100 144.902000
Magnetic Var: 11.617 E

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

REC - 119.80 MHz - YMEN ATIS
GND - 121.90 MHz - ESSENDON GND
APP - 132.00 MHz - MELBOURNE APP
DEP - 118.45 MHz - MELBOURNE DEP
DEP - 129.40 MHz - MELBOURNE DEP

GND - 118.45 MHz - ESSENDON GND
TWR - 125.10 MHz - ESSENDON TWR
APP - 118.45 MHz - MELBOURNE APP
DEP - 118.90 MHz - MELBOURNE DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	4,936 ft	177.82	ASPHALT	0 ft	0 ft
	45 m	1,504 m	166.21		0 m	0 m
35	148 ft	4,936 ft	357.82	ASPHALT	0 ft	282 ft
	45 m	1,504 m	346.21		0 m	86 m
08	148 ft	6,308 ft	88.04	ASPHALT	0 ft	0 ft
	45 m	1,923 m	76.42		0 m	0 m
26	148 ft	6,308 ft	268.03	ASPHALT	0 ft	0 ft
	45 m	1,923 m	256.41		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26	DME	IEN	109.90 MHz	18 nm	-	-	282 ft
				33 km	-		282 m
26	LOC-ILS	IEN	109.90 MHz	18 nm	268.04	-	280 ft
				33 km	256.42		280 m
26	GS	IEN	109.90 MHz	10 nm	268.04	3.00	280 ft
				19 km	256.42		280 m