

# KMKL

MC KELLAR SIPES RGNL


# KBNA

Nashville International

2024/05/28 0558Z

KMKL KAZER KBNA

113.66 nm / 210.49 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KMKL APT	-	35.60050 -88.91550	0 ft 0 m	-	MC KELLAR SIPES RGNL
KAZER FIX	-	35.85690 -87.54240	9,600 ft 2,926 m	68	-
KBNA APT	-	36.12450 -86.67820	0 ft 0 m	44	Nashville International

## KMKL

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 2

Elevation: 434 ft / 132 m  
Location: 35.600500 -88.915500  
Magnetic Var: 2.763 W

## METAR

KMKL 280453Z AUTO 00000KT 10SM CLR 19/17 A3001 RMK A02 SLP157 T01890172

## TAF

TAF KMKL 272320Z 2800/2824 33007KT P6SM SCT060 FM280200 00000KT P6SM SKC FM281600 32010KT P6SM FEW250

## Frequencies

REC - 119.32 MHz - ASOS  
COM - 122.95 MHz - UNICOM  
TWR - 127.15 MHz - JACKSON TWR  
COM - 127.15 MHz - CTAF  
GND - 120.90 MHz -

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	150 ft	6,017 ft	22.15	ASPHALT	0 ft	0 ft
	46 m	1,834 m	24.91		0 m	0 m
20	150 ft	6,017 ft	202.15	ASPHALT	0 ft	600 ft
	46 m	1,834 m	204.91		0 m	183 m
11	100 ft	3,534 ft	112.38	ASPHALT	0 ft	0 ft
	30 m	1,077 m	115.14		0 m	0 m
29	100 ft	3,534 ft	292.38	ASPHALT	0 ft	0 ft
	30 m	1,077 m	295.15		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IMKL	109.10 MHz	18 nm	22.15	-	434 ft
				33 km	24.91		434 m
02	GS	IMKL	109.10 MHz	10 nm	22.30	3.00	424 ft
				19 km	25.06		424 m

## KBNA

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 4

Elevation: 598 ft / 182 m  
Location: 36.124500 -86.678200  
Magnetic Var: 4.370 W

## METAR

KBNA 280453Z 00000KT 10SM CLR 20/16 A3000 RMK A02 SLP152 T02000161

## TAF

TAF KBNA 272320Z 2800/2824 28006KT P6SM SCT050 FM281600 31009KT P6SM SKC

## Frequencies

REC - 135.10 MHz - KBNA ATIS  
GND - 121.90 MHz - NASHVILLE GROUND  
APP - 119.35 MHz - NASHVILLE APPROACH  
COM - 122.95 MHz - NASHVILLE UNICOM  
TWR - 118.60 MHz - NASHVILLE TOWER  
DEP - 118.40 MHz - NASHVILLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02C	148 ft	8,014 ft	17.92	CONCRETE	0 ft	0 ft
	45 m	2,443 m	22.29		0 m	0 m
20C	148 ft	8,014 ft	197.92	CONCRETE	0 ft	0 ft
	45 m	2,443 m	202.29		0 m	0 m
02R	148 ft	8,013 ft	17.92	CONCRETE	0 ft	0 ft
	45 m	2,442 m	22.29		0 m	0 m
20L	148 ft	8,013 ft	197.93	CONCRETE	0 ft	0 ft
	45 m	2,442 m	202.30		0 m	0 m
02L	148 ft	7,718 ft	17.59	CONCRETE	0 ft	0 ft
	45 m	2,352 m	21.96		0 m	0 m
20R	148 ft	7,718 ft	197.59	CONCRETE	0 ft	0 ft
	45 m	2,352 m	201.96		0 m	0 m
13	148 ft	11,030 ft	133.44	CONCRETE	823 ft	0 ft
	45 m	3,362 m	137.81		251 m	0 m
31	148 ft	11,030 ft	313.45	CONCRETE	761 ft	0 ft
	45 m	3,362 m	317.82		232 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02L	DME	IBNA	109.90 MHz	18 nm	-	-	599 ft
				33 km	-		599 m
02R	DME	IUQU	111.75 MHz	18 nm	-	-	599 ft
				33 km	-		599 m
20L	DME	ISSX	109.35 MHz	18 nm	-	-	599 ft
				33 km	-		599 m
02C	LOC-ILS	IEZN	110.75 MHz	18 nm	17.91	-	598 ft
				33 km	22.28		598 m
02L	LOC-ILS	IBNA	109.90 MHz	18 nm	17.57	-	548 ft
				33 km	21.94		548 m
02R	LOC-ILS	IUQU	111.75 MHz	18 nm	17.92	-	536 ft
				33 km	22.29		536 m
20L	LOC-ILS	ISSX	109.35 MHz	18 nm	197.92	-	598 ft
				33 km	202.29		598 m
20R	LOC-ILS	IVIY	111.30 MHz	18 nm	197.58	-	598 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	201.95		598 m
31	LOC-ILS	IPNO	111.95 MHz	18 nm	313.42	-	598 ft
				33 km	317.79		598 m
02C	GS	IEZN	110.75 MHz	10 nm	18.83	3.00	598 ft
				19 km	23.20		598 m
02L	GS	IBNA	109.90 MHz	10 nm	18.16	3.00	595 ft
				19 km	22.53		595 m
02R	GS	IUQU	111.75 MHz	10 nm	18.83	3.00	582 ft
				19 km	23.20		582 m
20L	GS	ISSX	109.35 MHz	10 nm	198.83	3.00	535 ft
				19 km	203.20		535 m
20R	GS	IVIY	111.30 MHz	10 nm	198.16	3.00	562 ft
				19 km	202.53		562 m
31	GS	IPNO	111.95 MHz	10 nm	313.88	3.00	575 ft
				19 km	318.25		575 m