

KELP

El Paso Intl


MMM

Benito Juarez Intl

2024/05/04 0314Z

KELP VOKOM **UQ102** SLP **UJ45** QET MMMX

852.15 nm / 1578.18 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KELP APT	-	31.80670 -106.37300	0 ft 0 m	-	El Paso Intl
VOKOM FIX	-	30.45720 -106.23400	29,000 ft 8,839 m	81	-
SIDPA FIX	UQ102 AWY-HI	28.70170 -105.02100	35,000 ft 10,668 m	122	-
DULGU FIX	UQ102 AWY-HI	27.75280 -104.38500	35,000 ft 10,668 m	66	-
XUGAD FIX	UQ102 AWY-HI	25.08530 -102.66300	35,000 ft 10,668 m	185	-
XOVOM FIX	UQ102 AWY-HI	23.98000 -101.97900	35,000 ft 10,668 m	76	-
TANEX FIX	UQ102 AWY-HI	23.57970 -101.73300	35,000 ft 10,668 m	27	-
SLP VOR	UQ102 AWY-HI	22.25640 -100.93000	35,000 ft 10,668 m	91	POTOSI (SAN LUIS POTOSI)
QET VOR	UJ45 AWY-HI	20.61750 -100.19400	20,300 ft 6,187 m	106	QUERETARO
MMMX APT	-	19.43630 -99.07210	0 ft 0 m	95	Benito Juarez Intl

KELP

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 3

Elevation: 3,958 ft / 1,206 m
Location: 31.806700 -106.373000
Magnetic Var: 7.476 E

METAR

KELP 040251Z 00000KT 10SM FEW250 27/M09 A2983 RMK A02 SLP025 T02721094 53002

TAF

TAF KELP 032320Z 0400/0424 25010KT P6SM SKC FM040300 23008KT P6SM FEW250 FM041600 23012G20KT P6SM SCT250

Frequencies

REC - 120.00 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 125.00 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - EL PASO GROUND
TWR - 118.30 MHz - EL PASO TOWER	APP - 124.25 MHz - EL PASO APPROACH
APP - 119.15 MHz - EL PASO APPROACH	DEP - 119.15 MHz - EL PASO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	151 ft	12,038 ft	49.86	CONCRETE	0 ft	0 ft
	46 m	3,669 m	42.38		0 m	0 m
22	151 ft	12,038 ft	229.87	CONCRETE	0 ft	0 ft
	46 m	3,669 m	222.40		0 m	0 m
08R	151 ft	9,034 ft	93.32	CONCRETE	0 ft	0 ft
	46 m	2,754 m	85.84		0 m	0 m
26L	151 ft	9,034 ft	273.34	CONCRETE	0 ft	0 ft
	46 m	2,754 m	265.86		0 m	0 m
08L	75 ft	5,504 ft	93.32	CONCRETE	0 ft	0 ft
	23 m	1,678 m	85.84		0 m	0 m
26R	75 ft	5,504 ft	273.33	CONCRETE	0 ft	0 ft
	23 m	1,678 m	265.85		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	IETF	111.50 MHz	18 nm	-	-	3,926 ft
				33 km	-		3,926 m
22	DME	IELP	111.50 MHz	18 nm	-	-	3,926 ft
				33 km	-		3,926 m
22	LOC-ILS	IELP	111.50 MHz	18 nm	229.87	-	3,958 ft
				33 km	222.39		3,958 m
04	LOC-LOC	IETF	111.50 MHz	18 nm	49.87	-	3,958 ft
				33 km	42.39		3,958 m
22	LOC-LOC	IELP	111.50 MHz	18 nm	229.87	-	3,958 ft
				33 km	222.39		3,958 m
22	GS	IELP	111.50 MHz	10 nm	229.87	3.00	3,958 ft
				19 km	222.39		3,958 m

MMM

Region: MEXICO
Timezone: AMERICA/MEXICO_CITY
Runways: 2

Elevation: 7,315 ft / 2,230 m
Location: 19.436300 -99.072100
Magnetic Var: 3.904 E

METAR

MMM 040245Z 05006KT 7SM SCT020 SCT080 BKN220 21/09 A3021 NOSIG RMK SLP044 52029 903 8/463 HZY

TAF

TAF MMM 032303Z 0400/0500 14015KT 6SM -RA BKN020CB OVC080 TX33/0421Z TN16/0412Z BECMG 0401/0402 16010KT P6SM FM0

Frequencies

REC - 127.65 MHz - D-ATIS	CLD - 122.10 MHz - CLEARANCE DELIVERY
GND - 121.85 MHz - MEXICO GROUND	GND - 121.00 MHz - MEXICO GROUND
GND - 122.80 MHz - MEXICO GROUND	TWR - 118.55 MHz - MEXICO TOWER
TWR - 118.70 MHz - MEXICO TOWER	TWR - 118.15 MHz - MEXICO TOWER
APP - 119.75 MHz - MEXICO APPROACH	APP - 121.20 MHz - MEXICO APPROACH
DEP - 129.10 MHz - MEXICO DEPARTURE	DEP - 120.50 MHz - MEXICO DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	148 ft	13,427 ft	59.24	ASPHALT	1,841 ft	325 ft
	45 m	4,093 m	55.33		561 m	99 m
23L	148 ft	13,427 ft	239.25	ASPHALT	289 ft	0 ft
	45 m	4,093 m	235.35		88 m	0 m
05L	148 ft	12,912 ft	59.25	ASPHALT	1,568 ft	0 ft
	45 m	3,936 m	55.35		478 m	0 m
23R	148 ft	12,912 ft	239.26	ASPHALT	1,670 ft	177 ft
	45 m	3,936 m	235.36		509 m	54 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IMWX	109.10 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
23L	DME	IMEX	109.70 MHz	18 nm	-	-	7,316 ft
				33 km	-		7,316 m
05R	LOC-ILS	IMWX	109.10 MHz	18 nm	59.25	-	7,315 ft
				33 km	55.35		7,315 m
23L	LOC-ILS	IMEX	109.70 MHz	18 nm	239.25	-	7,315 ft
				33 km	235.35		7,315 m
05R	GS	IMWX	109.10 MHz	10 nm	59.25	3.00	7,315 ft
				19 km	55.35		7,315 m
23L	GS	IMEX	109.70 MHz	10 nm	239.25	3.00	7,315 ft
				19 km	235.35		7,315 m