

VABB

Mumbai Chhatrapati Shivaji Intl


HKJK

Nairobi-Jomo Kenyatta Intl

2024/06/05 1907Z

VABB BBB **G450** ORLID **UG450** KESOM **UL303** NV HKJK

2460.39 nm / 4556.64 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
VABB	-	19.08910	0 ft	-	Mumbai Chhatrapati Shivaji Intl	
APT	-	72.86560	0 m			
BBB	-	19.08620	100 ft	0	MUMBAI	
VOR	-	72.87470	30 m			
DARMI	G450	17.79500	35,000 ft	152	-	
FIX	AWY-HI	70.57750	10,668 m			
MEPAT	G450	17.19280	35,000 ft	69	-	
FIX	AWY-HI	69.54970	10,668 m			
MESAN	G450	16.26780	35,000 ft	107	-	
FIX	AWY-HI	67.94170	10,668 m			
METIP	G450	15.58440	35,000 ft	76	-	
FIX	AWY-HI	66.83360	10,668 m			
DONSA	G450	14.58830	35,000 ft	112	-	
FIX	AWY-HI	65.19330	10,668 m			
UNRIV	G450	13.59470	35,000 ft	110	-	
FIX	AWY-HI	63.59860	10,668 m			
ORLID	G450	11.28500	35,000 ft	252	-	
FIX	AWY-HI	60.00110	10,668 m			
NABAM	UG450	10.18580	35,000 ft	123	-	
FIX	AWY-HI	58.24060	10,668 m			
EGNIP	UG450	9.24139	35,000 ft	106	-	
FIX	AWY-HI	56.71330	10,668 m			
AMPEX	UG450	8.16583	35,000 ft	120	-	
FIX	AWY-HI	55.00000	10,668 m			
EPLES	UG450	7.28889	35,000 ft	100	-	
FIX	AWY-HI	53.57000	10,668 m			
EMALU	UG450	5.03278	35,000 ft	255	-	
FIX	AWY-HI	49.95000	10,668 m			
KATHY	UG450	4.19667	35,000 ft	92	-	
FIX	AWY-HI	48.65670	10,668 m			
MOGDU	UG450	2.00667	35,000 ft	240	-	
FIX	AWY-HI	45.29330	10,668 m			
TULAP	UG450	1.30944	35,000 ft	111	-	
FIX	AWY-HI	43.58080	10,668 m			
KESOM	UG450	0.13061	35,000 ft	170	-	
FIX	AWY-HI	41.00100	10,668 m			
EPLAV	UL303	0.04722	35,000 ft	14	-	
FIX	AWY-HI	40.78330	10,668 m			
IBROM	UL303	-0.32172	35,000 ft	57	-	
FIX	AWY-HI	39.89670	10,668 m			
NV	UL303	-1.29990	300 ft	186	NAVEX	
VOR	AWY-HI	36.95420	91 m			
HKJK	-	-1.31665	0 ft	1	Nairobi-Jomo Kenyatta Intl	
APT	-	36.93130	0 m			

VABB

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 2

Elevation: 39 ft / 12 m
Location: 19.089100 72.865600
Magnetic Var: 0.261 E

METAR

VABB 051830Z 24006KT 3000 BR FEW020 SCT025 31/27 Q1008 NOSIG

TAF

TAF VABB 051700Z 0518/0624 25008KT 3000 BR HZ FEW020 SCT025 TEMPO 0522/0601 2000 -RA -SHRA SCT018 FEW020TCU SCT100

Frequencies

REC - 126.40 MHz - MUMBAI INFORMATION	GND - 121.75 MHz - MUMBAI GROUND
GND - 121.85 MHz - MUMBAI GROUND	GND - 121.90 MHz - MUMBAI GROUND
TWR - 118.10 MHz - MUMBAI TOWER	TWR - 122.50 MHz - MUMBAI TOWER
APP - 119.30 MHz - MUMBAI APPROACH	APP - 120.35 MHz - MUMBAI APPROACH
APP - 127.90 MHz - MUMBAI APPROACH	APP - 120.50 MHz - MUMBAI RADAR
APP - 125.35 MHz - MUMBAI RADAR	APP - 132.70 MHz - MUMBAI RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	197 ft	11,297 ft	89.15	ASPHALT	466 ft	0 ft
	60 m	3,443 m	88.89		142 m	0 m
27	197 ft	11,297 ft	269.16	ASPHALT	1,585 ft	135 ft
	60 m	3,443 m	268.90		483 m	41 m
14	150 ft	9,434 ft	134.27	ASPHALT	1,339 ft	203 ft
	46 m	2,875 m	134.01		408 m	62 m
32	150 ft	9,434 ft	314.28	ASPHALT	853 ft	203 ft
	46 m	2,875 m	314.02		260 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	IBOM	109.50 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
14	DME	IBBY	110.10 MHz	18 nm	-	-	37 ft
				33 km	-		37 m
27	DME	ISCZ	110.30 MHz	18 nm	-	-	37 ft
				33 km	-		37 m
09	LOC-ILS	IBOM	109.50 MHz	18 nm	89.16	-	39 ft
				33 km	88.90		39 m
14	LOC-ILS	IBBY	110.10 MHz	18 nm	134.28	-	39 ft
				33 km	134.02		39 m
27	LOC-ILS	ISCZ	110.30 MHz	18 nm	269.16	-	39 ft
				33 km	268.90		39 m
09	GS	IBOM	109.50 MHz	10 nm	89.16	3.00	39 ft
				19 km	88.90		39 m
14	GS	IBBY	110.10 MHz	10 nm	134.28	3.00	39 ft
				19 km	134.02		39 m
27	GS	ISCZ	110.30 MHz	10 nm	269.16	3.30	39 ft
				19 km	268.90		39 m

HKJK

Region: KENYA
Timezone: AFRICA/NAIROBI
Runways: 1

Elevation: 5,330 ft / 1,625 m
Location: -1.316650 36.931300
Magnetic Var: 0.802 E

METAR

HKJK 051830Z 35005KT 9999 FEW023 BKN090 19/16 Q1023 NOSIG

TAF

TAF TAF HKJK 051700Z 0518/0624 14010KT 9999 SCT022 BKN080 BECMG 0601/0604 21005KT SCT007 BKN014 BECMG 0609/0612 1

Frequencies

REC - 126.20 MHz - NAIROBI ATIS
TWR - 118.70 MHz - NAIROBI TOWER
DEP - 119.70 MHz - NAIROBI DEPARTURE
GND - 121.60 MHz - NAIROBI GROUND
APP - 119.70 MHz - NAIROBI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	13,528 ft	53.83	ASPHALT	0 ft	194 ft
	45 m	4,123 m	53.03		0 m	59 m
24	148 ft	13,528 ft	233.83	ASPHALT	0 ft	197 ft
	45 m	4,123 m	233.03		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	NL	110.30 MHz	18 nm	53.83	-	5,330 ft
				33 km	53.03		5,330 m
06	GS	NL	110.30 MHz	10 nm	53.83	3.00	5,330 ft
				19 km	53.03		5,330 m