

UBBB

Baku Heydar Aliyev Intl


UATG

Atyrau

2024/05/08 1042Z

UBBB SITON **N60** GASBI **A357** AKT AKT **A357** KOLIB UATG

408.86 nm / 757.21 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UBBB	-	40.47210	0 ft	-	Baku Heydar Aliyev Intl
APT	-	50.04940	0 m		
SITON	-	41.95750	32,300 ft	90	-
FIX	-	50.38030	9,845 m		
GASBI	N60	42.43670	35,000 ft	29	-
FIX	AWY-HI	50.47000	10,668 m		
AKT	A357	43.85860	35,000 ft	89	AKTAU VOR-DME
DME	AWY-HI	51.10190	10,668 m		
AKT	-	43.87230	35,000 ft	1	AKTAU
VOR	-	51.06440	10,668 m		
PIRIM	A357	44.80220	30,200 ft	56	-
FIX	AWY-HI	51.29470	9,205 m		
KOLIB	A357	45.67970	18,800 ft	53	-
FIX	AWY-HI	51.48000	5,730 m		
UATG	-	47.12210	0 ft	87	Atyrau
APT	-	51.82010	0 m		

UBBB

Region: AZERBAIJAN
Timezone: ASIA/BAKU
Runways: 2

Elevation: 6 ft / 2 m
Location: 40.472100 50.049400
Magnetic Var: 6.669 E

METAR

UBBB 081030Z 28004KT 9999 -SHRA SCT045CB 16/11 Q1016 NOSIG

TAF

TAF UBBB 080457Z 0806/0906 30005KT 9999 BKN030 TX17/0811Z TN12/0902Z TEMPO 0806/0810 VRB04KT -SHRA SCT008 SCT0300

Frequencies

REC - 126.80 MHz - BAKU ATIS
TWR - 119.20 MHz - BAKU TOWER
APP - 128.00 MHz - BAKU RADAR

GND - 121.70 MHz - BAKU GROUND
APP - 129.30 MHz - BAKU APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	167 ft	10,509 ft	179.35	ASPHALT	0 ft	256 ft
	51 m	3,203 m	172.69		0 m	78 m
35	167 ft	10,509 ft	359.36	ASPHALT	486 ft	217 ft
	51 m	3,203 m	352.69		148 m	66 m
16	197 ft	13,136 ft	166.52	ASPHALT	0 ft	289 ft
	60 m	4,004 m	159.85		0 m	88 m
34	197 ft	13,136 ft	346.52	ASPHALT	0 ft	295 ft
	60 m	4,004 m	339.86		0 m	90 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	IBI	109.50 MHz	18 nm	166.53	-	6 ft
				33 km	159.86		6 m
17	LOC-ILS	IBU	110.50 MHz	18 nm	179.35	-	6 ft
				33 km	172.68		6 m
34	LOC-ILS	IBN	111.70 MHz	18 nm	346.53	-	6 ft
				33 km	339.86		6 m
35	LOC-ILS	IBA	109.30 MHz	18 nm	359.35	-	6 ft
				33 km	352.68		6 m
16	GS	IBI	109.50 MHz	10 nm	166.53	3.00	6 ft
				19 km	159.86		6 m
17	GS	IBU	110.50 MHz	10 nm	179.35	3.00	6 ft
				19 km	172.68		6 m
34	GS	IBN	111.70 MHz	10 nm	346.53	3.00	6 ft
				19 km	339.86		6 m
35	GS	IBA	109.30 MHz	10 nm	359.35	3.00	6 ft
				19 km	352.68		6 m

UATG

Region: KAZAKHSTAN AND KYRGYZSTAN
Timezone: ASIA/AQTAU
Runways: 1

Elevation: -72 ft / -22 m
Location: 47.122100 51.820100
Magnetic Var: 9.396 E

METAR

UATG 081030Z 36013MPS 9999 BKN026CB 16/13 Q1001 NOSIG RMK QFE752/1003

TAF

TAF AMD TAF AMD UATG 080800Z 0808/0906 31011G16MPS 9999 SCT011 BKN030CB TX16/0812Z TN08/0902Z TEMPO 0809/0812 310

Frequencies

REC - 126.60 MHz - ATIS

REC - 127.40 MHz - ATIS

TWR - 118.10 MHz - ATYRAU TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	148 ft	9,840 ft	149.96	ASPHALT	0 ft	197 ft
	45 m	2,999 m	140.56		0 m	60 m
32	148 ft	9,840 ft	329.98	ASPHALT	0 ft	197 ft
	45 m	2,999 m	320.58		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	LOC-ILS	ITY	109.90 MHz	18 nm	149.97	-	-72 ft
				33 km	140.57		-72 m
32	LOC-ILS	IAY	108.30 MHz	18 nm	329.97	-	-72 ft
				33 km	320.57		-72 m
14	GS	ITY	109.90 MHz	10 nm	149.97	3.00	-72 ft
				19 km	140.57		-72 m
32	GS	IAY	108.30 MHz	10 nm	329.97	3.00	-72 ft
				19 km	320.57		-72 m