

# FOOL

Libreville Airport


# FPST

Sao Tome International Airport

2024/05/02 1156Z

FOOL KOPUB FPST

162.24 nm / 300.48 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
F00L	-	0.45844	0 ft	-		Libreville Airport
APT	-	9.41233	0 m			
KOPUB	-	0.43028	17,600 ft	79	-	
FIX	-	8.08333	5,364 m			
FPST	-	0.37821	0 ft	82		Sao Tome International Airport
APT	-	6.71205	0 m			

## FOOL

Region: GABON

Timezone: AFRICA/LIBREVILLE

Runways: 1

Elevation: 39 ft / 12 m

Location: 0.458442 9.412330

Magnetic Var: 1.097 W

## METAR

FOOL 021100Z 18009KT 9999 FEW012 31/26 Q1009 NOSIG

## TAF

TAF FOOL 020500Z 0206/0312 10004KT 9999 SCT012 TEMPO 0214/0222 TS SCT012 FEW020CB PROB40 TEMPO 0216/0222 4000 TSRA

## Frequencies

COM - 112.10 MHz - LIBREVILLE ATIS

TWR - 118.70 MHz - LIBREVILLE TOWER

APP - 126.50 MHz - LIBREVILLE APPROACH

GND - 121.70 MHz - LIBREVILLE GROUND

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	9,852 ft	154.26	ASPHALT	0 ft	213 ft
	45 m	3,003 m	155.36		0 m	65 m
34	148 ft	9,852 ft	334.26	ASPHALT	0 ft	210 ft
	45 m	3,003 m	335.36		0 m	64 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	LB	109.50 MHz	18 nm	-	-	39 ft
				33 km	-		39 m
16	LOC-ILS	LB	109.50 MHz	18 nm	154.26	-	39 ft
				33 km	155.36		39 m
16	GS	LB	109.50 MHz	10 nm	154.26	3.00	39 ft
				19 km	155.36		39 m