


2024/06/01 1014Z

EBOS BABIX EHEH

95.00 nm / 175.94 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EBOS	-	51.19990	0 ft	-	Oostende-Brugge Intl
APT	-	2.87496	0 m		
BABIX	-	51.41310	3,700 ft	77	-
FIX	-	4.90528	1,128 m		
EHEH	-	51.45000	0 ft	17	Eindhoven
APT	-	5.37444	0 m		

## EBOS

Region: BELGIUM  
Timezone: EUROPE/BRUSSELS  
Runways: 1

Elevation: 7 ft / 2 m  
Location: 51.199900 2.874960  
Magnetic Var: 1.497 E

## METAR

EBOS 010950Z 36013KT 340V040 6000 OVC011 14/12 Q1021 TEMPO BKN009

## TAF

TAF EBOS 010500Z 0106/0212 36015G25KT 9999 SCT007 BKN012 TEMPO 0106/0115 4000 RA SHRA SCT005 BKN007 BECMG 0122/0124 3000

## Frequencies

APP - 120.60 MHz - OOSTENDE APPROACH	APP - 127.32 MHz - OOSTENDE APPROACH
TWR - 118.17 MHz - OOSTENDE TOWER	TWR - 127.32 MHz - OOSTENDE TOWER
GND - 121.97 MHz - OOSTENDE GROUND	REC - 126.12 MHz - OOSTENDE INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	10,478 ft	76.49	ASPHALT	984 ft	0 ft
	45 m	3,194 m	74.99		300 m	0 m
26	148 ft	10,478 ft	256.52	ASPHALT	1,371 ft	0 ft
	45 m	3,194 m	255.03		418 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IMI	111.55 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
08	LOC-ILS	IMI	111.55 MHz	18 nm	76.51	-	7 ft
				33 km	75.01		7 m
26	LOC-ILS	IOS	109.50 MHz	18 nm	256.51	-	7 ft
				33 km	255.01		7 m
08	GS	IMI	111.55 MHz	10 nm	76.51	3.00	7 ft
				19 km	75.01		7 m
26	GS	IOS	109.50 MHz	10 nm	256.51	3.00	7 ft
				19 km	255.01		7 m

## EHEH

Region: NETHERLANDS  
Timezone: EUROPE/AMSTERDAM  
Runways: 1

Elevation: 144 ft / 44 m  
Location: 51.450000 5.374440  
Magnetic Var: 2.264 E

## METAR

EHEH 010955Z AUTO 33005KT 260V030 8000 BR FEW005 SCT007 BKN008 17/16 Q1017 GRN NOSIG

## TAF

TAF EHEH 010503Z 0106/0212 29004KT 7000 SCT003 BKN005 TEMPO 0106/0110 4500 DZ BR BKN003 PROB40 TEMPO 0106/0108 3000

## Frequencies

REC - 126.02 MHz - INFORMATION  
TWR - 122.10 MHz - TOWER  
APP - 123.10 MHz - RAPCON SOUTH  
APP - 122.10 MHz - ARRIVAL

GND - 121.92 MHz - GROUND  
TWR - 131.00 MHz - TOWER  
APP - 124.50 MHz - ARRIVAL  
APP - 132.50 MHz - ARRIVAL

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	9,833 ft	34.92	ASPHALT	820 ft	0 ft
	45 m	2,997 m	32.66		250 m	0 m
21	148 ft	9,833 ft	214.94	ASPHALT	797 ft	0 ft
	45 m	2,997 m	212.68		243 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	EHZ	109.75 MHz	18 nm	-	-	74 ft
				33 km	-		74 m
21	DME	EHO	109.75 MHz	18 nm	-	-	74 ft
				33 km	-		74 m
03	LOC-ILS	EHZ	109.75 MHz	18 nm	34.94	-	74 ft
				33 km	32.68		74 m
21	LOC-ILS	EHO	109.75 MHz	18 nm	214.94	-	74 ft
				33 km	212.68		74 m
03	GS	EHZ	109.75 MHz	10 nm	34.94	3.00	74 ft
				19 km	32.68		74 m
21	GS	EHO	109.75 MHz	10 nm	214.94	3.00	74 ft
				19 km	212.68		74 m