

KCLE

Cleveland Hopkins Intl


KELM

Elmira/Corning Regional Airport

2024/05/02 1005Z

KCLE ALLCO **V188** TDT **V542** BFD KELM

228.21 nm / 422.65 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KCLE APT	- -	41.41030 -81.85340	0 ft 0 m	-	Cleveland Hopkins Intl
ALLCO FIX	- -	41.73850 -80.08150	29,200 ft 8,900 m	82	-
TDT VOR	V188 AWY-LO	41.71300 -79.41730	24,900 ft 7,590 m	29	TIDIOUTE
BFD VOR	V542 AWY-LO	41.78640 -78.61930	17,200 ft 5,243 m	36	BRADFORD
KELM APT	- -	42.16010 -76.89100	0 ft 0 m	80	Elmira/Corning Regional Airport

KCLE

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 791 ft / 241 m
Location: 41.410300 -81.853400
Magnetic Var: 8.386 W

METAR

KCLE 020851Z 26003KT 10SM FEW250 11/07 A2999 RMK AO2 SLP169 T01060067 51010

TAF

TAF AMD KCLE 020838Z 0209/0312 25004KT P6SM SCT250 FM021400 05005KT P6SM SCT250 FM030300 11006KT P6SM SCT100

Frequencies

REC - 127.85 MHz - ATIS
GND - 121.70 MHz - CLEVELAND GROUND
DEP - 118.15 MHz - CLEVELAND DEPARTURE
COM - 122.95 MHz - UNICOM
TWR - 120.90 MHz - CLEVELAND TOWER
APP - 124.00 MHz - CLEVELAND APPROACH
CLD - 125.05 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	6,023 ft	93.31	CONCRETE	0 ft	430 ft
	46 m	1,836 m	101.70		0 m	131 m
28	151 ft	6,023 ft	273.33	CONCRETE	0 ft	443 ft
	46 m	1,836 m	281.71		0 m	135 m
06L	151 ft	9,008 ft	49.83	CONCRETE	0 ft	394 ft
	46 m	2,746 m	58.22		0 m	120 m
24R	151 ft	9,008 ft	229.85	CONCRETE	0 ft	203 ft
	46 m	2,746 m	238.24		0 m	62 m
06R	151 ft	9,967 ft	49.84	CONCRETE	1,932 ft	387 ft
	46 m	3,038 m	58.23		589 m	118 m
24L	151 ft	9,967 ft	229.86	CONCRETE	0 ft	203 ft
	46 m	3,038 m	238.25		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	ILIZ	111.55 MHz	18 nm	-	-	783 ft
				33 km	-		783 m
24L	DME	IHPI	109.90 MHz	18 nm	-	-	772 ft
				33 km	-		772 m
24R	DME	IPVY	111.55 MHz	18 nm	-	-	783 ft
				33 km	-		783 m
06L	LOC-ILS	ILIZ	111.55 MHz	18 nm	49.85	-	791 ft
				33 km	58.24		791 m
06R	LOC-ILS	ICLE	111.90 MHz	18 nm	49.86	-	791 ft
				33 km	58.25		791 m
24L	LOC-ILS	IHPI	109.90 MHz	18 nm	229.86	-	791 ft
				33 km	238.25		791 m
24R	LOC-ILS	IPVY	111.55 MHz	18 nm	229.85	-	791 ft
				33 km	238.24		791 m
28	LOC-ILS	IPXP	110.70 MHz	18 nm	273.32	-	791 ft
				33 km	281.71		791 m
06L	GS	ILIZ	111.55 MHz	10 nm	49.85	3.00	791 ft
				19 km	58.24		791 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06R	GS	ICLE	111.90 MHz	10 nm	49.86	3.10	791 ft
				19 km	58.25		791 m
24L	GS	IHPI	109.90 MHz	10 nm	229.86	3.00	791 ft
				19 km	238.25		791 m
24R	GS	IPVY	111.55 MHz	10 nm	229.85	3.00	791 ft
				19 km	238.24		791 m
28	GS	IPXP	110.70 MHz	10 nm	273.32	3.00	791 ft
				19 km	281.71		791 m

KELM

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 954 ft / 291 m
Location: 42.160100 -76.891000
Magnetic Var: 11.563 W

METAR

KELM 020853Z AUTO 00000KT 10SM CLR 11/09 A2989 RMK A02 SLP119 T01060089 53003

TAF

TAF AMD KELM 020855Z 0209/0306 24004KT P6SM SCT090 FM021200 28007G15KT P6SM FEW200 FM022100 34010G16KT P6SM FEW14

Frequencies

REC - 125.47 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 121.10 MHz - ELMIRA TOWER
APP - 118.15 MHz - NEW YORK ARTCC APPROACH

COM - 121.10 MHz - CTAF
GND - 121.90 MHz -
ELMIRA GROUND/CLEARANCE DELIVERY
APP - 128.42 MHz - ELMIRA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	151 ft	7,596 ft	50.30	ASPHALT	597 ft	0 ft
	46 m	2,315 m	61.87		182 m	0 m
24	151 ft	7,596 ft	230.32	ASPHALT	207 ft	427 ft
	46 m	2,315 m	241.88		63 m	130 m
10	150 ft	5,396 ft	89.26	ASPHALT	0 ft	0 ft
	46 m	1,645 m	100.83		0 m	0 m
28	150 ft	5,396 ft	269.28	ASPHALT	404 ft	194 ft
	46 m	1,645 m	280.84		123 m	59 m
05	150 ft	2,019 ft	50.20	GRASS	0 ft	0 ft
	46 m	615 m	61.76		0 m	0 m
23	150 ft	2,019 ft	230.20	GRASS	0 ft	0 ft
	46 m	615 m	241.76		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-ILS	IUEK	109.10 MHz	18 nm	50.31	-	954 ft
				33 km	61.87		954 m
24	LOC-ILS	IELM	109.10 MHz	18 nm	230.31	-	954 ft
				33 km	241.87		954 m
06	GS	IUEK	109.10 MHz	10 nm	50.31	3.00	954 ft
				19 km	61.87		954 m
24	GS	IELM	109.10 MHz	10 nm	230.31	3.00	954 ft
				19 km	241.87		954 m