


2024/05/05 1646Z

GCX0 GDV GCLP

63.11 nm / 116.87 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
GCX0	-	28.48270	0 ft	-	Tenerife Norte-Ciudad de La Laguna	
APT	-	-16.34170	0 m			
GDV	-	28.07710	1,900 ft	54	GRAN CANARIA	
VOR	-	-15.42900	579 m			
GCLP	-	27.93160	0 ft	9	Gran Canaria	
APT	-	-15.38560	0 m			

GCX0

Region: CANARY ISLANDS
Timezone: ATLANTIC/CANARY
Runways: 1

Elevation: 2,077 ft / 633 m
Location: 28.482700 -16.341700
Magnetic Var: 4.259 W

METAR

GCX0 051630Z 13005KT 090V190 CAVOK 23/12 Q1018 NOSIG

TAF

TAF GCX0 051400Z 0515/0615 VRB05KT 9999 FEW010 TX23/0614Z TN14/0606Z PROB30 TEMPO 0606/0609 4500 BCFG BKN010 BECM

Frequencies

REC - 118.57 MHz - ATIS
TWR - 118.70 MHz - TENERIFE NORTH TOWER
CLD - 121.85 MHz - CLEARANCE DELIVERY
APP - 124.80 MHz - TENERIFE NORTH APPROACH
TWR - 120.00 MHz - TENERIFE NORTH TOWER
GND - 121.70 MHz - TENERIFE NORTH GROUND
APP - 128.85 MHz - TENERIFE NORTH APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,399 ft	110.67	ASPHALT	0 ft	0 ft
	45 m	3,170 m	114.93		0 m	0 m
30	148 ft	10,399 ft	290.69	ASPHALT	0 ft	0 ft
	45 m	3,170 m	294.94		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	INOR	108.70 MHz	18 nm	-	-	2,070 ft
				33 km	-		2,070 m
30	DME	ITF	110.30 MHz	18 nm	-	-	2,031 ft
				33 km	-		2,031 m
12	LOC-ILS	INOR	108.70 MHz	18 nm	110.68	-	2,076 ft
				33 km	114.94		2,076 m
30	LOC-ILS	ITF	110.30 MHz	18 nm	290.68	-	2,076 ft
				33 km	294.94		2,076 m
12	GS	INOR	108.70 MHz	10 nm	110.68	3.00	2,076 ft
				19 km	114.94		2,076 m
30	GS	ITF	110.30 MHz	10 nm	290.68	3.00	2,076 ft
				19 km	294.94		2,076 m

GCLP

Region: CANARY ISLANDS
Timezone: ATLANTIC/CANARY
Runways: 2

Elevation: 78 ft / 24 m
Location: 27.931600 -15.385600
Magnetic Var: 3.951 W

METAR

GCLP 051630Z 03020KT 9999 FEW025 23/16 Q1016 NOSIG

TAF

TAF GCLP 051400Z 0515/0615 02020KT 9999 FEW020 TX26/0614Z TN19/0606Z PROB30 TEMPO 0609/0615 03020G30KT

Frequencies

REC - 118.60 MHz - ATIS	GND - 121.70 MHz - GRAN CANARIA GROUND
TWR - 118.30 MHz - GRAN CANARIA TOWER	APP - 121.30 MHz - GRAN CANARIA APPROACH
APP - 124.30 MHz - GRAN CANARIA APPROACH	APP - 124.70 MHz - GRAN CANARIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	148 ft	10,180 ft	21.32	ASPHALT	0 ft	656 ft
	45 m	3,103 m	25.27		0 m	200 m
21L	148 ft	10,180 ft	201.33	ASPHALT	0 ft	666 ft
	45 m	3,103 m	205.28		0 m	203 m
03L	148 ft	10,201 ft	21.35	ASPHALT	0 ft	656 ft
	45 m	3,109 m	25.30		0 m	200 m
21R	148 ft	10,201 ft	201.35	ASPHALT	0 ft	738 ft
	45 m	3,109 m	205.31		0 m	225 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	ILP	109.90 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
21R	DME	RLP	110.70 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
03L	LOC-ILS	ILP	109.90 MHz	18 nm	21.33	-	77 ft
				33 km	25.28		77 m
21R	LOC-ILS	RLP	110.70 MHz	18 nm	201.32	-	77 ft
				33 km	205.28		77 m
03L	GS	ILP	109.90 MHz	10 nm	21.66	3.00	102 ft
				19 km	25.62		102 m
21R	GS	RLP	110.70 MHz	10 nm	201.66	3.00	77 ft
				19 km	205.62		77 m