


2024/05/13 0147Z

KCPR ALVIL **V319** COD **V85** SEZJI REDLO KBZN

279.57 nm / 517.77 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 26000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KCPR APT	-	42.90796 -106.46413	0 ft 0 m	-	NATRONA CO INTL
ALVIL FIX	-	44.13236 -108.20727	34,000 ft 10,363 m	105	-
CRANY FIX	V319 AWY-LO	44.26268 -108.40763	18,000 ft 5,486 m	11	-
COD VOR	V319 AWY-LO	44.62044 -108.96492	18,000 ft 5,486 m	32	CODY VOR-DME
SEZJI FIX	V85 AWY-LO	44.80328 -108.91350	17,000 ft 5,182 m	11	-
REDLO FIX	-	45.24336 -109.12730	18,400 ft 5,608 m	27	-
KBZN APT	-	45.77620 -111.15054	0 ft 0 m	90	Gallatin Fld

## KCPR

Region: UNITED STATES  
Timezone: AMERICA/DENVER  
Runways: 4

Elevation: 5,347 ft / 1,630 m  
Location: 42.908000 -106.464000  
Magnetic Var: 8.597 E

## METAR

KCPR 130053Z 36010KT 10SM CLR 19/03 A2991 RMK A02 SLP086 T01890033

## TAF

KCPR 122322Z 1300/1324 VRB06KT P6SM SCT250 FM131800 24010KT P6SM BKN120

## Frequencies

REC - 126.15 MHz - ATIS  
COM - 122.95 MHz - UNICOM  
TWR - 118.30 MHz - CASPER TWR  
APP - 120.65 MHz - CASPER APP/DEP  
COM - 118.30 MHz - CTAF  
GND - 121.90 MHz - CASPER GND/CLNC DEL  
APP - 119.00 MHz - CASPER APP/DEP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	151 ft	10,157 ft	43.69	ASPHALT	0 ft	666 ft
	46 m	3,096 m	35.09		0 m	203 m
21	151 ft	10,157 ft	223.71	ASPHALT	0 ft	0 ft
	46 m	3,096 m	215.11		0 m	0 m
08	151 ft	8,653 ft	88.85	ASPHALT	0 ft	190 ft
	46 m	2,638 m	80.26		0 m	58 m
26	151 ft	8,653 ft	268.88	ASPHALT	0 ft	177 ft
	46 m	2,638 m	260.28		0 m	54 m
17	59 ft	7,500 ft	178.96	ASPHALT	0 ft	489 ft
	18 m	2,286 m	170.37		0 m	149 m
35	59 ft	7,500 ft	358.96	ASPHALT	315 ft	0 ft
	18 m	2,286 m	350.37		96 m	0 m
12	59 ft	8,337 ft	133.99	ASPHALT	0 ft	381 ft
	18 m	2,541 m	125.40		0 m	116 m
30	59 ft	8,337 ft	314.01	ASPHALT	1,841 ft	0 ft
	18 m	2,541 m	305.41		561 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	LOC-ILS	ISYD	111.30 MHz	18 nm	43.92	-	5,320 ft
				33 km	35.33		5,320 m
08	LOC-ILS	ICPR	110.30 MHz	18 nm	88.81	-	5,307 ft
				33 km	80.21		5,307 m
03	GS	ISYD	111.30 MHz	10 nm	44.40	3.00	5,321 ft
				19 km	35.80		5,321 m
08	GS	ICPR	110.30 MHz	10 nm	89.73	3.00	5,339 ft
				19 km	81.13		5,339 m

## KBZN

Region: UNITED STATES  
Timezone: AMERICA/DENVER  
Runways: 3

Elevation: 4,471 ft / 1,363 m  
Location: 45.776200 -111.151000  
Magnetic Var: 11.152 E

## METAR

KBZN 130056Z 08005KT 10SM CLR 22/06 A2985 RMK A02 SLP086 T02220061

## TAF

TAF KBZN 122320Z 1300/1406 VRB05KT P6SM SCT100 FM131100 VRB06KT P6SM SCT100 BKN150 FM132000 26014KT P6SM SCT080 B

## Frequencies

REC - 135.42 MHz - ATIS  
COM - 122.95 MHz - UNICOM  
GND - 121.80 MHz -  
COM - 118.20 MHz - CTAF  
COM - 122.95 MHz - UNICOM  
TWR - 118.20 MHz - BOZEMAN TWR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	151 ft	9,002 ft	135.85	ASPHALT	0 ft	180 ft
	46 m	2,744 m	124.70		0 m	55 m
30	151 ft	9,002 ft	315.87	ASPHALT	0 ft	174 ft
	46 m	2,744 m	304.72		0 m	53 m
11	79 ft	3,199 ft	135.79	GRASS	0 ft	0 ft
	24 m	975 m	124.63		0 m	0 m
29	79 ft	3,199 ft	315.79	GRASS	0 ft	0 ft
	24 m	975 m	304.64		0 m	0 m
03	75 ft	2,650 ft	45.66	ASPHALT	0 ft	0 ft
	23 m	808 m	34.51		0 m	0 m
21	75 ft	2,650 ft	225.67	ASPHALT	0 ft	0 ft
	23 m	808 m	214.52		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	IBZN	109.30 MHz	18 nm	135.87	-	4,421 ft
				33 km	124.72		4,421 m
12	GS	IBZN	109.30 MHz	10 nm	136.71	3.00	4,427 ft
				19 km	125.56		4,427 m