

DAON

Tlemcen-Zenata-Messali El Hadj


DAAG

Alger/Houari Boumediene

2024/05/03 0846Z

DAON MOS **A411** DAHRA DAAG

251.20 nm / 465.22 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
DAON	-	35.01340	0 ft	-	Tlemcen-Zenata-Messali El Hadj
APT	-	-1.45720	0 m		
MOS	-	35.89860	33,600 ft	94	MOSTAGANEM
VOR	-	0.13630	10,241 m		
DAHRA	A411	36.36530	18,200 ft	71	-
FIX	AWY-HI	1.50000	5,547 m		
DAAG	-	36.69750	0 ft	85	Alger/Houari Boumediene
APT	-	3.21225	0 m		

DAON

Region: ALGERIA
Timezone: AFRICA/ALGIERS
Runways: 1

Elevation: 814 ft / 248 m
Location: 35.013400 -1.457200
Magnetic Var: 0.602 E

METAR

DAON 030830Z 07003KT CAVOK 18/06 Q1021

TAF

TAF DAON 030500Z 0306/0406 VRB02KT CAVOK BECMG 0312/0315 36012KT BECMG 0318/0321 VRB02KT

Frequencies

TWR - 119.70 MHz - TLEMCEN TOWER

TWR - 118.30 MHz - TLEMCEN TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	8,546 ft	69.88	ASPHALT	0 ft	0 ft
	45 m	2,605 m	69.28		0 m	0 m
25	148 ft	8,546 ft	249.90	ASPHALT	0 ft	0 ft
	45 m	2,605 m	249.30		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	LOC-ILS	TL	109.10 MHz	18 nm	249.89	-	814 ft
				33 km	249.29		814 m
25	GS	TL	109.10 MHz	10 nm	249.89	3.00	814 ft
				19 km	249.29		814 m

DAAG

Region: ALGERIA
Timezone: AFRICA/ALGIERS
Runways: 2

Elevation: 82 ft / 25 m
Location: 36.697500 3.212250
Magnetic Var: 1.705 E

METAR

DAAG 030830Z VRB02KT CAVOK 19/07 Q1022

TAF

TAF DAAG 030500Z 0306/0406 VRB02KT CAVOK BECMG 0309/0312 36010KT BECMG 0318/0322 VRB02KT

Frequencies

GND - 121.80 MHz - ALGIERS GROUND
TWR - 119.70 MHz - ALGIERS TOWER
REC - 128.52 MHz - ATIS

TWR - 118.70 MHz - ALGIERS TOWER
APP - 121.40 MHz - ALGIERS APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	12,468 ft	91.69	CONCRETE	984 ft	0 ft
	45 m	3,800 m	89.98		300 m	0 m
27	148 ft	12,468 ft	271.72	CONCRETE	0 ft	0 ft
	45 m	3,800 m	270.01		0 m	0 m
05	197 ft	11,494 ft	52.68	CONCRETE	0 ft	0 ft
	60 m	3,503 m	50.98		0 m	0 m
23	197 ft	11,494 ft	232.70	CONCRETE	0 ft	0 ft
	60 m	3,503 m	230.99		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	HB	108.50 MHz	18 nm	91.70	-	82 ft
				33 km	89.99		82 m
23	LOC-ILS	AG	110.30 MHz	18 nm	232.70	-	82 ft
				33 km	230.99		82 m
27	LOC-ILS	AL	109.50 MHz	18 nm	271.70	-	82 ft
				33 km	269.99		82 m
09	GS	HB	108.50 MHz	10 nm	91.70	3.00	82 ft
				19 km	89.99		82 m
23	GS	AG	110.30 MHz	10 nm	232.70	3.00	82 ft
				19 km	230.99		82 m
27	GS	AL	109.50 MHz	10 nm	271.70	3.00	82 ft
				19 km	269.99		82 m