

# EHRD

Rotterdam The Hague


# LICJ

Palermo-Punta Raisi "Falcone e Borsellino"

2024/05/15 0053Z

EHRD LAREP **UN852** GTQ **UZ343** BEGAR **UL15** RIPUS **UN850** DEGAD **N850** ODINA **Q343** BAKRO **L50** ELB **L12** GIANO  
LICJ

915.46 nm / 1695.44 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHRD	-	51.95750	0 ft	-	Rotterdam The Hague
APT	-	4.44169	0 m	-	
LAREP	-	50.44280	35,000 ft	104	-
FIX	-	5.79417	10,668 m	-	-
GESLO	UN852	50.07920	35,000 ft	23	-
FIX	AWY-HI	6.00500	10,668 m	-	-
GOPAS	UN852	49.96640	35,000 ft	7	-
FIX	AWY-HI	6.06972	10,668 m	-	-
DIK	UN852	49.86130	35,000 ft	6	DIEKIRCH
VOR	AWY-HI	6.12975	10,668 m	-	
LIMGO	UN852	49.63720	35,000 ft	14	-
FIX	AWY-HI	6.28167	10,668 m	-	-
DIK22	UN852	49.52330	35,000 ft	7	-
FIX	AWY-HI	6.35861	10,668 m	-	-
SUTAL	UN852	49.46670	35,000 ft	3	-
FIX	AWY-HI	6.39167	10,668 m	-	-
GTQ	UN852	48.98640	35,000 ft	31	GROSTENQUIN
VOR	AWY-HI	6.71622	10,668 m	-	
BEGAR	UZ343	47.90830	35,000 ft	73	-
FIX	AWY-HI	7.58333	10,668 m	-	-
RIPUS	UL15	47.26030	35,000 ft	53	-
FIX	AWY-HI	8.50000	10,668 m	-	-
GERSA	UN850	47.03940	35,000 ft	13	-
FIX	AWY-HI	8.53211	10,668 m	-	-
SOSON	UN850	46.60670	35,000 ft	26	-
FIX	AWY-HI	8.59417	10,668 m	-	-
DEGAD	UN850	46.43610	35,000 ft	10	-
FIX	AWY-HI	8.61833	10,668 m	-	-
ODINA	N850	46.10440	35,000 ft	20	-
FIX	AWY-HI	8.66492	10,668 m	-	-
BETEN	Q343	43.55310	35,000 ft	160	-
FIX	AWY-HI	9.76833	10,668 m	-	-
BAKRO	Q343	43.18810	35,000 ft	22	-
FIX	AWY-HI	9.88750	10,668 m	-	-
ELB	L50	42.73070	35,000 ft	35	ELBA
VOR	AWY-HI	10.39570	10,668 m	-	
VELAD	L12	42.05170	35,000 ft	43	-
FIX	AWY-HI	10.76360	10,668 m	-	-
TINTO	L12	41.47810	35,000 ft	37	-
FIX	AWY-HI	11.06780	10,668 m	-	-
POKAV	L12	40.83970	35,000 ft	41	-
FIX	AWY-HI	11.39970	10,668 m	-	-
BETOT	L12	40.38580	32,100 ft	29	-
FIX	AWY-HI	11.63170	9,784 m	-	-
RUVIP	L12	40.06060	27,600 ft	20	-
FIX	AWY-HI	11.79560	8,412 m	-	-
RONAB	L12	39.86970	25,000 ft	12	-
FIX	AWY-HI	11.89110	7,620 m	-	-
GIANO	L12	38.86920	11,000 ft	65	-
FIX	AWY-HI	12.44750	3,353 m	-	-
LICJ	-	38.17750	0 ft	51	Palermo-Punta Raisi "Falcone e Borsellino"
APT	-	13.09720	0 m	-	

## EHRD

Region: NETHERLANDS  
Timezone: EUROPE/AMSTERDAM  
Runways: 1

Elevation: -15 ft / -5 m  
Location: 51.957500 4.441690  
Magnetic Var: 1.954 E

## METAR

EHRD 150025Z AUTO VRB01KT 7000 NSC 15/15 Q1005 NOSIG

## TAF

TAF EHRD 142321Z 1500/1606 VRB02KT 7000 FEW040 PROB30 1501/1507 4000 BR SCT004 BKN006 BECMG 1504/1507 29004KT 999

## Frequencies

TWR - 118.20 MHz - ROTTERDAM TOWER  
REC - 110.40 MHz - ROTTERDAM ATIS  
GND - 122.17 MHz - ROTTERDAM GROUND

APP - 127.02 MHz - ROTTERDAM APPROACH  
CLD - 128.80 MHz - ROTTERDAM DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	7,198 ft	57.03	ASPHALT	643 ft	0 ft
	45 m	2,194 m	55.07		196 m	0 m
24	148 ft	7,198 ft	237.05	ASPHALT	646 ft	0 ft
	45 m	2,194 m	235.09		197 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ROS	110.90 MHz	18 nm	-	-	-15 ft
				33 km	-		-15 m
24	DME	RSV	110.90 MHz	18 nm	-	-	-15 ft
				33 km	-		-15 m
06	LOC-ILS	ROS	109.10 MHz	18 nm	56.94	-	-15 ft
				33 km	54.99		-15 m
24	LOC-ILS	RSV	110.90 MHz	18 nm	236.94	-	-15 ft
				33 km	234.99		-15 m

## LICJ

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 63 ft / 19 m  
Location: 38.177500 13.097200  
Magnetic Var: 3.575 E

## METAR

LICJ 150020Z VRB02KT CAVOK 19/18 Q1007

## TAF

TAF LICJ 141700Z 1418/1518 VRB05KT CAVOK BECMG 1508/1510 03012KT BECMG 1516/1518 VRB05KT

## Frequencies

GND - 121.62 MHz - RAISI GROUND  
APP - 120.20 MHz - PALERMO APPROACH  
REC - 123.87 MHz - ATIS

TWR - 119.05 MHz - RAISI TOWER  
APP - 118.65 MHz - PALERMO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	6,791 ft	23.79	ASPHALT	0 ft	0 ft
	45 m	2,070 m	20.22		0 m	0 m
20	148 ft	6,791 ft	203.80	ASPHALT	0 ft	0 ft
	45 m	2,070 m	200.22		0 m	0 m
07	197 ft	10,922 ft	66.82	ASPHALT	404 ft	577 ft
	60 m	3,329 m	63.25		123 m	176 m
25	197 ft	10,922 ft	246.84	ASPHALT	669 ft	302 ft
	60 m	3,329 m	243.27		204 m	92 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	DME	ITO	110.55 MHz	18 nm	-	-	38 ft
				33 km	-		38 m
25	DME	RAI	109.50 MHz	18 nm	-	-	65 ft
				33 km	-		65 m
20	LOC-ILS	ITO	110.55 MHz	18 nm	203.92	-	64 ft
				33 km	200.34		64 m
25	LOC-ILS	RAI	109.50 MHz	18 nm	246.80	-	64 ft
				33 km	243.22		64 m
20	GS	ITO	110.55 MHz	10 nm	203.92	3.00	64 ft
				19 km	200.34		64 m
25	GS	RAI	109.50 MHz	10 nm	246.80	3.00	64 ft
				19 km	243.22		64 m