


2024/06/08 0038Z

WAJJ TISTO **W68** TMK **W69** UNSEP DOVIK MUBRA **W33** KPG WATT

1159.17 nm / 2146.78 km



Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 36000ft
- Cruise Speed: 300kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WAJJ	-	-2.57788	0 ft	-	Sentani
APT	-	140.51800	0 m		
TISTO	-	-3.41136	36,000 ft	99	-
FIX	-	139.07600	10,973 m		
ODIUM	W68	-3.95679	36,000 ft	73	-
FIX	AWY-HI	137.98700	10,973 m		
TMK	W68	-4.51700	36,000 ft	75	TIMIKA
VOR	AWY-HI	136.86700	10,973 m		
FOLOT	W69	-5.51667	36,000 ft	274	-
FIX	AWY-HI	132.39000	10,973 m		
UNSEP	W69	-6.96080	36,000 ft	402	-
FIX	AWY-HI	125.80200	10,973 m		
DOVIK	-	-8.33692	36,000 ft	91	-
FIX	-	125.16200	10,973 m		
MUBRA	-	-8.56036	36,000 ft	13	-
FIX	-	125.10800	10,973 m		
KPG	W33	-10.16680	300 ft	127	KUPANG
VOR	AWY-HI	123.69200	91 m		
WATT	-	-10.17150	0 ft	1	Kupang El Tari
APT	-	123.67100	0 m		

WAJJ

Region: INDONESIA
Timezone: ASIA/JAYAPURA
Runways: 1

Elevation: 289 ft / 88 m
Location: -2.577880 140.518000
Magnetic Var: 2.800 E

METAR

WAJJ 080000Z 10004KT 050V140 9999 FEW012 29/25 Q1011 NOSIG

TAF

UNKNOWN

Frequencies

TWR - 118.10 MHz - SENTANI TOWER

APP - 119.10 MHz - JAYAPURA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	8,210 ft	126.78	ASPHALT	0 ft	0 ft
	45 m	2,502 m	123.98		0 m	0 m
30	148 ft	8,210 ft	306.78	ASPHALT	0 ft	1,640 ft
	45 m	2,502 m	303.98		0 m	500 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	DME	IJPA	110.30 MHz	18 nm	-	-	289 ft
				33 km	-		289 m
30	LOC-ILS	IJPA	110.30 MHz	18 nm	306.72	-	289 ft
				33 km	303.92		289 m
30	GS	IJPA	110.30 MHz	10 nm	307.44	3.00	289 ft
				19 km	304.64		289 m

WATT

Region: INDONESIA
Timezone: ASIA/MAKASSAR
Runways: 1

Elevation: 333 ft / 101 m
Location: -10.171500 123.671000
Magnetic Var: 0.887 E

METAR

WATT 080000Z AUTO 11013KT 9999 BKN070 30/25 Q1014

TAF

TAF WATT 072300Z 0800/0824 11016KT 9999 SCT016 BECMG 0812/0814 10007KT

Frequencies

TWR - 118.30 MHz - EL TARI TOWER

APP - 120.55 MHz - KUPANG APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	8,210 ft	76.50	ASPHALT	0 ft	0 ft
	45 m	2,502 m	75.61		0 m	0 m
25	148 ft	8,210 ft	256.50	ASPHALT	0 ft	0 ft
	45 m	2,502 m	255.61		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	LOC-ILS	IKPG	110.50 MHz	18 nm	256.50	-	333 ft
				33 km	255.61		333 m
25	GS	IKPG	110.50 MHz	10 nm	256.50	3.06	333 ft
				19 km	255.61		333 m