

KGPI

Glacier Park Intl


KCRQ

Mc Clellan Palomar

2024/06/05 0313Z

KGPI NOHHA **V231** MENIN 4300N11400W JEROT **V484** TWF **V269** FAPGI CRITO **Q73** WINEN **Q842** BLIPP **Q70** LAS
J100 DAG **V587** BULGY KCRQ

1009.49 nm / 1869.58 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KGPI	-	48.31170	0 ft	-	Glacier Park Intl
APT	-	-114.25500	0 m		
NOHHA	-	46.55810	35,000 ft	105	-
FIX	-	-114.08400	10,668 m		
OCFOW	V231	46.49150	35,000 ft	3	-
FIX	AWY-LO	-114.08400	10,668 m		
JENKI	V231	46.34150	35,000 ft	9	-
FIX	AWY-LO	-114.08400	10,668 m		
WEDAK	V231	45.88830	35,000 ft	27	-
FIX	AWY-LO	-114.08400	10,668 m		
FAXON	V231	45.54250	35,000 ft	20	-
FIX	AWY-LO	-114.08400	10,668 m		
FIPFE	V231	45.38780	35,000 ft	9	-
FIX	AWY-LO	-114.08400	10,668 m		
LKT	V231	45.02130	35,000 ft	22	SALMON
VOR	AWY-LO	-114.08400	10,668 m		
HOSUN	V231	44.77190	35,000 ft	15	-
FIX	AWY-LO	-114.06100	10,668 m		
MENIN	V231	43.12780	35,000 ft	98	-
FIX	AWY-LO	-113.91300	10,668 m		
4300N11400W	-	43.00000	35,000 ft	8	-
LATLON	-	-114.00000	10,668 m		
JEROT	-	42.75100	35,000 ft	24	-
FIX	-	-114.44400	10,668 m		
TOXEE	V484	42.69490	35,000 ft	3	-
FIX	AWY-LO	-114.45400	10,668 m		
TWF	V484	42.47990	35,000 ft	13	TWIN FALLS
VOR	AWY-LO	-114.48900	10,668 m		
IXUVE	V269	42.31910	35,000 ft	10	-
FIX	AWY-LO	-114.54900	10,668 m		
YUSUN	V269	42.30310	35,000 ft	0	-
FIX	AWY-LO	-114.55500	10,668 m		
JACKS	V269	42.19890	35,000 ft	6	-
FIX	AWY-LO	-114.59400	10,668 m		
LWL	V269	41.14480	35,000 ft	65	WELLS
VOR	AWY-LO	-114.97800	10,668 m		
SPATS	V269	40.74460	35,000 ft	29	-
FIX	AWY-LO	-114.61000	10,668 m		
FAPGI	V269	39.62910	35,000 ft	67	-
FIX	AWY-LO	-114.79500	10,668 m		
CRITO	-	39.30000	35,000 ft	22	-
FIX	-	-114.55000	10,668 m		
WINEN	Q73	37.93330	35,000 ft	95	-
FIX	AWY-HI	-113.50000	10,668 m		
BLIPP	Q842	36.71150	35,000 ft	86	-
FIX	AWY-HI	-114.47400	10,668 m		
IFEYE	Q70	36.41560	35,000 ft	23	-
FIX	AWY-HI	-114.79700	10,668 m		
LAS	Q70	36.07970	35,000 ft	26	LAS VEGAS
VOR	AWY-HI	-115.16000	10,668 m		
CLARR	J100	35.67570	35,000 ft	35	-
FIX	AWY-HI	-115.68000	10,668 m		
MISEN	J100	35.10230	27,400 ft	49	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-116.40400	8,352 m		
DAG	J100	34.96250	24,800 ft	11	DAGGETT
VOR	AWY-HI	-116.57800	7,559 m		
BULGY	V587	34.66780	21,000 ft	17	-
FIX	AWY-LO	-116.62200	6,401 m		
KCRQ	-	33.12830	0 ft	98	Mc Clellan Palomar
APT	-	-117.28000	0 m		

KGPI

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 2

Elevation: 2,976 ft / 907 m
Location: 48.311700 -114.255000
Magnetic Var: 12.765 E

METAR

KGPI 050255Z 18012KT 10SM SCT085 BKN110 13/08 A2979 RMK A02 SLP087 T01330078 56010

TAF

KGPI 042329Z 0500/0524 15012G22KT P6SM -SHRA OVC035 FM050900 19012KT P6SM VCSH BKN050 FM051200 19005KT P6SM SCT100

Frequencies

REC - 132.62 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 124.55 MHz - GLACIER TOWER
APP - 133.40 MHz - SALT LAKE CITY CENTER
COM - 124.55 MHz - CTAF
GND - 121.60 MHz - GLACIER GROUND
DEP - 133.40 MHz - SALT LAKE CITY CENTER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	150 ft	9,001 ft	34.75	ASPHALT	0 ft	200 ft
	46 m	2,743 m	21.99		0 m	61 m
20	150 ft	9,001 ft	214.77	ASPHALT	0 ft	200 ft
	46 m	2,743 m	202.00		0 m	61 m
12	75 ft	3,506 ft	136.36	ASPHALT	0 ft	98 ft
	23 m	1,069 m	123.60		0 m	30 m
30	75 ft	3,506 ft	316.37	ASPHALT	0 ft	102 ft
	23 m	1,069 m	303.61		0 m	31 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	LOC-ILS	IFCA	111.50 MHz	18 nm	34.72	-	2,978 ft
				33 km	21.96		2,978 m
02	GS	IFCA	111.50 MHz	10 nm	35.50	3.00	2,962 ft
				19 km	22.73		2,962 m

KCRQ

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 1

Elevation: 331 ft / 101 m
Location: 33.128300 -117.280000
Magnetic Var: 11.053 E

METAR

KCRQ 050253Z AUTO 18004KT 10SM OVC011 17/13 A2985 RMK A02 SLP107 T01670133 53005

TAF

KCRQ 042340Z 0500/0524 25008KT P6SM BKN016 FM050200 23007KT P6SM OVC013 FM050900 18003KT 5SM BR OVC009 FM051700 V

Frequencies

REC - 120.15 MHz - ATIS
CLD - 134.85 MHz - CLNC DEL
TWR - 118.60 MHz - PALOMAR TOWER
COM - 118.60 MHz - CTAF
GND - 121.80 MHz - PALOMAR GROUND
APP - 127.30 MHz - SOCAL APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	151 ft	4,889 ft	79.07	ASPHALT	299 ft	302 ft
	46 m	1,490 m	68.02		91 m	92 m
24	151 ft	4,889 ft	259.08	ASPHALT	0 ft	203 ft
	46 m	1,490 m	248.03		0 m	62 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	DME	ICRQ	108.70 MHz	18 nm	-	-	325 ft
				33 km	-		325 m
24	LOC-ILS	ICRQ	108.70 MHz	18 nm	259.07	-	325 ft
				33 km	248.02		325 m
24	GS	ICRQ	108.70 MHz	10 nm	259.18	3.20	319 ft
				19 km	248.13		319 m