


2024/05/04 1808Z

LFBI TIS47 LFLY

199.81 nm / 370.05 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFBI	-	46.58630	0 ft	-	Poitiers Biard
APT	-	0.30587	0 m		
TIS47	-	46.15220	22,500 ft	94	-
FIX	-	2.50000	6,858 m		
LFLY	-	45.72720	0 ft	105	Lyon Bron
APT	-	4.94429	0 m		

LFBI

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 3

Elevation: 422 ft / 129 m
Location: 46.586300 0.305868
Magnetic Var: 0.948 E

METAR

LFBI 041730Z AUTO 22011KT 8000 -RA BKN008/// BKN014/// BKN021/// ///TCU 14/13 Q1010 TEMPO 4000 -RA BKN004 OVC015

TAF

TAF LFBI 041700Z 0418/0518 20010KT 9999 BKN012 TEMPO 0418/0420 SCT030TCU TEMPO 0418/0503 4000 -RA BKN004 OVC015 P

Frequencies

REC - 121.77 MHz - POITIERS ATIS
APP - 134.10 MHz - POITIERS APPROACH

TWR - 118.50 MHz - POITIERS TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03R	328 ft	2,315 ft	30.51	GRASS	302 ft	0 ft
	100 m	706 m	29.57		92 m	0 m
21L	328 ft	2,315 ft	210.52	GRASS	466 ft	0 ft
	100 m	706 m	209.57		142 m	0 m
03	148 ft	7,717 ft	30.51	ASPHALT	0 ft	0 ft
	45 m	2,352 m	29.56		0 m	0 m
21	148 ft	7,717 ft	210.52	ASPHALT	0 ft	0 ft
	45 m	2,352 m	209.58		0 m	0 m
03L	328 ft	3,934 ft	30.49	GRASS	0 ft	0 ft
	100 m	1,199 m	29.55		0 m	0 m
21R	328 ft	3,934 ft	210.50	GRASS	0 ft	0 ft
	100 m	1,199 m	209.55		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	PT	110.95 MHz	18 nm	-	-	455 ft
				33 km	-		455 m
21	LOC-ILS	PT	110.95 MHz	18 nm	210.52	-	422 ft
				33 km	209.57		422 m
21	GS	PT	110.95 MHz	10 nm	210.52	3.00	422 ft
				19 km	209.57		422 m

LFLY

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 1

Elevation: 659 ft / 201 m
Location: 45.727200 4.944290
Magnetic Var: 2.220 E

METAR

LFLY 041730Z AUTO 18014KT 150V210 CAVOK 18/09 Q1013 TEMPO 18015G25KT RA

TAF

TAF LFLY 041700Z 0418/0518 18012KT CAVOK TEMPO 0418/0506 18015G25KT RA FEW030 BKN050 TEMPO 0512/0518 20015G25KT S

Frequencies

REC - 128.12 MHz - ATIS
TWR - 118.10 MHz - BRON TOWER

GND - 121.70 MHz - BRON GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	5,975 ft	163.45	ASPHALT	984 ft	0 ft
	45 m	1,821 m	161.23		300 m	0 m
34	148 ft	5,975 ft	343.45	ASPHALT	984 ft	0 ft
	45 m	1,821 m	341.24		300 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	LBO	109.95 MHz	18 nm	-	-	680 ft
				33 km	-		680 m
34	DME	LY	111.30 MHz	18 nm	-	-	715 ft
				33 km	-		715 m