

# SVMI

Maiquetia Simon Bolivar Intl


# SKRG

Jose Maria Cordova Intl

2024/05/03 1104Z

SVMI PBL **UA553** BRM **UW8** VRA VRA **UW8** LFA **UW34** CUC **UW26** DIPRA SKRG

576.17 nm / 1067.06 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SVMI APT	-	10.60320 -66.99040	0 ft 0 m	-	Maiquetia Simon Bolivar Intl
PBL VOR	-	10.48420 -68.07780	23,000 ft 7,010 m	64	PUERTO CABELLO
BRM VOR	UA553 AWY-HI	10.04250 -69.35200	35,000 ft 10,668 m	79	BARQUISIMETO
VRA DME	UW8 AWY-HI	9.42753 -70.55700	35,000 ft 10,668 m	80	VALERA VOR-DME
VRA VOR	-	9.42475 -70.55850	35,000 ft 10,668 m	0	VALERA
ISAGA FIX	UW8 AWY-HI	9.28167 -70.76670	35,000 ft 10,668 m	15	-
LFA VOR	UW8 AWY-HI	8.24183 -72.26990	35,000 ft 10,668 m	108	LA FRIA
CUC VOR	UW34 AWY-HI	7.93361 -72.51390	35,000 ft 10,668 m	23	CUCUTA
EJA VOR	UW26 AWY-HI	7.02861 -73.80560	23,400 ft 7,132 m	94	BARRANCABERMEJA
DIPRA FIX	UW26 AWY-HI	6.61389 -74.54610	12,600 ft 3,840 m	50	-
SKRG APT	-	6.16490 -75.42310	0 ft 0 m	58	Jose Maria Cordova Intl

## SVMI

Region: VENEZUELA  
Timezone: AMERICA/CARACAS  
Runways: 2

Elevation: 234 ft / 71 m  
Location: 10.603200 -66.990400  
Magnetic Var: 12.870 W

## METAR

SVMI 031000Z 00000KT 9999 SCT016 26/22 Q1009

## TAF

TAF SVMI 030400Z 0306/0406 00000KT 9999 SCT016 TX29/0318Z TN24/0408Z TEMPO 0304/0309 09004KT 9000 -DZ SCT080 BKN0

## Frequencies

CLD - 119.50 MHz - CLEARANCE DELIVERY  
TWR - 118.40 MHz - MAIQUETIA TOWER  
DEP - 120.10 MHz - MAIQUETIA DEPARTURE  
GND - 121.90 MHz - MAIQUETIA GROUND  
APP - 120.40 MHz - MAIQUETIA APPROACH  
REC - 132.85 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	11,494 ft	88.13	ASPHALT	0 ft	187 ft
	46 m	3,503 m	101.00		0 m	57 m
28	151 ft	11,494 ft	268.13	ASPHALT	0 ft	187 ft
	46 m	3,503 m	281.00		0 m	57 m
09	151 ft	9,523 ft	75.94	ASPHALT	0 ft	0 ft
	46 m	2,903 m	88.81		0 m	0 m
27	151 ft	9,523 ft	255.95	ASPHALT	0 ft	0 ft
	46 m	2,903 m	268.82		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IMIQ	110.10 MHz	18 nm	-	-	235 ft
				33 km	-		235 m
10	LOC-ILS	IMIQ	110.10 MHz	18 nm	87.90	-	235 ft
				33 km	100.77		235 m
10	GS	IMIQ	110.10 MHz	10 nm	88.29	3.00	235 ft
				19 km	101.16		235 m

## SKRG

Region: COLOMBIA  
Timezone: AMERICA/BOGOTA  
Runways: 1

Elevation: 7,027 ft / 2,142 m  
Location: 6.164900 -75.423100  
Magnetic Var: 7.545 W

## METAR

SKRG 031030Z VRB02KT 8000 VCFG SCT008 BKN060 15/15 Q1023 NOSIG RMK VCFG/S

## TAF

TAF SKRG 030430Z 0306/0406 VRB02KT 5000 BCFG BKN008 TEMPO 0308/0312 3000 DZ BR BECMG 0313/0315 13010KT 9999 NSW SC

## Frequencies

REC - 115.10 MHz - ATIS  
TWR - 118.60 MHz - RIONEGRO TOWER  
APP - 121.10 MHz - MEDELLIN APPROACH  
GND - 121.90 MHz - RIONEGRO GROUND  
APP - 126.10 MHz - MEDELLIN APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	151 ft	11,297 ft	359.63	ASPHALT	0 ft	0 ft
	46 m	3,443 m	7.18		0 m	0 m
19	151 ft	11,297 ft	179.63	ASPHALT	0 ft	112 ft
	46 m	3,443 m	187.18		0 m	34 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IMDE	110.90 MHz	18 nm	359.63	-	7,027 ft
				33 km	7.18		7,027 m
01	GS	IMDE	110.90 MHz	10 nm	359.63	3.00	7,027 ft
				19 km	7.18		7,027 m