

KLIT

Adams Field/Bill and Hillary Clinton National


KILG

New Castle

2024/05/14 2231Z

KLIT LIT **J6** HVQ **V4** ESL **V166** MRB KILG

851.84 nm / 1577.60 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
KLIT	-	34.72960	0 ft	-		Adams Field/Bill and Hillary Clinton National
APT	-	-92.22590	0 m			
LIT	-	34.67770	1,300 ft	3		LITTLE ROCK
VOR	-	-92.18050	396 m			
SOPIE	J6	36.14370	35,000 ft	197	-	
FIX	AWY-HI	-88.56330	10,668 m			
LAJUG	J6	36.61210	35,000 ft	66	-	
FIX	AWY-HI	-87.31590	10,668 m			
BWG	J6	36.92870	35,000 ft	46		BOWLING GREEN
VOR	AWY-HI	-86.44340	10,668 m			
RYANS	J6	37.38800	35,000 ft	73	-	
FIX	AWY-HI	-85.01700	10,668 m			
UNCKL	J6	37.48140	35,000 ft	15	-	
FIX	AWY-HI	-84.71630	10,668 m			
YOCKY	J6	37.65410	35,000 ft	28	-	
FIX	AWY-HI	-84.15620	10,668 m			
SPAYD	J6	38.19350	35,000 ft	92	-	
FIX	AWY-HI	-82.32460	10,668 m			
HVQ	J6	38.34970	35,000 ft	27		CHARLESTON
VOR	AWY-HI	-81.76990	10,668 m			
CAMMA	V4	38.49050	35,000 ft	20	-	
FIX	AWY-LO	-81.36210	10,668 m			
ITALY	V4	38.53370	35,000 ft	6	-	
FIX	AWY-LO	-81.23600	10,668 m			
FILES	V4	38.72700	35,000 ft	29	-	
FIX	AWY-LO	-80.66460	10,668 m			
REACH	V4	38.81620	35,000 ft	13	-	
FIX	AWY-LO	-80.39680	10,668 m			
EKN	V4	38.91440	35,000 ft	15		ELKINS
VOR	AWY-LO	-80.09930	10,668 m			
OMIYO	V4	39.14190	35,000 ft	40	-	
FIX	AWY-LO	-79.29250	10,668 m			
ESL	V4	39.22550	34,100 ft	14		KESSEL
VOR	AWY-LO	-78.98950	10,394 m			
CAPON	V166	39.30550	28,400 ft	26	-	
FIX	AWY-LO	-78.42980	8,656 m			
MEPEW	V166	39.33420	26,300 ft	9	-	
FIX	AWY-LO	-78.22370	8,016 m			
MRB	V166	39.38560	22,500 ft	17		MARTINSBURG
VOR	AWY-LO	-77.84840	6,858 m			
KILG	-	39.67840	0 ft	105		New Castle
APT	-	-75.60710	0 m			

KLIT

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 266 ft / 81 m
Location: 34.729600 -92.225900
Magnetic Var: 0.418 W

METAR

KLIT 142153Z 33015G22KT 10SM SCT040 BKN060 BKN080 24/16 A2969 RMK AO2 SLP052 T02440156

TAF

TAF KLIT 141720Z 1418/1518 29010G16KT P6SM SCT035 BKN060 FM150100 28005KT P6SM SCT250 FM151200 32006KT P6SM BKN250

Frequencies

CLD - 118.95 MHz - ADAMS CLEARANCE DELIVERY	GND - 121.90 MHz - ADAMS GROUND
TWR - 118.70 MHz - ADAMS TOWER	REC - 125.65 MHz - ATIS
DEP - 119.50 MHz - LITTLE ROCK DEPARTURE	DEP - 135.40 MHz - LITTLE ROCK DEPARTURE
APP - 119.50 MHz - LITTLE ROCK APPROACH	APP - 135.40 MHz - LITTLE ROCK APPROACH
COM - 122.95 MHz - ADAMS UNICOM	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	151 ft	6,243 ft	181.51	CONCRETE	0 ft	0 ft
	46 m	1,903 m	181.93		0 m	0 m
36	151 ft	6,243 ft	1.51	CONCRETE	164 ft	194 ft
	46 m	1,903 m	1.93		50 m	59 m
04R	151 ft	8,259 ft	46.39	CONCRETE	1,056 ft	194 ft
	46 m	2,517 m	46.80		322 m	59 m
22L	151 ft	8,259 ft	226.40	CONCRETE	0 ft	400 ft
	46 m	2,517 m	226.82		0 m	122 m
04L	151 ft	8,282 ft	46.38	CONCRETE	305 ft	705 ft
	46 m	2,524 m	46.80		93 m	215 m
22R	151 ft	8,282 ft	226.39	CONCRETE	0 ft	200 ft
	46 m	2,524 m	226.81		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	ILIT	110.30 MHz	18 nm	-	-	265 ft
				33 km	-		265 m
04R	DME	ICNL	111.30 MHz	18 nm	-	-	254 ft
				33 km	-		254 m
22R	DME	IAAY	110.30 MHz	18 nm	-	-	265 ft
				33 km	-		265 m
04L	LOC-ILS	ILIT	110.30 MHz	18 nm	46.39	-	262 ft
				33 km	46.81		262 m
04R	LOC-ILS	ICNL	111.30 MHz	18 nm	46.39	-	262 ft
				33 km	46.81		262 m
22L	LOC-ILS	IBWY	110.70 MHz	18 nm	226.39	-	262 ft
				33 km	226.81		262 m
22R	LOC-ILS	IAAY	110.30 MHz	18 nm	226.39	-	262 ft
				33 km	226.81		262 m
04L	GS	ILIT	110.30 MHz	10 nm	46.39	3.00	262 ft
				19 km	46.81		262 m
04R	GS	ICNL	111.30 MHz	10 nm	46.39	3.00	262 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	46.81		262 m
22L	GS	IBWY	110.70 MHz	10 nm	226.39	3.00	262 ft
				19 km	226.81		262 m
22R	GS	IAAY	110.30 MHz	10 nm	226.39	3.00	262 ft
				19 km	226.81		262 m

KILG

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 80 ft / 24 m
Location: 39.678400 -75.607100
Magnetic Var: 11.770 W

METAR

KILG 142159Z 16007KT 7SM -RA BKN022 BKN029 OVC040 18/17 A2993 RMK AO2 P0000 T01780167

TAF

KILG 141736Z 1418/1518 18009KT P6SM VCSH BKN100 FM150000 14007KT 6SM -SHRA OVC030 FM150900 10006KT 5SM -SHRA BR OV

Frequencies

REC - 123.95 MHz - ATIS
COM - 122.95 MHz - UNICOM
GND - 121.70 MHz -
APP - 118.35 MHz - PHILADELPHIA APP/DEP
COM - 126.00 MHz - CTAF
CLD - 119.95 MHz - CLNC DEL
TWR - 126.00 MHz - WILMINGTON TWR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	150 ft	7,260 ft	77.68	ASPHALT	0 ft	200 ft
	46 m	2,213 m	89.45		0 m	61 m
27	150 ft	7,260 ft	257.69	ASPHALT	0 ft	200 ft
	46 m	2,213 m	269.46		0 m	61 m
01	150 ft	7,022 ft	5.06	ASPHALT	0 ft	617 ft
	46 m	2,140 m	16.83		0 m	188 m
19	150 ft	7,022 ft	185.06	ASPHALT	0 ft	82 ft
	46 m	2,140 m	196.83		0 m	25 m
14	150 ft	4,601 ft	130.95	ASPHALT	0 ft	0 ft
	46 m	1,402 m	142.72		0 m	0 m
32	150 ft	4,601 ft	310.96	ASPHALT	0 ft	0 ft
	46 m	1,402 m	322.73		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	LOC-ILS	IILG	110.30 MHz	18 nm	5.06	-	80 ft
				33 km	16.83		80 m
01	GS	IILG	110.30 MHz	10 nm	5.06	3.00	80 ft
				19 km	16.83		80 m