

KASE

Aspen-Pitkin Co Sardy


KSLC

Salt Lake City International Airport

2024/05/16 0831Z

KASE EKR **J173** ODUCE KSLC

260.97 nm / 483.31 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
KASE	-	39.22190	0 ft	-	Aspen-Pitkin Co Sardy	
APT	-	-106.86800	0 m			
EKR	-	40.06740	25,100 ft	70	MEEKER	
VOR	-	-107.92500	7,650 m			
ODUCE	J173	40.78560	3,500 ft	174	-	
FIX	AWY-HI	-111.61300	1,067 m			
KSLC	-	40.78700	0 ft	16	Salt Lake City International Airport	
APT	-	-111.97500	0 m			

KASE

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 1

Elevation: 7,838 ft / 2,389 m
Location: 39.221900 -106.868000
Magnetic Var: 8.431 E

METAR

KASE 160753Z AUTO 21006KT 10SM CLR 02/M02 A3010 RMK A02 SLP112 T00221022

TAF

TAF KASE 160520Z 1606/1706 21006KT P6SM BKN250 FM161500 VRB04KT P6SM FEW250 FM161800 34008KT P6SM SCT090 FM170300

Frequencies

REC - 120.40 MHz - ASPEN ATIS	CLD - 123.75 MHz - ASPEN CLEARANCE
GND - 121.90 MHz - ASPEN GROUND	TWR - 118.85 MHz - ASPEN TOWER
APP - 123.80 MHz - ASPEN APPROACH	DEP - 123.80 MHz - ASPEN DEPARTURE
COM - 122.95 MHz - ASPEN UNICOM	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	100 ft	8,010 ft	159.71	ASPHALT	0 ft	203 ft
	30 m	2,441 m	151.28		0 m	62 m
33	100 ft	8,010 ft	339.72	ASPHALT	1,004 ft	200 ft
	30 m	2,441 m	331.29		306 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	IASE	111.15 MHz	18 nm	-	-	7,830 ft
				33 km	-		7,830 m
15	LOC-LOC	IPKN	108.50 MHz	18 nm	159.72	-	7,835 ft
				33 km	151.29		7,835 m

KSLC

Region: UNITED STATES

Timezone: AMERICA/DENVER

Runways: 4

Elevation: 4,227 ft / 1,288 m

Location: 40.787000 -111.975000

Magnetic Var: 10.770 E

METAR

KSLC 160754Z 17003KT 10SM CLR 14/05 A2998 RMK A02 SLP109 T01440050

TAF

TAF KSLC 160536Z 1606/1712 16004KT P6SM SKC FM161700 31008KT P6SM SKC FM170300 14004KT P6SM SKC

Frequencies

REC - 124.75 MHz - ATIS

COM - 122.95 MHz - UNICOM

GND - 121.90 MHz -

TWR - 118.30 MHz -

TWR - 132.65 MHz -

APP - 124.30 MHz - APP/DEP

APP - 126.25 MHz - APP/DEP

REC - 127.62 MHz - ATIS

CLD - 127.30 MHz - CLNC DEL

GND - 133.65 MHz -

TWR - 119.05 MHz -

APP - 121.10 MHz - APP/DEP

APP - 124.90 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	151 ft	12,013 ft	174.97	ASPHALT	0 ft	394 ft
	46 m	3,662 m	164.21		0 m	120 m
34R	151 ft	12,013 ft	354.98	ASPHALT	0 ft	400 ft
	46 m	3,662 m	344.21		0 m	122 m
16R	151 ft	12,013 ft	174.97	CONCRETE	0 ft	400 ft
	46 m	3,662 m	164.20		0 m	122 m
34L	151 ft	12,013 ft	354.97	CONCRETE	0 ft	400 ft
	46 m	3,662 m	344.20		0 m	122 m
17	151 ft	9,606 ft	179.99	ASPHALT	0 ft	102 ft
	46 m	2,928 m	169.22		0 m	31 m
35	151 ft	9,606 ft	359.99	ASPHALT	335 ft	312 ft
	46 m	2,928 m	349.22		102 m	95 m
14	151 ft	4,896 ft	153.08	ASPHALT	0 ft	0 ft
	46 m	1,492 m	142.31		0 m	0 m
32	151 ft	4,896 ft	333.09	ASPHALT	0 ft	0 ft
	46 m	1,492 m	322.32		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	IMOY	109.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
16R	DME	IUAT	111.90 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
17	DME	IBNT	111.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
34L	DME	IUUH	111.90 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m
34R	DME	ISLC	109.50 MHz	18 nm	-	-	4,227 ft
				33 km	-		4,227 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	LOC-ILS	IMOY	109.50 MHz	18 nm 33 km	174.98 164.21	-	4,227 ft 4,227 m
16R	LOC-ILS	IUAT	111.90 MHz	18 nm 33 km	174.97 164.20	-	4,227 ft 4,227 m
17	LOC-ILS	IBNT	111.50 MHz	18 nm 33 km	179.99 169.22	-	4,227 ft 4,227 m
34L	LOC-ILS	IUUH	111.90 MHz	18 nm 33 km	354.97 344.20	-	4,227 ft 4,227 m
34R	LOC-ILS	ISLC	109.50 MHz	18 nm 33 km	354.98 344.21	-	4,227 ft 4,227 m
35	LOC-ILS	IUTJ	111.50 MHz	18 nm 33 km	359.99 349.22	-	4,227 ft 4,227 m
16L	GS	IMOY	109.50 MHz	10 nm 19 km	174.98 164.21	3.00	4,227 ft 4,227 m
16R	GS	IUAT	111.90 MHz	10 nm 19 km	174.97 164.20	3.00	4,227 ft 4,227 m
17	GS	IBNT	111.50 MHz	10 nm 19 km	179.99 169.22	3.00	4,227 ft 4,227 m
34L	GS	IUUH	111.90 MHz	10 nm 19 km	354.97 344.20	3.00	4,227 ft 4,227 m
34R	GS	ISLC	109.50 MHz	10 nm 19 km	354.98 344.21	3.00	4,227 ft 4,227 m
35	GS	IUTJ	111.50 MHz	10 nm 19 km	359.99 349.22	3.00	4,227 ft 4,227 m