


2024/05/01 0312Z

NZAA ENBUG OPABI POKOM VALEY VIPOX WAIKA MAGEX PONUI AA419 CF23R NINAP TOMAS DUNAD AA413 DE05R
NZWN

562.46 nm / 1041.68 km



Notes

Requested: NZAA RUSIL ENBUG Q277 OPABI Y127 POKOM VALEY VIPOX WAIKA MAGEX PONUI AA419 CF23R NINAP TOMAS DUNAD AA413 DE05R NZWN

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NZAA	-	-37.00810	0 ft	-	Auckland Intl
APT	-	174.79200	0 m		
ENBUG	-	-39.19790	0 ft	131	-
FIX	-	174.80800	0 m		
OPABI	-	-38.82660	0 ft	22	-
FIX	-	174.80700	0 m		
POKOM	-	-37.87210	0 ft	57	-
FIX	-	174.80600	0 m		
VALEY	-	-37.34420	0 ft	36	-
FIX	-	175.17600	0 m		
VIPOX	-	-37.18250	0 ft	10	-
FIX	-	175.12400	0 m		
WAIKA	-	-36.99700	0 ft	14	-
FIX	-	175.30100	0 m		
MAGEX	-	-36.89060	0 ft	6	-
FIX	-	175.30000	0 m		
PONUI	-	-36.87860	0 ft	2	-
FIX	-	175.24900	0 m		
AA419	-	-36.88470	0 ft	1	-
FIX	-	175.21100	0 m		
CF23R	-	-36.95510	0 ft	11	-
FIX	-	174.98500	0 m		
NINAP	-	-36.97400	0 ft	3	-
FIX	-	174.92400	0 m		
TOMAS	-	-36.98480	0 ft	2	-
FIX	-	174.88400	0 m		
DUNAD	-	-36.99080	0 ft	1	-
FIX	-	174.86300	0 m		
AA413	-	-36.99470	0 ft	0	-
FIX	-	174.84900	0 m		
DE05R	-	-37.00660	0 ft	2	-
FIX	-	174.80600	0 m		
NZWN	-	-41.32670	0 ft	259	Wellington Intl
APT	-	174.80700	0 m		

NZAA

Region: NEW ZEALAND AND ANTARCTICA
Timezone: PACIFIC/AUCKLAND
Runways: 1

Elevation: 23 ft / 7 m
Location: -37.008100 174.792000
Magnetic Var: 20.177 E

METAR

NZAA 010300Z AUTO 26012KT 9999 FEW055/// 19/11 Q1012

TAF

TAF NZAA 010201Z 0103/0206 25012KT 9999 SCT030 FM010500 31010KT 9999 -SHRA SCT020 BKN030 BECMG 0107/0109 24018G30

Frequencies

REC - 127.80 MHz - ATIS	REC - 127.00 MHz - ATIS
GND - 121.90 MHz - AUCKLAND GROUND	TWR - 118.70 MHz - AUCKLAND TOWER
TWR - 120.95 MHz - AUCKLAND TOWER	CLD - 128.20 MHz - CLEARANCE DELIVERY
APP - 120.10 MHz - AUCKLAND APPROACH	APP - 124.30 MHz - AUCKLAND APPROACH
APP - 129.50 MHz - AUCKLAND APPROACH	APP - 129.60 MHz - AUCKLAND APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05R	151 ft	12,040 ft	70.92	CONCRETE	1,250 ft	0 ft
	46 m	3,670 m	50.75		381 m	0 m
23L	151 ft	12,040 ft	250.90	CONCRETE	0 ft	131 ft
	46 m	3,670 m	230.72		0 m	40 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05R	DME	IAA	110.30 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
23L	DME	IMG	109.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
05R	LOC-ILS	IAA	110.30 MHz	18 nm	70.91	-	23 ft
				33 km	50.73		23 m
23L	LOC-ILS	IMG	109.90 MHz	18 nm	250.91	-	23 ft
				33 km	230.73		23 m
05R	GS	IAA	110.30 MHz	10 nm	70.91	3.00	23 ft
				19 km	50.73		23 m
23L	GS	IMG	109.90 MHz	10 nm	250.91	3.00	23 ft
				19 km	230.73		23 m

NZWN

Region: NEW ZEALAND AND ANTARCTICA
Timezone: PACIFIC/AUCKLAND
Runways: 1

Elevation: 41 ft / 12 m
Location: -41.326700 174.807000
Magnetic Var: 22.989 E

METAR

NZWN 010300Z AUTO 33008KT 300V020 9999 -RA BKN019/// BKN026/// 16/13 Q1007

TAF

TAF NZWN 010201Z 0103/0206 35015KT 9999 SCT020 BKN030 TEMPO 0103/0110 4000 SHRA FEW020TCU BECMG 0110/0112 20015KT

Frequencies

CLD - 128.20 MHz - CLNC DEL
DEP - 122.30 MHz -
GND - 121.90 MHz -
REC - 126.90 MHz - ATIS

APP - 119.30 MHz -
TWR - 118.80 MHz -
COM - 122.80 MHz - UNICOM
TWR - 128.80 MHz - UNNAMED ENTITY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	131 ft	6,735 ft	182.88	ASPHALT	427 ft	62 ft
	40 m	2,053 m	159.89		130 m	19 m
34	131 ft	6,735 ft	2.88	ASPHALT	348 ft	161 ft
	40 m	2,053 m	339.89		106 m	49 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IEB	110.30 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
34	DME	IMP	109.90 MHz	18 nm	-	-	7 ft
				33 km	-		7 m
16	LOC-ILS	IEB	110.30 MHz	18 nm	182.84	-	20 ft
				33 km	159.85		20 m
34	LOC-ILS	IMP	109.90 MHz	18 nm	2.75	-	20 ft
				33 km	339.77		20 m
16	GS	IEB	110.30 MHz	10 nm	184.06	3.00	26 ft
				19 km	161.07		26 m
34	GS	IMP	109.90 MHz	10 nm	3.00	3.00	6 ft
				19 km	340.01		6 m