


2024/05/08 0207Z

KMBO NEMCI KNEW

144.13 nm / 266.94 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KMBO APT	-	32.43870 -90.10310	0 ft 0 m	-	BRUCE CAMPBELL FLD
NEMCI FIX	-	31.38030 -90.13010	17,200 ft 5,243 m	63	-
KNEW APT	-	30.04190 -90.02770	0 ft 0 m	80	Lakefront

KNEW

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 7 ft / 2 m
Location: 30.041900 -90.027700
Magnetic Var: 1.610 W

METAR

KNEW 080053Z 17014KT 10SM CLR 28/23 A2979 RMK A02 SLP082 T02830228

TAF

KNEW 072340Z 0800/0824 18011KT P6SM BKN025 FM080500 17009KT P6SM BKN015 TEMPO 0806/0810 BKN010 FM081300 18008KT P

Frequencies

REC - 124.90 MHz - ATIS	COM - 119.90 MHz - CTAF
COM - 122.95 MHz - UNICOM	CLD - 119.90 MHz - CLNC DEL
CLD - 127.40 MHz - CLNC DEL	GND - 121.70 MHz -
TWR - 119.90 MHz -	TWR - 125.65 MHz -
APP - 123.85 MHz - NEW ORLEANS APP/DEP	APP - 133.15 MHz - NEW ORLEANS APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18R	150 ft	6,904 ft	179.27	ASPHALT	240 ft	0 ft
	46 m	2,104 m	180.88		73 m	0 m
36L	150 ft	6,904 ft	359.27	ASPHALT	820 ft	0 ft
	46 m	2,104 m	0.88		250 m	0 m
18L	75 ft	3,710 ft	179.26	ASPHALT	0 ft	0 ft
	23 m	1,131 m	180.87		0 m	0 m
36R	75 ft	3,710 ft	359.26	ASPHALT	0 ft	0 ft
	23 m	1,131 m	0.87		0 m	0 m
09	75 ft	3,108 ft	89.20	ASPHALT	0 ft	59 ft
	23 m	947 m	90.81		0 m	18 m
27	75 ft	3,108 ft	269.20	ASPHALT	0 ft	49 ft
	23 m	947 m	270.81		0 m	15 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18R	DME	INEW	111.30 MHz	18 nm	-	-	21 ft
				33 km	-		21 m
18R	LOC-ILS	INEW	111.30 MHz	18 nm	179.26	-	7 ft
				33 km	180.87		7 m
18R	GS	INEW	111.30 MHz	10 nm	179.53	3.00	4 ft
				19 km	181.14		4 m