

# WAJJ

Sentani


# WIII

Jakarta Soekarno-Hatta Intl

2024/06/07 1944Z

WAJJ JPA **Z684** FAOWI **Z661** NBR **Z652** KMN ZV **W65** AMN **W53** MKS **W52** SIPUT **W13** CUCUT **M766** IMU WIII

2050.73 nm / 3797.95 km



## Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 200kts
- Cruise Altitude: 35000ft
- Cruise Speed: 480kts
- Descent Rate: 2000ft/min
- Descent Speed: 200kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
WAJJ	-	-2.57788	0 ft	-	Sentani
APT	-	140.51800	0 m		
JPA	-	-2.57839	0 ft	0	JAYAPURA
VOR	-	140.51700	0 m		
DABRA	Z684	-3.27038	30,400 ft	121	-
FIX	AWY-LO	138.61200	9,266 m		
FAOWI	Z684	-3.22916	35,000 ft	53	-
FIX	AWY-LO	137.72600	10,668 m		
DOUFO	Z661	-3.17368	35,000 ft	28	-
FIX	AWY-LO	137.25400	10,668 m		
NBR	Z661	-3.38298	35,000 ft	105	NABIRE
VOR	AWY-LO	135.50100	10,668 m		
KMN	Z652	-3.64483	35,000 ft	109	KAIMANA
VOR	AWY-LO	133.69400	10,668 m		
ZV	-	-3.64494	35,000 ft	0	KAIMANA
NDB	-	133.69600	10,668 m		
NILOT	W65	-3.65909	35,000 ft	100	-
FIX	AWY-HI	132.02000	10,668 m		
SOBIA	W65	-3.63412	35,000 ft	129	-
FIX	AWY-HI	129.85300	10,668 m		
AMN	W65	-3.61492	35,000 ft	99	AMBON
VOR	AWY-HI	128.18600	10,668 m		
HOLBA	W53	-3.94449	35,000 ft	107	-
FIX	AWY-HI	126.41600	10,668 m		
HIPNO	W53	-4.42053	35,000 ft	181	-
FIX	AWY-HI	123.41800	10,668 m		
NABAT	W53	-4.64547	35,000 ft	85	-
FIX	AWY-HI	122.00000	10,668 m		
MKS	W53	-5.03781	35,000 ft	149	MAKASSAR
VOR	AWY-HI	119.52600	10,668 m		
OVINA	W52	-5.52599	35,000 ft	149	-
FIX	AWY-HI	117.06800	10,668 m		
GUANO	W52	-5.63014	35,000 ft	31	-
FIX	AWY-HI	116.54300	10,668 m		
SOLOM	W52	-5.84000	35,000 ft	89	-
FIX	AWY-HI	115.06300	10,668 m		
SIPUT	W52	-6.28333	35,000 ft	150	-
FIX	AWY-HI	112.58300	10,668 m		
CUCUT	W13	-6.29500	35,000 ft	88	-
FIX	AWY-HI	111.10000	10,668 m		
MADIN	M766	-6.29833	35,000 ft	42	-
FIX	AWY-HI	110.38300	10,668 m		
KIDET	M766	-6.30083	35,000 ft	63	-
FIX	AWY-HI	109.32700	10,668 m		
IMU	M766	-6.30420	25,200 ft	58	INDRAMAYU
VOR	AWY-HI	108.33900	7,681 m		
WIII	-	-6.11981	0 ft	101	Jakarta Soekarno-Hatta Intl
APT	-	106.65700	0 m		

## WAJJ

Region: INDONESIA  
Timezone: ASIA/JAYAPURA  
Runways: 1

Elevation: 289 ft / 88 m  
Location: -2.577880 140.518000  
Magnetic Var: 2.800 E

## METAR

WAJJ 071930Z VRB02KT 9999 FEW012 24/24 Q1009

## TAF

UNKNOWN

## Frequencies

TWR - 118.10 MHz - SENTANI TOWER

APP - 119.10 MHz - JAYAPURA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	8,210 ft	126.78	ASPHALT	0 ft	0 ft
	45 m	2,502 m	123.98		0 m	0 m
30	148 ft	8,210 ft	306.78	ASPHALT	0 ft	1,640 ft
	45 m	2,502 m	303.98		0 m	500 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30	DME	IJPA	110.30 MHz	18 nm	-	-	289 ft
				33 km	-		289 m
30	LOC-ILS	IJPA	110.30 MHz	18 nm	306.72	-	289 ft
				33 km	303.92		289 m
30	GS	IJPA	110.30 MHz	10 nm	307.44	3.00	289 ft
				19 km	304.64		289 m

## WIII

Region: INDONESIA  
Timezone: ASIA/JAKARTA  
Runways: 3

Elevation: 34 ft / 10 m  
Location: -6.119810 106.657000  
Magnetic Var: 0.528 E

## METAR

WIII 071930Z VRB03KT 2500 HZ FEW021 27/23 Q1010 NOSIG

## TAF

TAF WIII 071700Z 0718/0900 26005KT 5000 HZ SCT020 BECMG 0723/0801 15010KT 8000 NSW

## Frequencies

REC - 126.85 MHz - ATIS	CLD - 121.95 MHz -
CLD - 124.25 MHz -	SOEKARNO-HATTA CLEARANCE DELIVERY
SOEKARNO-HATTA CLEARANCE DELIVERY	CLD - 125.15 MHz -
GND - 121.60 MHz - SOEKARNO-HATTA GROUND	SOEKARNO-HATTA CLEARANCE DELIVERY
GND - 128.85 MHz - SOEKARNO-HATTA GROUND	GND - 121.00 MHz - SOEKARNO-HATTA GROUND
TWR - 118.20 MHz - SOEKARNO-HATTA TOWER	GND - 128.95 MHz - SOEKARNO-HATTA GROUND
TWR - 119.30 MHz - SOEKARNO-HATTA TOWER	TWR - 118.75 MHz - SOEKARNO-HATTA TOWER
APP - 124.20 MHz - JAKARTA ARRIVAL	TWR - 120.25 MHz - SOEKARNO-HATTA TOWER
APP - 119.75 MHz - JAKARTA DIRECTOR	APP - 125.45 MHz - JAKARTA ARRIVAL
APP - 124.55 MHz - JAKARTA DIRECTOR	APP - 123.75 MHz - JAKARTA DIRECTOR
APP - 125.05 MHz - JAKARTA DIRECTOR	APP - 124.95 MHz - JAKARTA DIRECTOR
APP - 124.15 MHz - JAKARTA RADAR	APP - 127.90 MHz - JAKARTA DIRECTOR
APP - 125.35 MHz - JAKARTA RADAR	APP - 124.35 MHz - JAKARTA RADAR
APP - 127.95 MHz - JAKARTA RADAR	APP - 126.45 MHz - JAKARTA RADAR
	APP - 130.10 MHz - JAKARTA RADAR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,202 ft	68.13	ASPHALT	328 ft	846 ft
	46 m	2,500 m	67.61		100 m	258 m
24	150 ft	8,202 ft	248.13	ASPHALT	0 ft	0 ft
	46 m	2,500 m	247.60		0 m	0 m
07L	197 ft	11,820 ft	68.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	67.62		0 m	0 m
25R	197 ft	11,820 ft	248.15	ASPHALT	0 ft	0 ft
	60 m	3,603 m	247.62		0 m	0 m
07R	197 ft	12,015 ft	68.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	67.59		0 m	0 m
25L	197 ft	12,015 ft	248.12	ASPHALT	0 ft	0 ft
	60 m	3,662 m	247.59		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	ICHL	111.50 MHz	18 nm	68.13	-	21 ft
				33 km	67.60		21 m
07R	LOC-ILS	ICHR	110.50 MHz	18 nm	68.13	-	27 ft
				33 km	67.60		27 m
25L	LOC-ILS	ICGL	111.10 MHz	18 nm	248.12	-	34 ft
				33 km	247.59		34 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	LOC-ILS	ICGR	110.90 MHz	18 nm	248.13	-	29 ft
				33 km	247.60		29 m
07L	GS	ICHL	111.50 MHz	10 nm	68.25	3.00	29 ft
				19 km	67.72		29 m
07R	GS	ICHR	110.50 MHz	10 nm	68.24	3.00	34 ft
				19 km	67.72		34 m
25L	GS	ICGL	111.10 MHz	10 nm	248.24	3.00	27 ft
				19 km	247.72		27 m
25R	GS	ICGR	110.90 MHz	10 nm	248.25	3.00	21 ft
				19 km	247.72		21 m