

RPLL

Ninoy Aquino Intl


RPVB

Bacolod Principal

2024/06/09 0715Z

RPLL LAIYA **B473** MINOR RPVB

254.20 nm / 470.78 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RPLL APT	-	14.51130 121.01300	0 ft 0 m	-	Ninoy Aquino Intl
LAIYA FIX	-	13.57190 121.39500	21,600 ft 6,584 m	60	-
MINOR FIX	B473 AWY-HI	12.36830 122.23400	22,700 ft 6,919 m	87	-
RPVB APT	-	10.77660 123.01900	0 ft 0 m	106	Bacolod Principal

RPLL

Region: PHILIPPINES
Timezone: ASIA/MANILA
Runways: 2

Elevation: 75 ft / 23 m
Location: 14.511300 121.013000
Magnetic Var: 2.787 W

METAR

RPLL 090700Z 10007KT 070V150 9999 FEW023CB SCT025 OVC100 32/26 Q1009 NOSIG RMK A2980 CB NE/W

TAF

TAF RPLL 090500Z 0906/1012 12008KT 9999 FEW025 SCT100 TX34/0906Z TN27/0921Z TEMPO 0906/0912 VRB05KT -TSRA FEW023CB

Frequencies

REC - 126.40 MHz - ATIS	APP - 119.70 MHz - MANILA APPROACH
APP - 121.10 MHz - MANILA APPROACH	APP - 127.70 MHz - MANILA APPROACH
TWR - 118.10 MHz - MANILA TOWER	GND - 121.80 MHz - MANILA GROUND
GND - 121.70 MHz - MANILA RAMP	GND - 128.80 MHz - MANILA RAMP
GND - 123.25 MHz - MANILA RAMP	GND - 121.35 MHz - MANILA RAMP
CLD - 125.10 MHz - MANILA CLEARANCE DELIVERY	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	197 ft	11,742 ft	60.15	ASPHALT	545 ft	0 ft
	60 m	3,579 m	62.93		166 m	0 m
24	197 ft	11,742 ft	240.15	ASPHALT	0 ft	0 ft
	60 m	3,579 m	242.94		0 m	0 m
13	144 ft	7,729 ft	134.96	ASPHALT	804 ft	0 ft
	44 m	2,356 m	137.74		245 m	0 m
31	144 ft	7,729 ft	314.96	ASPHALT	0 ft	0 ft
	44 m	2,356 m	317.75		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IML	109.10 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
24	DME	IMA	109.90 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
06	LOC-ILS	IML	109.10 MHz	18 nm	60.15	-	75 ft
				33 km	62.94		75 m
24	LOC-ILS	IMA	109.90 MHz	18 nm	240.15	-	75 ft
				33 km	242.94		75 m
06	GS	IML	109.10 MHz	10 nm	60.15	3.01	75 ft
				19 km	62.94		75 m
24	GS	IMA	109.90 MHz	10 nm	240.15	3.06	75 ft
				19 km	242.94		75 m

RPVB

Region: PHILIPPINES
Timezone: ASIA/MANILA
Runways: 1

Elevation: 86 ft / 26 m
Location: 10.776600 123.019000
Magnetic Var: 2.173 W

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

APP - 121.00 MHz - BACOLOD APPROACH

TWR - 118.80 MHz - BACOLOD TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	130 ft	6,569 ft	29.58	CONCRETE	0 ft	203 ft
	40 m	2,002 m	31.75		0 m	62 m
21	130 ft	6,569 ft	209.58	CONCRETE	0 ft	207 ft
	40 m	2,002 m	211.75		0 m	63 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	IBC	109.90 MHz	18 nm	-	-	24 ft
				33 km	-		24 m
03	LOC-ILS	IBCD	109.70 MHz	18 nm	29.58	-	86 ft
				33 km	31.75		86 m
03	GS	IBCD	109.70 MHz	10 nm	29.58	3.00	86 ft
				19 km	31.75		86 m