


2024/05/08 2117Z

KCGZ KOFFA **J169** BLH **T306** PSP KVNY

345.80 nm / 640.42 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KCGZ APT	-	32.95490 -111.76700	0 ft 0 m	-	CASA GRANDE MUNI
KOFFA FIX	-	33.46360 -113.34900	30,400 ft 9,266 m	85	-
SALOM FIX	J169 AWY-HI	33.51620 -113.88900	35,000 ft 10,668 m	27	-
BLH VOR	J169 AWY-HI	33.59610 -114.76100	35,000 ft 10,668 m	43	BLYTHE
PSP VOR	T306 AWY-LO	33.87000 -116.43000	22,400 ft 6,828 m	84	PALM SPRINGS
KVNY APT	-	34.21070 -118.49000	0 ft 0 m	104	Van Nuys Airport

KCGZ

Region: UNITED STATES
Timezone: AMERICA/PHOENIX
Runways: 1

Elevation: 1,464 ft / 446 m
Location: 32.954900 -111.767000
Magnetic Var: 9.576 E

METAR

KCGZ 082056Z AUTO 27012G18KT 10SM CLR 31/01 A2971 RMK A02 SLP048 6//// T03060006 58019 PNO \$

TAF

UNKNOWN

Frequencies

REC - 132.17 MHz - AWOS 3

COM - 122.70 MHz - CTAF/UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	100 ft	5,196 ft	59.79	ASPHALT	0 ft	0 ft
	30 m	1,584 m	50.22		0 m	0 m
23	100 ft	5,196 ft	239.80	ASPHALT	0 ft	0 ft
	30 m	1,584 m	230.22		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	ICGZ	111.15 MHz	18 nm	59.81	-	1,464 ft
				33 km	50.23		1,464 m
05	GS	ICGZ	111.15 MHz	10 nm	60.59	3.00	1,451 ft
				19 km	51.02		1,451 m

KVNY

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 2

Elevation: 802 ft / 244 m
Location: 34.210700 -118.490000
Magnetic Var: 11.507 E

METAR

KVNY 082051Z 16004KT 10SM CLR 24/11 A2982 RMK A02 SLP090 T02440106 58018

TAF

TAF KVNY 081749Z 0818/0918 12005KT P6SM SKC FM082300 15007KT P6SM SKC FM090300 VRB03KT P6SM SKC FM091100 VRB03KT P

Frequencies

REC - 127.55 MHz - ATIS	COM - 119.30 MHz - CTAF
COM - 122.95 MHz - UNICOM	CLD - 126.60 MHz - CLEARANCE DELIVERY
GND - 121.70 MHz - VAN NUYS GROUND	TWR - 120.20 MHz - VAN NUYS TOWER
TWR - 119.30 MHz - VAN NUYS TOWER	APP - 124.60 MHz - SOCAL APPROACH
APP - 134.20 MHz - SOCAL APPROACH	APP - 135.05 MHz - SOCAL APPROACH
DEP - 120.40 MHz - SOCAL APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	151 ft	8,027 ft	175.52	ASPHALT	1,430 ft	151 ft
	46 m	2,447 m	164.02		436 m	46 m
34L	151 ft	8,027 ft	355.52	ASPHALT	0 ft	174 ft
	46 m	2,447 m	344.02		0 m	53 m
16L	75 ft	4,026 ft	175.53	ASPHALT	1,437 ft	0 ft
	23 m	1,227 m	164.03		438 m	0 m
34R	75 ft	4,026 ft	355.53	ASPHALT	0 ft	0 ft
	23 m	1,227 m	344.03		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16R	LOC-ILS	IVNY	111.30 MHz	18 nm	175.52	-	802 ft
				33 km	164.01		802 m
16R	GS	IVNY	111.30 MHz	10 nm	175.52	3.50	802 ft
				19 km	164.01		802 m