


2024/05/05 0530Z

LEVC CMA W1 GOVIG LEPP

208.18 nm / 385.54 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEVC	-	39.49000	0 ft	-	Valencia
APT	-	-0.48335	0 m		
CMA	-	40.86730	25,100 ft	90	CALAMOCHA
VOR	-	-1.29806	7,650 m		
GOVIG	W1	41.24460	20,100 ft	23	-
FIX	AWY-LO	-1.17136	6,126 m		
LEPP	-	42.77000	0 ft	94	Pamplona
APT	-	-1.64630	0 m		

LEVC

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 240 ft / 73 m
Location: 39.490000 -0.483345
Magnetic Var: 0.909 E

METAR

LEVC 050500Z 30005KT 270V330 CAVOK 14/10 Q1014 NOSIG

TAF

TAF LEVC 042300Z 0500/0524 VRB04KT 9999 FEW030 TX27/0512Z TN16/0504Z BECMG 0508/0510 12010KT PROB40 TEMPO 0510/0512

Frequencies

REC - 121.07 MHz - ATIS	GND - 121.87 MHz - VALENCIA GROUND
TWR - 118.55 MHz - VALENCIA TOWER	TWR - 125.47 MHz - VALENCIA TOWER
CLD - 123.57 MHz - CLEARANCE DELIVERY	APP - 124.75 MHz - VALENCIA APPROACH
APP - 120.10 MHz - VALENCIA APPROACH	APP - 119.07 MHz - VALENCIA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,528 ft	116.24	ASPHALT	0 ft	0 ft
	45 m	3,209 m	115.33		0 m	0 m
30	148 ft	10,528 ft	296.26	ASPHALT	968 ft	945 ft
	45 m	3,209 m	295.36		295 m	288 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	VLN	111.50 MHz	25 nm	-	-	256 ft
				46 km	-		256 m
30	DME	IVC	110.10 MHz	18 nm	-	-	203 ft
				33 km	-		203 m
12	LOC-ILS	VLN	111.50 MHz	18 nm	116.20	-	256 ft
				33 km	115.29		256 m
30	LOC-ILS	IVC	110.10 MHz	18 nm	296.19	-	225 ft
				33 km	295.29		225 m
12	GS	VLN	111.50 MHz	10 nm	116.40	3.00	256 ft
				19 km	115.49		256 m
30	GS	IVC	110.10 MHz	10 nm	296.52	3.00	225 ft
				19 km	295.61		225 m

LEPP

Region: SPAIN
Timezone: EUROPE/MADRID
Runways: 1

Elevation: 1,506 ft / 459 m
Location: 42.770000 -1.646300
Magnetic Var: 0.551 E

METAR

LEPP 050500Z VRB01KT 9999 FEW056 09/08 Q1014

TAF

TAF TAF LEPP 050200Z 0503/0603 18009KT 9999 FEW045 TX23/0514Z TN08/0505Z PROB40 TEMPO 0516/0603 3000 RA BKN010 PR

Frequencies

TWR - 118.20 MHz - PAMPLONA TOWER
APP - 118.20 MHz - PAMPLONA APPROACH

GND - 121.70 MHz - PAMPLONA GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	148 ft	7,902 ft	151.86	ASPHALT	0 ft	0 ft
	45 m	2,409 m	151.31		0 m	0 m
33	148 ft	7,902 ft	331.87	ASPHALT	1,627 ft	0 ft
	45 m	2,409 m	331.31		496 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	IPN	109.70 MHz	18 nm	-	-	1,470 ft
				33 km	-		1,470 m
15	LOC-ILS	IPN	109.70 MHz	18 nm	151.87	-	1,502 ft
				33 km	151.32		1,502 m
15	GS	IPN	109.70 MHz	10 nm	151.87	3.40	1,502 ft
				19 km	151.32		1,502 m