


2024/05/07 1738Z

CYYY ML **J553** DICEN **Q852** TAMKO **T636** KANUR **Q806** DEBUM CYYZ

563.82 nm / 1044.19 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
CYYY	-	48.60730	0 ft	-	MONT JOLI
APT	-	-68.20920	0 m		
ML	-	47.62340	35,000 ft	103	CHARLEVOIX
NDB	-	-70.32440	10,668 m		
DICEN	J553	46.80010	35,000 ft	94	-
FIX	AWY-HI	-72.28900	10,668 m		
MATOR	Q852	46.35060	35,000 ft	51	-
FIX	AWY-HI	-73.33810	10,668 m		
TAMKO	Q852	46.04830	35,000 ft	29	-
FIX	AWY-HI	-73.91080	10,668 m		
KANUR	T636	45.43140	35,000 ft	60	-
FIX	AWY-LO	-75.04360	10,668 m		
TUKIR	Q806	45.25190	35,000 ft	51	-
FIX	AWY-HI	-76.23900	10,668 m		
GOTIP	Q806	44.96420	29,600 ft	35	-
FIX	AWY-HI	-76.96470	9,022 m		
DEBUM	Q806	44.64220	21,200 ft	38	-
FIX	AWY-HI	-77.75500	6,462 m		
CYYZ	-	43.67610	0 ft	99	Toronto Pearson Intl
APT	-	-79.62770	0 m		

## CYYY

Region: CANADA  
Timezone: AMERICA/MONTREAL  
Runways: 2

Elevation: 172 ft / 52 m  
Location: 48.607300 -68.209200  
Magnetic Var: 16.799 W

## METAR

CYYY 071713Z 28009KT 30SM BKN044 09/03 A2966 RMK SC7 SLP048

## TAF

TAF CYYY 071340Z 0714/0802 28015KT P6SM BKN040 BKN100 BECMG 0714/0716 28015G25KT FM071700 27015G25KT P6SM BKN040

## Frequencies

None

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	5,986 ft	38.83	ASPHALT	500 ft	0 ft
	46 m	1,824 m	55.62		152 m	0 m
24	150 ft	5,986 ft	218.84	ASPHALT	0 ft	0 ft
	46 m	1,824 m	235.64		0 m	0 m
15	150 ft	3,929 ft	132.96	ASPHALT	0 ft	0 ft
	46 m	1,197 m	149.76		0 m	0 m
33	150 ft	3,929 ft	312.97	ASPHALT	230 ft	0 ft
	46 m	1,197 m	329.77		70 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	LOC-LOC	IYY	109.70 MHz	18 nm	38.40	-	172 ft
				33 km	55.20		172 m

## CYYZ

Region: CANADA  
Timezone: AMERICA/TORONTO  
Runways: 5

Elevation: 564 ft / 172 m  
Location: 43.676100 -79.627700  
Magnetic Var: 10.261 W

## METAR

CYYZ 071700Z 13008KT 15SM SCT250 20/08 A2981 RMK CI3 SLP099 DENSITY ALT 1400FT

## TAF

TAF CYYZ 071440Z 0715/0818 13010KT P6SM SKC FM080200 10008KT P6SM BKN060 BKN140 FM080400 10008KT P6SM -SHRA OVC050

## Frequencies

TWR - 118.35 MHz - TORONTO TOWER	TWR - 118.70 MHz - TORONTO TOWER
GND - 119.10 MHz - TORONTO GROUND	GND - 121.65 MHz - TORONTO GROUND
GND - 121.90 MHz - TORONTO GROUND	REC - 120.82 MHz - ATIS
REC - 133.10 MHz - ATIS	CLD - 121.30 MHz - CLEARANCE DELIVERY
APP - 132.80 MHz - TORONTO APPROACH	APP - 124.47 MHz - TORONTO APPROACH
APP - 125.40 MHz - TORONTO APPROACH	APP - 123.27 MHz - LONDON RADIO
DEP - 127.57 MHz - TORONTO DEPARTURE	DEP - 128.80 MHz - TORONTO DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	9,707 ft	46.43	ASPHALT	0 ft	131 ft
	60 m	2,959 m	56.69		0 m	40 m
24R	197 ft	9,707 ft	226.45	ASPHALT	194 ft	98 ft
	60 m	2,959 m	236.71		59 m	30 m
06R	197 ft	9,007 ft	46.43	ASPHALT	0 ft	95 ft
	60 m	2,745 m	56.69		0 m	29 m
24L	197 ft	9,007 ft	226.45	ASPHALT	0 ft	95 ft
	60 m	2,745 m	236.71		0 m	29 m
05	197 ft	11,128 ft	46.39	ASPHALT	141 ft	141 ft
	60 m	3,392 m	56.65		43 m	43 m
23	197 ft	11,128 ft	226.41	ASPHALT	492 ft	141 ft
	60 m	3,392 m	236.67		150 m	43 m
15L	197 ft	11,061 ft	136.64	ASPHALT	0 ft	92 ft
	60 m	3,372 m	146.90		0 m	28 m
33R	197 ft	11,061 ft	316.66	ASPHALT	0 ft	89 ft
	60 m	3,372 m	326.92		0 m	27 m
15R	197 ft	9,097 ft	136.62	ASPHALT	597 ft	0 ft
	60 m	2,773 m	146.88		182 m	0 m
33L	197 ft	9,097 ft	316.64	ASPHALT	591 ft	0 ft
	60 m	2,773 m	326.90		180 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24L	DME	IIDP	111.95 MHz	18 nm	-	-	568 ft
				33 km	-		568 m
24R	DME	INV	109.30 MHz	18 nm	-	-	546 ft
				33 km	-		546 m
05	LOC-ILS	ITX	109.70 MHz	18 nm	46.40	-	564 ft
				33 km	56.66		564 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IJS	109.10 MHz	18 nm 33 km	46.44 56.70	-	564 ft 564 m
06R	LOC-ILS	ICV	111.95 MHz	18 nm 33 km	46.44 56.70	-	564 ft 564 m
15L	LOC-ILS	IRW	110.50 MHz	18 nm 33 km	136.65 146.91	-	564 ft 564 m
15R	LOC-ILS	ILP	110.95 MHz	18 nm 33 km	136.63 146.89	-	564 ft 564 m
23	LOC-ILS	IYZ	111.50 MHz	18 nm 33 km	226.40 236.66	-	564 ft 564 m
24L	LOC-ILS	IDP	111.95 MHz	18 nm 33 km	226.44 236.70	-	564 ft 564 m
24R	LOC-ILS	INV	109.30 MHz	18 nm 33 km	226.44 236.70	-	564 ft 564 m
33L	LOC-ILS	ITO	110.95 MHz	18 nm 33 km	316.63 326.89	-	564 ft 564 m
33R	LOC-ILS	ILE	110.30 MHz	18 nm 33 km	316.65 326.91	-	564 ft 564 m
05	GS	ITX	109.70 MHz	10 nm 19 km	46.40 56.66	3.00	564 ft 564 m
06L	GS	IJS	109.10 MHz	10 nm 19 km	46.44 56.70	3.00	564 ft 564 m
06R	GS	ICV	111.95 MHz	10 nm 19 km	46.44 56.70	3.00	564 ft 564 m
15L	GS	IRW	110.50 MHz	10 nm 19 km	136.65 146.91	3.00	564 ft 564 m
15R	GS	ILP	110.95 MHz	10 nm 19 km	136.63 146.89	3.00	564 ft 564 m
23	GS	IYZ	111.50 MHz	10 nm 19 km	226.40 236.66	3.00	564 ft 564 m
24L	GS	IIDP	111.95 MHz	10 nm 19 km	226.44 236.70	3.00	564 ft 564 m
24R	GS	INV	109.30 MHz	10 nm 19 km	226.44 236.70	3.00	564 ft 564 m
33L	GS	ITO	110.95 MHz	10 nm 19 km	316.63 326.89	3.00	564 ft 564 m
33R	GS	ILE	110.30 MHz	10 nm 19 km	316.65 326.91	3.00	564 ft 564 m