


2024/06/09 0844Z

NZWN IDLUR NZAP

165.94 nm / 307.33 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NZWN	-	-41.32670	0 ft	-	Wellington Intl
APT	-	174.80700	0 m		
IDLUR	-	-39.82330	14,800 ft	96	-
FIX	-	175.56300	4,511 m		
NZAP	-	-38.74170	0 ft	69	Taupo Airport
APT	-	176.08200	0 m		

## NZWN

Region: NEW ZEALAND AND ANTARCTICA  
Timezone: PACIFIC/AUCKLAND  
Runways: 1

Elevation: 41 ft / 12 m  
Location: -41.326700 174.807000  
Magnetic Var: 22.996 E

## METAR

NZWN 090830Z AUTO 02018KT 9999 OVC014/// 15/13 Q1008

## TAF

TAF NZWN 090803Z 0909/1012 36025G35KT 9999 -RA BKN016 TEMPO 0909/0915 5000 RA BKN010 SCT020TCU TEMPO 0915/0919 6000

## Frequencies

CLD - 128.20 MHz - CLNC DEL  
DEP - 122.30 MHz -  
GND - 121.90 MHz -  
REC - 126.90 MHz - ATIS

APP - 119.30 MHz -  
TWR - 118.80 MHz -  
COM - 122.80 MHz - UNICOM  
TWR - 128.80 MHz - UNNAMED ENTITY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	131 ft	6,735 ft	182.88	ASPHALT	427 ft	62 ft
	40 m	2,053 m	159.89		130 m	19 m
34	131 ft	6,735 ft	2.88	ASPHALT	348 ft	161 ft
	40 m	2,053 m	339.89		106 m	49 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IEB	110.30 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
34	DME	IMP	109.90 MHz	18 nm	-	-	7 ft
				33 km	-		7 m
16	LOC-ILS	IEB	110.30 MHz	18 nm	182.84	-	20 ft
				33 km	159.85		20 m
34	LOC-ILS	IMP	109.90 MHz	18 nm	2.75	-	20 ft
				33 km	339.76		20 m
16	GS	IEB	110.30 MHz	10 nm	184.06	3.00	26 ft
				19 km	161.07		26 m
34	GS	IMP	109.90 MHz	10 nm	3.00	3.00	6 ft
				19 km	340.00		6 m