


2024/05/03 0647Z

LFQQ DPE **R50** CAN **R111** EKRAS LFRH

308.72 nm / 571.75 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFQQ APT	-	50.56630 3.09539	0 ft 0 m	-	Lille Lesquin
DPE VOR	-	49.92540 1.17064	29,700 ft 9,053 m	83	DIEPPE
CAN VOR	R50 AWY-LO	49.17320 -0.45528	31,600 ft 9,632 m	77	CAEN CARPIQUET
EKRAS FIX	R111 AWY-LO	48.89940 -1.49917	22,100 ft 6,736 m	44	-
LFRH APT	-	47.76250 -3.44091	0 ft 0 m	103	Lorient Lann-Bihoue

LFQQ

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 154 ft / 47 m
Location: 50.566300 3.095390
Magnetic Var: 1.584 E

METAR

LFQQ 030630Z AUTO 23013KT 9999 BKN022 BKN028 OVC054 11/08 Q1009 TEMPO BKN012

TAF

TAF LFQQ 030500Z 0306/0412 24013KT 9999 BKN020 TEMPO 0308/0312 BKN012 PROB40 TEMPO 0311/0314 24015G25KT PROB30 TE

Frequencies

REC - 119.32 MHz - LILLE ATIS
TWR - 118.55 MHz - LILLE TWR
COM - 123.50 MHz - LILLE UNICOM

GND - 121.85 MHz - LILLE GND
APP - 126.47 MHz - LILLE APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	146 ft	9,250 ft	77.36	ASPHALT	0 ft	0 ft
	45 m	2,819 m	75.77		0 m	0 m
26	146 ft	9,250 ft	257.39	ASPHALT	919 ft	0 ft
	45 m	2,819 m	255.80		280 m	0 m
02	98 ft	5,172 ft	14.83	ASPHALT	0 ft	0 ft
	30 m	1,576 m	13.25		0 m	0 m
20	98 ft	5,172 ft	194.84	ASPHALT	0 ft	0 ft
	30 m	1,576 m	193.25		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	LOC-ILS	LL	110.10 MHz	18 nm	77.13	-	135 ft
				33 km	75.55		135 m
26	LOC-ILS	LIL	110.75 MHz	18 nm	257.13	-	157 ft
				33 km	255.55		157 m
26	GS	LIL	110.75 MHz	10 nm	257.00	3.00	129 ft
				19 km	255.42		129 m

LFRH

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 122 ft / 37 m
Location: 47.762500 -3.440910
Magnetic Var: 0.282 W

METAR

LFRH 030630Z AUTO VRB01KT 9999 SCT026/// SCT032/// //TCU 10/09 Q1012 TEMPO SHRA SCT020CB

TAF

TAF LFRH 030500Z 0306/0406 VRB05KT 9999 SCT030 TEMPO 0306/0314 SHRA SCT020CB BECMG 0309/0311 23010KT TEMPO 0314/0406

Frequencies

REC - 129.12 MHz - LFRH ATIS	TWR - 119.70 MHz - LORIENT TWR
TWR - 122.70 MHz - LORIENT TWR	APP - 119.80 MHz - LORIENT_GCA APP
APP - 119.70 MHz - LORIENT APP	APP - 122.10 MHz - LORIENT APP
APP - 123.00 MHz - LORIENT APP	APP - 122.30 MHz - LORIENT APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	7,879 ft	71.70	CONCRETE	0 ft	295 ft
	45 m	2,401 m	71.98		0 m	90 m
25	148 ft	7,879 ft	251.72	CONCRETE	568 ft	89 ft
	45 m	2,401 m	252.00		173 m	27 m
02	148 ft	6,895 ft	16.11	ASPHALT	0 ft	0 ft
	45 m	2,102 m	16.39		0 m	0 m
20	148 ft	6,895 ft	196.12	ASPHALT	1,411 ft	0 ft
	45 m	2,102 m	196.40		430 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	LOC-ILS	BH	108.15 MHz	18 nm	251.71	-	144 ft
				33 km	251.99		144 m
25	GS	BH	108.15 MHz	10 nm	252.42	3.00	196 ft
				19 km	252.70		196 m