


2024/06/07 2253Z

TNCC LUCAS **UA516** SILVA **A516** RKDIA 2200N05900W 2400N05700W 2500N05600W 2600N05500W 2800N05300W
2900N05200W 3000N05100W 3100N05000W 3200N04900W 3400N04700W 3500N04600W 3600N04500W 3700N04300W
3800N04100W 3900N03900W 4000N03700W 4000N03600W 4000N03500W KOLIT 4100N03300W LUKAL 4200N03100W
4300N02900W 4400N02700W 4500N02500W 4600N02300W 4700N02100W 4700N02000W 4800N01800W 4800N01700W
4800N01600W 4800N01500W 4800N01400W OMOKO 4900N01100W 5000N0900W GAPLI **UM197** REDFA EHAM

4296.11 nm / 7956.39 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TNCC	-	12.18890	0 ft	-	Hato Intl
APT	-	-68.95970	0 m		
LUCAS	-	13.29490	32,700 ft	91	-
FIX	-	-67.87770	9,967 m		
ACORA	UA516	13.65750	35,000 ft	31	-
FIX	AWY-HI	-67.49940	10,668 m		
SILVA	UA516	14.45560	35,000 ft	68	-
FIX	AWY-HI	-66.67140	10,668 m		
MILOK	A516	15.29220	35,000 ft	68	-
FIX	AWY-LO	-65.88080	10,668 m		
RAYAS	A516	15.68790	35,000 ft	32	-
FIX	AWY-HI	-65.48860	10,668 m		
RAFEE	A516	16.10920	35,000 ft	34	-
FIX	AWY-HI	-65.07010	10,668 m		
ANNER	A516	16.23670	35,000 ft	10	-
FIX	AWY-HI	-64.94300	10,668 m		
PORQE	A516	17.16000	35,000 ft	76	-
FIX	AWY-HI	-64.01450	10,668 m		
DANDE	A516	17.50420	35,000 ft	28	-
FIX	AWY-HI	-63.66470	10,668 m		
PJM	A516	18.03810	35,000 ft	44	SAINT MAARTEN
VOR	AWY-HI	-63.11830	10,668 m		
MNOLO	A516	18.34560	35,000 ft	25	-
FIX	AWY-HI	-62.80210	10,668 m		
NEYDU	A516	18.97260	35,000 ft	52	-
FIX	AWY-HI	-62.15250	10,668 m		
OBIKE	A516	19.34130	35,000 ft	31	-
FIX	AWY-HI	-61.76720	10,668 m		
RKDIA	A516	21.00000	35,000 ft	140	-
FIX	AWY-HI	-60.00000	10,668 m		
2200N05900W	-	22.00000	35,000 ft	82	-
LATLON	-	-59.00000	10,668 m		
2400N05700W	-	24.00000	35,000 ft	163	-
LATLON	-	-57.00000	10,668 m		
2500N05600W	-	25.00000	35,000 ft	81	-
LATLON	-	-56.00000	10,668 m		
2600N05500W	-	26.00000	35,000 ft	80	-
LATLON	-	-55.00000	10,668 m		
2800N05300W	-	28.00000	35,000 ft	160	-
LATLON	-	-53.00000	10,668 m		
2900N05200W	-	29.00000	35,000 ft	79	-
LATLON	-	-52.00000	10,668 m		
3000N05100W	-	30.00000	35,000 ft	79	-
LATLON	-	-51.00000	10,668 m		
3100N05000W	-	31.00000	35,000 ft	79	-
LATLON	-	-50.00000	10,668 m		
3200N04900W	-	32.00000	35,000 ft	78	-
LATLON	-	-49.00000	10,668 m		
3400N04700W	-	34.00000	35,000 ft	156	-
LATLON	-	-47.00000	10,668 m		
3500N04600W	-	35.00000	35,000 ft	77	-
LATLON	-	-46.00000	10,668 m		
3600N04500W	-	36.00000	35,000 ft	77	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LATLON	-	-45.00000	10,668 m		
3700N04300W	-	37.00000	35,000 ft	113	-
LATLON	-	-43.00000	10,668 m		
3800N04100W	-	38.00000	35,000 ft	112	-
LATLON	-	-41.00000	10,668 m		
3900N03900W	-	39.00000	35,000 ft	111	-
LATLON	-	-39.00000	10,668 m		
4000N03700W	-	40.00000	35,000 ft	110	-
LATLON	-	-37.00000	10,668 m		
4000N03600W	-	40.00000	35,000 ft	46	-
LATLON	-	-36.00000	10,668 m		
4000N03500W	-	40.00000	35,000 ft	46	-
LATLON	-	-35.00000	10,668 m		
KOLIT	-	40.54860	35,000 ft	80	-
FIX	-	-33.38920	10,668 m		
4100N03300W	-	41.00000	35,000 ft	32	-
LATLON	-	-33.00000	10,668 m		
LUKAL	-	41.25310	35,000 ft	32	-
FIX	-	-32.35580	10,668 m		
4200N03100W	-	42.00000	35,000 ft	75	-
LATLON	-	-31.00000	10,668 m		
4300N02900W	-	43.00000	35,000 ft	106	-
LATLON	-	-29.00000	10,668 m		
4400N02700W	-	44.00000	35,000 ft	105	-
LATLON	-	-27.00000	10,668 m		
4500N02500W	-	45.00000	35,000 ft	104	-
LATLON	-	-25.00000	10,668 m		
4600N02300W	-	46.00000	35,000 ft	103	-
LATLON	-	-23.00000	10,668 m		
4700N02100W	-	47.00000	35,000 ft	102	-
LATLON	-	-21.00000	10,668 m		
4700N02000W	-	47.00000	35,000 ft	40	-
LATLON	-	-20.00000	10,668 m		
4800N01800W	-	48.00000	35,000 ft	100	-
LATLON	-	-18.00000	10,668 m		
4800N01700W	-	48.00000	35,000 ft	40	-
LATLON	-	-17.00000	10,668 m		
4800N01600W	-	48.00000	35,000 ft	40	-
LATLON	-	-16.00000	10,668 m		
4800N01500W	-	48.00000	35,000 ft	40	-
LATLON	-	-15.00000	10,668 m		
4800N01400W	-	48.00000	35,000 ft	40	-
LATLON	-	-14.00000	10,668 m		
OMOKO	-	48.83890	35,000 ft	94	-
FIX	-	-12.00000	10,668 m		
4900N01100W	-	49.00000	35,000 ft	40	-
LATLON	-	-11.00000	10,668 m		
5000N0900W	-	50.00000	35,000 ft	98	-
LATLON	-	-9.00000	10,668 m		
GAPLI	-	50.00000	35,000 ft	38	-
FIX	-	-8.00000	10,668 m		
CPT	UM197	51.49160	35,000 ft	272	COMPTON
VOR	AWY-HI	-1.21969	10,668 m		
IPRIL	UM197	51.67470	35,000 ft	38	-
FIX	AWY-HI	-0.22639	10,668 m		
RATLO	UM197	51.99140	24,600 ft	73	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	1.68194	7,498 m		
REDFA	UM197	52.11460	18,100 ft	30	-
FIX	AWY-HI	2.48795	5,517 m		
EHAM	-	52.30810	0 ft	84	Amsterdam Schiphol
APT	-	4.76417	0 m		

TNCC

Region: CARIBBEAN NETHERLANDS, ARUBA, CURAÇAO, SINT MAARTEN
Elevation: 29 ft / 9 m
Location: 12.188900 -68.959700
Timezone: UNKNOWN
Magnetic Var: 11.947 W
Runways: 1

METAR

TNCC 072200Z 10012KT 9999 FEW020 30/26 Q1011 NOSIG

TAF

TAF TNCC 071715Z 0718/0818 10016KT 9999 SCT022

Frequencies

TWR - 132.60 MHz - ATIS
APP - 119.60 MHz - CURACAO APPROACH
TWR - 118.30 MHz - HATO TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	11,208 ft	102.14	CONCRETE	2,739 ft	0 ft
	60 m	3,416 m	114.09		835 m	0 m
29	197 ft	11,208 ft	282.15	CONCRETE	0 ft	0 ft
	60 m	3,416 m	294.10		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	IATO	111.90 MHz	18 nm	-	-	29 ft
				33 km	-		29 m
11	LOC-ILS	IATO	111.90 MHz	18 nm	102.23	-	29 ft
				33 km	114.18		29 m
11	GS	IATO	111.90 MHz	10 nm	102.48	3.00	29 ft
				19 km	114.43		29 m

EHAM

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 6

Elevation: -11 ft / -3 m
Location: 52.308100 4.764170
Magnetic Var: 2.054 E

METAR

EHAM 072225Z 21008KT CAVOK 13/08 Q1016 NOSIG

TAF

TAF TAF EHAM 071710Z 0718/0824 25010KT CAVOK BECMG 0718/0720 20006KT PROB30 TEMPO 0805/0808 BKN012 BECMG 0808/081

Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.72		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.76		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.19		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.19		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.16		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.16		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.14		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.13		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.80		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.84		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.13		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.15		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.83	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.17	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.14	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.15	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.74	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.17	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.19	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.83	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.17	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.14	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.15	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.74	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.17	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.19	3.00	-11 ft -11 m