

LFPG

Paris Charles De Gaulle


EFHK

Helsinki Vantaa Intl

2024/05/02 2145Z

LFPG ARDEN **UZ706** KOKOR **Z706** GESKA **P605** MALIV **M611** ELVIX **Z330** KOTAM **L990** KAL **N197** NEREN **Q92** LUXEM
EFHK

1042.82 nm / 1931.31 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG APT	-	49.00970 2.56257	0 ft 0 m	-	Paris Charles De Gaulle
ARDEN FIX	-	49.86190 4.85778	35,000 ft 10,668 m	103	-
KOMOB FIX	UZ706 AWY-HI	50.14390 5.37361	35,000 ft 10,668 m	26	-
LEND0 FIX	UZ706 AWY-HI	50.62530 6.27861	35,000 ft 10,668 m	45	-
NVO VOR	UZ706 AWY-HI	50.82270 6.63654	35,000 ft 10,668 m	18	NOERVENICH
IRBUP FIX	UZ706 AWY-HI	51.49060 7.47722	35,000 ft 10,668 m	51	-
OSDIK FIX	UZ706 AWY-HI	52.07670 8.27972	35,000 ft 10,668 m	46	-
MOBSA FIX	UZ706 AWY-HI	52.20640 8.44944	35,000 ft 10,668 m	9	-
ENUGA FIX	UZ706 AWY-HI	52.65500 9.05972	35,000 ft 10,668 m	35	-
KEGAB FIX	UZ706 AWY-HI	52.91750 9.42417	35,000 ft 10,668 m	20	-
MABAS FIX	UZ706 AWY-HI	53.52060 10.28080	35,000 ft 10,668 m	47	-
PIXID FIX	UZ706 AWY-HI	54.34750 11.51440	35,000 ft 10,668 m	66	-
KOKOR FIX	UZ706 AWY-HI	54.46140 11.69000	35,000 ft 10,668 m	9	-
GESKA FIX	Z706 AWY-HI	54.61750 11.93250	35,000 ft 10,668 m	12	-
KOSMO FIX	P605 AWY-HI	55.01530 12.73030	35,000 ft 10,668 m	36	-
MOSAT FIX	P605 AWY-HI	55.04190 12.78810	35,000 ft 10,668 m	2	-
MALIV FIX	P605 AWY-HI	55.16270 13.03690	35,000 ft 10,668 m	11	-
ELVIX FIX	M611 AWY-HI	55.41190 14.09420	35,000 ft 10,668 m	39	-
KOTAM FIX	Z330 AWY-HI	56.13280 14.83670	35,000 ft 10,668 m	50	-
LAGIS FIX	L990 AWY-HI	56.55490 15.93700	35,000 ft 10,668 m	44	-
KAL VOR	L990 AWY-HI	56.68530 16.28410	35,000 ft 10,668 m	13	KALMAR
NEREN FIX	N197 AWY-HI	58.62770 20.77180	35,000 ft 10,668 m	185	-
DOLEX FIX	Q92 AWY-HI	58.90060 21.39030	30,700 ft 9,357 m	25	-
LUXEM FIX	Q92 AWY-HI	59.23390 23.20690	17,900 ft 5,456 m	59	-
EFHK APT	-	60.32040 24.95220	0 ft 0 m	83	Helsinki Vantaa Intl

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.493 E

METAR

LFPG 022130Z 24008KT CAVOK 10/09 Q1010 NOSIG

TAF

TAF AMD LFPG 021802Z 0218/0324 27010KT 9999 BKN035 TX16/0315Z TN09/0303Z TEMPO 0218/0220 -RA BKN010 PROB40 TEMPO 0

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.82		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.83		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.81		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.85		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.84		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.83		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.85		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.83		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.84		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.85		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.84		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.83		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.85		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.83		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.84		392 m

EFHK

Region: FINLAND

Timezone: EUROPE/HELSINKI

Runways: 3

Elevation: 180 ft / 55 m

Location: 60.320400 24.952200

Magnetic Var: 9.958 E

METAR

EFHK 022120Z 06002KT CAVOK 05/02 Q1022 NOSIG

TAF

TAF TAF EFHK 022031Z 0221/0321 17003KT CAVOK

Frequencies

REC - 135.07 MHz - ATIS ARRIVAL

TWR - 119.70 MHz - HELSINKI TOWER

TWR - 118.60 MHz - HELSINKI TOWER

GND - 118.12 MHz - HELSINKI GROUND

APP - 119.10 MHz - HELSINKI RADAR APPROACH

APP - 119.70 MHz - HELSINKI RADAR APPROACH

APP - 119.90 MHz - HELSINKI ARRIVAL

REC - 114.20 MHz - ATIS DEPARTURE

TWR - 118.85 MHz - HELSINKI TOWER

GND - 121.80 MHz - HELSINKI GROUND

GND - 121.65 MHz - HELSINKI RAMP/TAXI

APP - 129.85 MHz - HELSINKI RADAR APPROACH

APP - 124.32 MHz - HELSINKI ARRIVAL

GND - 127.02 MHz - HELSINKI DE-ICING

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	197 ft	11,459 ft	47.48	ASPHALT	978 ft	210 ft
	60 m	3,493 m	37.52		298 m	64 m
22L	197 ft	11,459 ft	227.52	ASPHALT	0 ft	207 ft
	60 m	3,493 m	217.57		0 m	63 m
04L	197 ft	10,047 ft	47.42	ASPHALT	0 ft	236 ft
	60 m	3,062 m	37.46		0 m	72 m
22R	197 ft	10,047 ft	227.46	ASPHALT	253 ft	177 ft
	60 m	3,062 m	217.50		77 m	54 m
15	197 ft	9,497 ft	153.07	ASPHALT	0 ft	194 ft
	60 m	2,895 m	143.11		0 m	59 m
33	197 ft	9,497 ft	333.09	ASPHALT	0 ft	197 ft
	60 m	2,895 m	323.13		0 m	60 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	HTV	111.90 MHz	18 nm	-	-	165 ft
				33 km	-		165 m
04R	DME	HG	111.50 MHz	18 nm	-	-	206 ft
				33 km	-		206 m
15	DME	HL	109.10 MHz	18 nm	-	-	220 ft
				33 km	-		220 m
22L	DME	HK	110.30 MHz	18 nm	-	-	205 ft
				33 km	-		205 m
22R	DME	HUO	110.70 MHz	18 nm	-	-	207 ft
				33 km	-		207 m
04L	LOC-ILS	HTV	111.90 MHz	18 nm	47.45	-	180 ft
				33 km	37.49		180 m
04R	LOC-ILS	HG	111.50 MHz	18 nm	47.51	-	180 ft
				33 km	37.55		180 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	LOC-ILS	HL	109.10 MHz	18 nm	153.08	-	180 ft
				33 km	143.12		180 m
22L	LOC-ILS	HK	110.30 MHz	18 nm	227.51	-	180 ft
				33 km	217.55		180 m
22R	LOC-ILS	HUO	110.70 MHz	18 nm	227.45	-	180 ft
				33 km	217.49		180 m
04L	GS	HTV	111.90 MHz	10 nm	47.45	3.00	180 ft
				19 km	37.49		180 m
04R	GS	HG	111.50 MHz	10 nm	47.51	3.00	180 ft
				19 km	37.55		180 m
15	GS	HL	109.10 MHz	10 nm	153.08	3.00	180 ft
				19 km	143.12		180 m
22L	GS	HK	110.30 MHz	10 nm	227.51	3.00	180 ft
				19 km	217.55		180 m
22R	GS	HUO	110.70 MHz	10 nm	227.45	3.00	180 ft
				19 km	217.49		180 m