


2024/05/07 0555Z

EDDP GUDOM **Z94** RASPU **T726** TOSTU **Z12** RINEX **Z818** ZWN MAKOT **G21** EPL **UM129** PIBAT LFLC

515.91 nm / 955.46 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDP	-	51.42260	0 ft	-	Leipzig-Halle
APT	-	12.23600	0 m		
GUDOM	-	50.19360	35,000 ft	101	-
FIX	-	10.40470	10,668 m		
RASPU	Z94	50.07280	35,000 ft	13	-
FIX	AWY-LO	10.09860	10,668 m		
TOSTU	T726	49.71360	35,000 ft	24	-
FIX	AWY-LO	9.80583	10,668 m		
GIBSA	Z12	49.66820	35,000 ft	6	-
FIX	AWY-HI	9.66754	10,668 m		
OSBAN	Z12	49.45440	35,000 ft	17	-
FIX	AWY-HI	9.37861	10,668 m		
KETEG	Z12	49.45250	35,000 ft	15	-
FIX	AWY-HI	8.98574	10,668 m		
UMDAS	Z12	49.39590	35,000 ft	7	-
FIX	AWY-HI	8.82418	10,668 m		
RINEX	Z12	49.32910	35,000 ft	8	-
FIX	AWY-HI	8.63551	10,668 m		
MANEM	Z818	49.29460	35,000 ft	17	-
FIX	AWY-LO	8.19166	10,668 m		
LADAT	Z818	49.26530	35,000 ft	13	-
FIX	AWY-LO	7.83947	10,668 m		
ZWN	Z818	49.22910	35,000 ft	16	ZWEIBRUECKEN
VOR	AWY-LO	7.41789	10,668 m		
MAKOT	-	49.17220	35,000 ft	15	-
FIX	-	7.03944	10,668 m		
GTQ	G21	48.98640	35,000 ft	16	GROSTENQUIN
VOR	AWY-LO	6.71622	10,668 m		
MONCE	G21	48.70000	35,000 ft	20	-
FIX	AWY-LO	6.43500	10,668 m		
GIVOR	G21	48.65860	35,000 ft	3	-
FIX	AWY-LO	6.39139	10,668 m		
EPL	G21	48.31780	35,000 ft	24	EPINAL MIRECOURT
VOR	AWY-LO	6.05942	10,668 m		
DILAB	UM129	48.04500	35,000 ft	19	-
FIX	AWY-HI	5.80417	10,668 m		
RESPO	UM129	47.83280	34,200 ft	14	-
FIX	AWY-HI	5.60800	10,424 m		
DJL	UM129	47.27080	25,700 ft	39	DIJON LONGVIC
VOR	AWY-HI	5.09733	7,833 m		
PIBAT	UM129	46.80580	16,300 ft	44	-
FIX	AWY-HI	4.25917	4,968 m		
LFLC	-	45.78670	0 ft	76	Clermont-Ferrand Auvergne
APT	-	3.16998	0 m		

## EDDP

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 2

Elevation: 470 ft / 143 m  
Location: 51.422600 12.236000  
Magnetic Var: 4.235 E

## METAR

EDDP 070520Z AUTO 04007KT CAVOK 11/08 Q1014 NOSIG

## TAF

TAF EDDP 062300Z 0700/0724 04006KT 9999 SCT030 PROB30 TEMPO 0700/0708 RA PROB40 TEMPO 0706/0712 BKN014

## Frequencies

REC - 123.95 MHz - LEIPZIG ATIS	GND - 121.67 MHz - LEIPZIG GROUND
TWR - 125.95 MHz - LEIPZIG TOWER	TWR - 121.10 MHz - LEIPZIG TOWER
COM - 121.10 MHz - LEIPZIG UNICOM	APP - 126.17 MHz - MUNCHEN RADAR
APP - 379.92 MHz - MUNCHEN RADAR	APP - 128.47 MHz - LEIPZIG DIRECTOR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	11,769 ft	85.69	CONCRETE	0 ft	331 ft
	45 m	3,587 m	81.46		0 m	101 m
26R	148 ft	11,769 ft	265.73	CONCRETE	0 ft	335 ft
	45 m	3,587 m	261.50		0 m	102 m
08R	197 ft	11,778 ft	85.69	CONCRETE	0 ft	325 ft
	60 m	3,590 m	81.46		0 m	99 m
26L	197 ft	11,778 ft	265.73	CONCRETE	0 ft	341 ft
	60 m	3,590 m	261.50		0 m	104 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	ILNE	108.55 MHz	18 nm	85.71	-	470 ft
				33 km	81.48		470 m
08R	LOC-ILS	ILSR	111.75 MHz	18 nm	85.71	-	470 ft
				33 km	81.48		470 m
26L	LOC-ILS	ILSL	110.30 MHz	18 nm	265.71	-	470 ft
				33 km	261.48		470 m
26R	LOC-ILS	ILNW	108.35 MHz	18 nm	265.71	-	470 ft
				33 km	261.48		470 m
08L	GS	ILNE	108.55 MHz	10 nm	85.71	3.00	470 ft
				19 km	81.48		470 m
08R	GS	ILSR	111.75 MHz	10 nm	85.71	3.00	470 ft
				19 km	81.48		470 m
26L	GS	ILSL	110.30 MHz	10 nm	265.71	3.00	470 ft
				19 km	261.48		470 m
26R	GS	ILNW	108.35 MHz	10 nm	265.71	3.00	470 ft
				19 km	261.48		470 m

## LFLC

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 1

Elevation: 1,091 ft / 333 m  
Location: 45.786700 3.169980  
Magnetic Var: 1.765 E

## METAR

LFLC 070530Z AUTO 20006KT 170V230 9999 BKN032/// BKN040/// OVC049/// ///CB 10/07 Q1015 TEMPO 4000 SHRA

## TAF

TAF LFLC 062300Z 0700/0724 18005KT 9999 BKN040 PROB30 TEMPO 0705/0708 4000 -RA BR TEMPO 0708/0718 4000 SHRA SCT013

## Frequencies

REC - 136.40 MHz - CLERMONT ATIS	GND - 121.95 MHz - CLERMONT GROUND
TWR - 118.62 MHz - CLERMONT TOWER	APP - 119.37 MHz - CLERMONT APPROACH
APP - 120.50 MHz - CLERMONT APPROACH	APP - 120.67 MHz - CLERMONT APPROACH
APP - 122.22 MHz - CLERMONT APPROACH	APP - 133.72 MHz - CLERMONT APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	9,869 ft	81.95	ASPHALT	0 ft	0 ft
	45 m	3,008 m	80.18		0 m	0 m
26	148 ft	9,869 ft	261.98	ASPHALT	469 ft	0 ft
	45 m	3,008 m	260.21		143 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26	DME	CF	111.10 MHz	27 nm	-	-	1,089 ft
				50 km	-		1,089 m
26	LOC-ILS	CF	111.10 MHz	18 nm	261.96	-	1,091 ft
				33 km	260.19		1,091 m
26	GS	CF	111.10 MHz	10 nm	261.96	3.00	1,091 ft
				19 km	260.19		1,091 m