

LSGS

Sion


LIPX

Verona-Villafranca "Valerio Catullo"

2024/05/07 1024Z

LSGS LEGLO LIPX

157.18 nm / 291.09 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LSGS	-	46.21940	0 ft	-	Sion	
APT	-	7.32609	0 m			
LEGLO	-	45.65030	10,600 ft	107	-	
FIX	-	9.76944	3,231 m			
LIPX	-	45.39700	0 ft	49	Verona-Villafranca	"Valerio Catullo"
APT	-	10.89030	0 m			

LSGS

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 2

Elevation: 1,584 ft / 483 m
Location: 46.219400 7.326090
Magnetic Var: 2.806 E

METAR

LSGS 070950Z 27009KT 9999 -RA FEW010 SCT020 OVC050 10/09 Q1015

TAF

UNKNOWN

Frequencies

APP - 126.82 MHz - SION RADAR
GND - 121.70 MHz - SION GROUND

TWR - 118.27 MHz - SION TOWER
REC - 130.62 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	98 ft	2,167 ft	72.94	GRASS	0 ft	0 ft
	30 m	661 m	70.13		0 m	0 m
25R	98 ft	2,167 ft	252.94	GRASS	351 ft	0 ft
	30 m	661 m	250.14		107 m	0 m
07	131 ft	6,568 ft	72.86	ASPHALT	148 ft	646 ft
	40 m	2,002 m	70.06		45 m	197 m
25	131 ft	6,568 ft	252.88	ASPHALT	141 ft	640 ft
	40 m	2,002 m	250.08		43 m	195 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	ISI	108.35 MHz	45 nm	-	-	1,609 ft
				83 km	-		1,609 m
25	LOC-ILS	ISI	110.70 MHz	18 nm	252.87	-	1,584 ft
				33 km	250.06		1,584 m
25	GS	ISI	110.70 MHz	10 nm	252.87	6.00	1,584 ft
				19 km	250.06		1,584 m

LIPX

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 236 ft / 72 m
Location: 45.397000 10.890300
Magnetic Var: 3.589 E

METAR

LIPX 070950Z VRB02KT 9999 -DZ FEW010 BKN065 15/13 Q1013

TAF

TAF LIPX 070500Z 0706/0806 VRB05KT 9999 BKN050 TEMPO 0706/0718 4000 TSRA BECMG 0708/0710 09012KT TEMPO 0718/0801 4000

Frequencies

GND - 121.75 MHz - VILLAFRANCA GROUND
REC - 123.25 MHz - ATIS
APP - 118.55 MHz - GARDA APPROACH
TWR - 118.65 MHz - VILLAFRANCA TOWER
APP - 124.25 MHz - GARDA APPROACH
APP - 135.90 MHz - GARDA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	10,074 ft	45.59	ASPHALT	194 ft	797 ft
	45 m	3,071 m	42.00		59 m	243 m
22	148 ft	10,074 ft	225.61	ASPHALT	1,339 ft	184 ft
	45 m	3,071 m	222.02		408 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04	DME	IVF	110.10 MHz	18 nm	-	-	248 ft
				33 km	-		248 m
04	LOC-ILS	IVF	110.10 MHz	18 nm	45.62	-	237 ft
				33 km	42.03		237 m
04	GS	IVF	110.10 MHz	10 nm	45.62	3.00	237 ft
				19 km	42.03		237 m