


2024/05/02 2244Z

GCLA BRICK **N866** GURKA **B18** BIMBO **UZ9** NARTA **R47** MINTA **UN747** ONUBA **R47** VULPE **UN747** BLN **R47** YES **B28**  
XEBAR LEVC

1157.65 nm / 2143.97 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
GCLA	-	28.62648	0 ft	-	La Palma
APT	-	-17.75561	0 m		
BRICK	-	29.59137	33,100 ft	92	-
FIX	-	-16.37289	10,089 m		
GURKA	N866	30.43400	35,000 ft	57	-
FIX	AWY-LO	-15.85026	10,668 m		
BIMBO	B18	31.42145	35,000 ft	60	-
FIX	AWY-LO	-16.03287	10,668 m		
GIKAR	UZ9	34.16611	35,000 ft	193	-
FIX	AWY-HI	-14.03000	10,668 m		
NARTA	UZ9	36.05639	35,000 ft	134	-
FIX	AWY-HI	-12.55806	10,668 m		
VFA	R47	37.01352	35,000 ft	228	FARO VOR-DME
VOR	AWY-LO	-7.97501	10,668 m		
MINTA	R47	37.12882	35,000 ft	29	-
FIX	AWY-LO	-7.38333	10,668 m		
LEPES	UN747	37.16543	35,000 ft	9	-
FIX	AWY-HI	-7.19184	10,668 m		
ONUBA	UN747	37.24672	35,000 ft	21	-
FIX	AWY-HI	-6.75999	10,668 m		
SVL	R47	37.42758	35,000 ft	48	SEVILLA VOR-DME
VOR	AWY-LO	-5.76222	10,668 m		
VULPE	R47	37.76122	35,000 ft	50	-
FIX	AWY-LO	-4.79843	10,668 m		
BLN	UN747	38.15252	35,000 ft	60	BAILEN VOR-DME
VOR	AWY-HI	-3.62501	10,668 m		
YES	R47	38.36078	23,600 ft	61	YESTE VOR-DME
VOR	AWY-LO	-2.35275	7,193 m		
XEBAR	B28	38.52114	20,300 ft	15	-
FIX	AWY-LO	-2.09277	6,187 m		
LEVC	-	39.48824	0 ft	94	Valencia
APT	-	-0.48389	0 m		

## LEVC

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 1

Elevation: 240 ft / 73 m  
Location: 39.490000 -0.483345  
Magnetic Var: 0.909 E

## METAR

LEVC 022230Z 29006KT CAVOK 14/M00 Q1018 NOSIG

## TAF

TAF LEVC 021700Z 0218/0318 29015KT 9999 FEW060 TX26/0314Z TN12/0306Z BECMG 0218/0221 26005KT BECMG 0314/0317 1501

## Frequencies

REC - 121.07 MHz - ATIS	GND - 121.87 MHz - VALENCIA GROUND
TWR - 118.55 MHz - VALENCIA TOWER	TWR - 125.47 MHz - VALENCIA TOWER
CLD - 123.57 MHz - CLEARANCE DELIVERY	APP - 124.75 MHz - VALENCIA APPROACH
APP - 120.10 MHz - VALENCIA APPROACH	APP - 119.07 MHz - VALENCIA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,528 ft	116.24	ASPHALT	0 ft	0 ft
	45 m	3,209 m	115.33		0 m	0 m
30	148 ft	10,528 ft	296.26	ASPHALT	968 ft	945 ft
	45 m	3,209 m	295.36		295 m	288 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	VLN	111.50 MHz	25 nm	-	-	256 ft
				46 km	-		256 m
30	DME	IVC	110.10 MHz	18 nm	-	-	203 ft
				33 km	-		203 m
12	LOC-ILS	VLN	111.50 MHz	18 nm	116.20	-	256 ft
				33 km	115.29		256 m
30	LOC-ILS	IVC	110.10 MHz	18 nm	296.19	-	225 ft
				33 km	295.29		225 m
12	GS	VLN	111.50 MHz	10 nm	116.40	3.00	256 ft
				19 km	115.49		256 m
30	GS	IVC	110.10 MHz	10 nm	296.52	3.00	225 ft
				19 km	295.62		225 m