

KBFM

Mobile Downtown Airport


KHRL

Valley Intl

2024/05/23 1125Z

KBFM FRANK **V70** LSU **V194** SBI **V556** VUH **V70** PSX **J22** CRP KHRL

630.17 nm / 1167.07 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KBFM	-	30.62720	0 ft	-	Mobile Downtown Airport
APT	-	-88.06790	0 m		
FRANK	-	30.54940	35,000 ft	99	-
FIX	-	-90.00000	10,668 m		
RYTHM	V70	30.54020	35,000 ft	10	-
FIX	AWY-LO	-90.20210	10,668 m		
TICKS	V70	30.52310	35,000 ft	18	-
FIX	AWY-LO	-90.56220	10,668 m		
WALKE	V70	30.51140	35,000 ft	12	-
FIX	AWY-LO	-90.79650	10,668 m		
DILLS	V70	30.50330	35,000 ft	8	-
FIX	AWY-LO	-90.95270	10,668 m		
LSU	V70	30.48510	35,000 ft	17	FIGHTING TIGER (BATON ROU
VOR	AWY-LO	-91.29410	10,668 m		
TATER	V194	30.44190	35,000 ft	5	-
FIX	AWY-LO	-91.39850	10,668 m		
ROSEY	V194	30.31720	35,000 ft	17	-
FIX	AWY-LO	-91.69840	10,668 m		
LFT	V194	30.19380	35,000 ft	16	LAFAYETTE
VOR	AWY-LO	-91.99260	10,668 m		
GUSTI	V194	29.97090	35,000 ft	49	-
FIX	AWY-LO	-92.90980	10,668 m		
CIPDA	V194	29.90560	35,000 ft	14	-
FIX	AWY-LO	-93.17330	10,668 m		
TEMCO	V194	29.79850	35,000 ft	23	-
FIX	AWY-LO	-93.59950	10,668 m		
SBI	V194	29.68670	35,000 ft	23	SABINE PASS
VOR	AWY-LO	-94.03800	10,668 m		
WOLDE	V556	29.53340	35,000 ft	18	-
FIX	AWY-LO	-94.34460	10,668 m		
BOLOS	V556	29.39310	35,000 ft	16	-
FIX	AWY-LO	-94.62350	10,668 m		
VUH	V556	29.26930	35,000 ft	14	SCHOLES (GALVESTON)
VOR	AWY-LO	-94.86770	10,668 m		
DELVE	V70	29.13420	35,000 ft	22	-
FIX	AWY-LO	-95.25840	10,668 m		
AGGIT	V70	29.05480	35,000 ft	12	-
FIX	AWY-LO	-95.48610	10,668 m		
LETTY	V70	29.01420	35,000 ft	6	-
FIX	AWY-LO	-95.60170	10,668 m		
ECHOE	V70	28.97080	35,000 ft	6	-
FIX	AWY-LO	-95.72530	10,668 m		
EZAFU	V70	28.87050	35,000 ft	15	-
FIX	AWY-LO	-96.00700	10,668 m		
PSX	V70	28.76440	35,000 ft	16	PALACIOS
VOR	AWY-LO	-96.30620	10,668 m		
HYNES	J22	28.38570	31,200 ft	35	-
FIX	AWY-HI	-96.81110	9,510 m		
CRP	J22	27.90380	21,700 ft	44	CORPUS CHRISTI
VOR	AWY-HI	-97.44490	6,614 m		
KHRL	-	26.22690	0 ft	101	Valley Intl
APT	-	-97.65460	0 m		

KBFM

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 2

Elevation: 25 ft / 8 m
Location: 30.627200 -88.067900
Magnetic Var: 2.939 W

METAR

KBFM 231053Z 11008KT 10SM CLR 24/20 A2997 RMK A02 SLP148 T02440200

TAF

TAF KBFM 230520Z 2306/2406 13006KT P6SM OVC200 FM231500 15007KT P6SM FEW040 BKN250

Frequencies

REC - 135.57 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 118.80 MHz - DOWNTOWN TWR
COM - 118.80 MHz - CTAF
GND - 121.70 MHz -
APP - 118.50 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	151 ft	9,629 ft	138.89	CONCRETE	0 ft	991 ft
	46 m	2,935 m	141.83		0 m	302 m
32	151 ft	9,629 ft	318.90	CONCRETE	0 ft	991 ft
	46 m	2,935 m	321.84		0 m	302 m
18	151 ft	7,806 ft	179.97	CONCRETE	0 ft	0 ft
	46 m	2,379 m	182.91		0 m	0 m
36	151 ft	7,806 ft	359.97	CONCRETE	0 ft	0 ft
	46 m	2,379 m	2.91		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32	DME	IRUJ	108.50 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
32	LOC-ILS	IRUJ	108.50 MHz	18 nm	318.90	-	25 ft
				33 km	321.84		25 m
32	GS	IRUJ	108.50 MHz	10 nm	318.90	3.00	25 ft
				19 km	321.84		25 m

KHRL

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 36 ft / 11 m
Location: 26.226900 -97.654600
Magnetic Var: 3.082 E

METAR

KHRL 231052Z 15013KT 7SM OVC013 28/26 A2972 RMK A02 SLP064 T02780261

TAF

TAF KHRL 230520Z 2306/2406 15010KT P6SM FEW010 FM231200 15015G22KT P6SM SCT010 FM231500 16023G30KT P6SM SCT040 FM

Frequencies

REC - 124.85 MHz - ATIS
COM - 122.95 MHz - UNICOM
TWR - 119.30 MHz -
COM - 119.30 MHz - CTAF
GND - 121.70 MHz -
APP - 120.70 MHz - APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	150 ft	8,334 ft	180.63	ASPHALT	0 ft	200 ft
	46 m	2,540 m	177.55		0 m	61 m
35L	150 ft	8,334 ft	0.63	ASPHALT	0 ft	0 ft
	46 m	2,540 m	357.55		0 m	0 m
17L	150 ft	5,973 ft	180.63	ASPHALT	0 ft	0 ft
	46 m	1,821 m	177.55		0 m	0 m
35R	150 ft	5,973 ft	0.63	ASPHALT	190 ft	0 ft
	46 m	1,821 m	357.55		58 m	0 m
13	150 ft	7,266 ft	135.78	ASPHALT	0 ft	249 ft
	46 m	2,215 m	132.70		0 m	76 m
31	150 ft	7,266 ft	315.79	ASPHALT	0 ft	0 ft
	46 m	2,215 m	312.71		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17R	DME	IHRL	111.50 MHz	18 nm	-	-	36 ft
				33 km	-		36 m
17R	LOC-ILS	IHRL	111.50 MHz	18 nm	180.63	-	36 ft
				33 km	177.55		36 m
17R	GS	IHRL	111.50 MHz	10 nm	181.26	3.00	34 ft
				19 km	178.18		34 m