

LPPR

Porto Francisco Sa Carneiro


LIME

Bergamo-Orio Al Serio "Il Caravaggio"

2024/05/16 0304Z

LPPR CANAR **UL155** ZMR **UN976** LATEK **UN871** NINUN **UZ871** ETIDO **UL55** BLONA **Y11** KODOK LIME

864.52 nm / 1601.10 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LPPR	-	41.24790	0 ft	-	Porto Francisco Sa Carneiro
APT	-	-8.68122	0 m		
CANAR	-	41.38580	19,700 ft	55	-
FIX	-	-7.46972	6,005 m		
ADORO	UL155	41.48300	35,000 ft	53	-
FIX	AWY-HI	-6.28000	10,668 m		
ZMR	UL155	41.53020	35,000 ft	28	ZAMORA
VOR	AWY-HI	-5.63969	10,668 m		
NEA	UN976	42.02760	35,000 ft	74	TABANERA
VOR	AWY-HI	-4.10914	10,668 m		
DGO	UN976	42.45330	35,000 ft	60	DOMINGO
VOR	AWY-HI	-2.88069	10,668 m		
MIRPO	UN976	42.63110	35,000 ft	33	-
FIX	AWY-HI	-2.15539	10,668 m		
PPN	UN976	42.73370	35,000 ft	20	PAMPLONA
VOR	AWY-HI	-1.70200	10,668 m		
LATEK	UN976	42.87500	35,000 ft	46	-
FIX	AWY-HI	-0.65694	10,668 m		
OBUTO	UN871	43.15920	35,000 ft	34	-
FIX	AWY-HI	0.02083	10,668 m		
GONUP	UN871	43.46080	35,000 ft	36	-
FIX	AWY-HI	0.75889	10,668 m		
TOU	UN871	43.68080	35,000 ft	27	TOULOUSE BLAGNAC
VOR	AWY-HI	1.30981	10,668 m		
GAI	UN871	43.95410	35,000 ft	27	GAILLAC
VOR	AWY-HI	1.82417	10,668 m		
MAKIL	UN871	44.20970	35,000 ft	27	-
FIX	AWY-HI	2.33972	10,668 m		
GONIM	UN871	44.45440	35,000 ft	26	-
FIX	AWY-HI	2.84222	10,668 m		
MEN	UN871	44.60840	35,000 ft	16	MENDE
VOR	AWY-HI	3.16242	10,668 m		
NINUN	UN871	44.76850	35,000 ft	19	-
FIX	AWY-HI	3.56286	10,668 m		
INGOD	UZ871	44.80070	35,000 ft	19	-
FIX	AWY-HI	4.02869	10,668 m		
ETIDO	UZ871	45.09170	35,000 ft	61	-
FIX	AWY-HI	5.41139	10,668 m		
NEDRU	UL55	45.07580	35,000 ft	17	-
FIX	AWY-HI	5.81917	10,668 m		
RILIP	UL55	45.04250	33,100 ft	20	-
FIX	AWY-HI	6.30972	10,089 m		
BLONA	UL55	45.00860	28,800 ft	19	-
FIX	AWY-HI	6.77722	8,778 m		
TOSMI	Y11	44.99390	26,900 ft	8	-
FIX	AWY-HI	6.98222	8,199 m		
LAPRI	Y11	44.98030	25,300 ft	7	-
FIX	AWY-HI	7.16000	7,711 m		
KUMIN	Y11	44.96610	23,600 ft	8	-
FIX	AWY-HI	7.34861	7,193 m		
KODOK	Y11	44.94250	20,600 ft	13	-
FIX	AWY-HI	7.66972	6,279 m		
LIME	-	45.67200	0 ft	96	Bergamo-Orio Al Serio "Il Caravaggio"
APT	-	9.70681	0 m		

LPPR

Region: PORTUGAL
Timezone: EUROPE/LISBON
Runways: 1

Elevation: 227 ft / 69 m
Location: 41.247900 -8.681220
Magnetic Var: 1.511 W

METAR

LPPR 160230Z 00000KT CAVOK 13/08 Q1010

TAF

TAF LPPR 152300Z 1600/1624 29005KT 9999 SCT025 TEMPO 1600/1612 8000 SHRA SCT015 FEW025TCU BKN035 BECMG 1602/1604 V

Frequencies

REC - 124.30 MHz - PORTO ATIS
APP - 121.10 MHz - PORTO APPROACH

TWR - 118.00 MHz - PORTO TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	148 ft	11,428 ft	168.84	ASPHALT	978 ft	0 ft
	45 m	3,483 m	170.36		298 m	0 m
35	148 ft	11,428 ft	348.85	ASPHALT	492 ft	0 ft
	45 m	3,483 m	350.36		150 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	DME	PR	109.90 MHz	18 nm	-	-	228 ft
				33 km	-		228 m
17	LOC-ILS	PR	109.90 MHz	18 nm	168.87	-	228 ft
				33 km	170.38		228 m
17	GS	PR	109.90 MHz	10 nm	169.77	2.72	228 ft
				19 km	171.28		228 m

LIME

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 776 ft / 237 m
Location: 45.672000 9.706810
Magnetic Var: 3.345 E

METAR

LIME 160220Z VRB01KT 9999 BKN035 13/12 Q1008 NOSIG

TAF

TAF LIME 152300Z 1600/1624 VRB05KT 6000 BKN020 TEMPO 1609/1622 3000 TSRA BECMG 1614/1616 11010KT

Frequencies

GND - 120.50 MHz - ORIO GROUND
REC - 114.95 MHz - ATIS
APP - 126.75 MHz - MILANO RADAR

TWR - 125.87 MHz - ORIO TOWER
APP - 126.30 MHz - MILANO RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	59 ft	2,670 ft	121.46	ASPHALT	200 ft	0 ft
	18 m	814 m	118.12		61 m	0 m
30	59 ft	2,670 ft	301.47	ASPHALT	312 ft	0 ft
	18 m	814 m	298.12		95 m	0 m
10	148 ft	9,439 ft	104.87	ASPHALT	718 ft	0 ft
	45 m	2,877 m	101.53		219 m	0 m
28	148 ft	9,439 ft	284.90	ASPHALT	443 ft	0 ft
	45 m	2,877 m	281.55		135 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	BRM	108.70 MHz	18 nm	-	-	779 ft
				33 km	-		779 m
28	LOC-ILS	BRM	108.70 MHz	18 nm	285.08	-	779 ft
				33 km	281.74		779 m
28	GS	BRM	108.70 MHz	10 nm	285.80	3.00	779 ft
				19 km	282.46		779 m