

KTRI

Tri-Cities Rgnl


KDAB

Daytona Beach Intl

2024/05/08 1151Z

KTRI DUNKE V185 IRQ J53 CRG KDAB

445.88 nm / 825.78 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KTRI APT	-	36.47590 -82.40640	0 ft 0 m	-	Tri-Cities Rgnl
DUNKE FIX	-	34.83170 -82.21130	35,000 ft 10,668 m	99	-
PETON FIX	V185 AWY-LO	34.64580 -82.19290	35,000 ft 10,668 m	11	-
REEDY FIX	V185 AWY-LO	34.46200 -82.17480	35,000 ft 10,668 m	11	-
GRD VOR	V185 AWY-LO	34.25160 -82.15420	35,000 ft 10,668 m	12	GREENWOOD
LUKES FIX	V185 AWY-LO	34.03090 -82.15740	35,000 ft 10,668 m	13	-
BLANE FIX	V185 AWY-LO	33.90650 -82.15920	35,000 ft 10,668 m	7	-
COLON FIX	V185 AWY-LO	33.81750 -82.16050	35,000 ft 10,668 m	5	-
IRQ VOR	V185 AWY-LO	33.70740 -82.16210	35,000 ft 10,668 m	6	COLLIERS
GRADY FIX	J53 AWY-HI	32.66780 -82.04290	35,000 ft 10,668 m	62	-
DUNKN FIX	J53 AWY-HI	31.97830 -81.96540	35,000 ft 10,668 m	41	-
NOWAY FIX	J53 AWY-HI	31.20660 -81.74900	27,200 ft 8,291 m	47	-
CRG VOR	J53 AWY-HI	30.33890 -81.50990	15,700 ft 4,785 m	53	CRAIG (JACKSONVILLE)
KDAB APT	-	29.17990 -81.05600	0 ft 0 m	73	Daytona Beach Intl

KTRI

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 2

Elevation: 1,518 ft / 463 m
Location: 36.475900 -82.406400
Magnetic Var: 7.294 W

METAR

KTRI 081124Z 00000KT 1/2SM FG SCT007 BKN033 18/18 A2985 RMK A02 TWR VIS 1 T01780178

TAF

KTRI 080730Z 0808/0906 VRB03KT P6SM BKN045 FM081100 23006KT P6SM VCSH BKN025 FM081400 24007KT P6SM OVC050 FM081700

Frequencies

COM - 119.50 MHz - CTAF	COM - 122.95 MHz - UNICOM
REC - 135.67 MHz - WX AWOS	REC - 118.25 MHz - ATIS
GND - 121.70 MHz - TRI CITY GROUND	TWR - 119.50 MHz - TRI CITY TOWER
APP - 125.50 MHz - TRI CITY APPROACH	APP - 134.42 MHz - TRI CITY APPROACH
APP - 128.05 MHz - ATLANTA ARTCC APPROACH	DEP - 125.50 MHz - TRI CITY DEPARTURE
DEP - 134.42 MHz - TRI CITY DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	8,001 ft	42.43	ASPHALT	0 ft	197 ft
	45 m	2,439 m	49.73		0 m	60 m
23	148 ft	8,001 ft	222.44	ASPHALT	0 ft	200 ft
	45 m	2,439 m	229.74		0 m	61 m
09	148 ft	4,429 ft	89.02	ASPHALT	0 ft	0 ft
	45 m	1,350 m	96.31		0 m	0 m
27	148 ft	4,429 ft	269.03	ASPHALT	131 ft	0 ft
	45 m	1,350 m	276.32		40 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	LOC-ILS	IBON	111.50 MHz	18 nm	42.44	-	1,518 ft
				33 km	49.73		1,518 m
23	LOC-ILS	ITRI	109.90 MHz	18 nm	222.44	-	1,518 ft
				33 km	229.73		1,518 m
05	GS	IBON	111.50 MHz	10 nm	42.44	3.00	1,518 ft
				19 km	49.73		1,518 m
23	GS	ITRI	109.90 MHz	10 nm	222.44	3.00	1,518 ft
				19 km	229.73		1,518 m

KDAB

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 3

Elevation: 34 ft / 10 m
Location: 29.179900 -81.056000
Magnetic Var: 7.236 W

METAR

KDAB 081053Z 20003KT 10SM SCT200 22/21 A2992 RMK A02 SLP130 T02170206

TAF

TAF KDAB 080538Z 0806/0906 19003KT P6SM FEW050 FM081400 21006KT P6SM FEW040 FM081800 10008KT P6SM FEW060 FM090100

Frequencies

COM - 122.95 MHz - DAYTONA UNICOM
TWR - 120.70 MHz - DAYTONA TOWER
DEP - 123.90 MHz - DAYTONA DEPARTURE

GND - 121.90 MHz - DAYTONA GROUND
APP - 125.80 MHz - DAYTONA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	151 ft	10,511 ft	65.11	ASPHALT	709 ft	381 ft
	46 m	3,204 m	72.34		216 m	116 m
25R	151 ft	10,511 ft	245.12	ASPHALT	0 ft	200 ft
	46 m	3,204 m	252.36		0 m	61 m
16	151 ft	6,006 ft	157.27	ASPHALT	0 ft	207 ft
	46 m	1,831 m	164.51		0 m	63 m
34	151 ft	6,006 ft	337.27	ASPHALT	0 ft	203 ft
	46 m	1,831 m	344.51		0 m	62 m
07R	98 ft	3,199 ft	65.04	ASPHALT	0 ft	0 ft
	30 m	975 m	72.27		0 m	0 m
25L	98 ft	3,199 ft	245.04	ASPHALT	0 ft	0 ft
	30 m	975 m	252.28		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25R	DME	IDBF	109.70 MHz	18 nm	-	-	34 ft
				33 km	-		34 m
07L	LOC-ILS	IDAB	109.70 MHz	18 nm	65.12	-	27 ft
				33 km	72.36		27 m
25R	LOC-ILS	IDBF	109.70 MHz	18 nm	245.11	-	34 ft
				33 km	252.35		34 m
07L	GS	IDAB	109.70 MHz	10 nm	65.22	3.00	26 ft
				19 km	72.46		26 m
25R	GS	IDBF	109.70 MHz	10 nm	245.22	3.00	34 ft
				19 km	252.46		34 m