


2024/06/05 0811Z

EHRD ARNEM **UL620** OMELO KOPIT MIKOV LOWW

568.20 nm / 1052.30 km



## Notes

Requested: EHRD N0441F390 ARNEM UL620 OMELO L620 KOPIT M748 ABRAX T135 MIKOV LOWW  
Unmatched points: N0441F390 L620 M748 ABRAX T135

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHRD	-	51.95747	0 ft	-	Rotterdam The Hague
APT	-	4.44166	0 m	-	
ARNEM	-	52.09645	0 ft	60	-
FIX	-	6.07660	0 m	-	-
SONEB	UL620	52.02361	0 ft	25	-
FIX	AWY-HI	6.76417	0 m	-	-
SUVOX	UL620	51.96917	0 ft	13	-
FIX	AWY-HI	7.10806	0 m	-	-
HMM	UL620	51.85687	0 ft	23	HAMM VOR-DME
VOR	AWY-HI	7.70829	0 m	-	
EXOBA	UL620	51.76722	0 ft	23	-
FIX	AWY-HI	8.32694	0 m	-	-
NOMKA	UL620	51.44778	0 ft	83	-
FIX	AWY-HI	10.50194	0 m	-	-
BIRKA	UL620	51.37944	0 ft	16	-
FIX	AWY-HI	10.93167	0 m	-	-
OBADI	UL620	51.32389	0 ft	13	-
FIX	AWY-HI	11.27222	0 m	-	-
SONDU	UL620	51.29278	0 ft	7	-
FIX	AWY-HI	11.46139	0 m	-	-
SOPLA	UL620	51.27722	0 ft	3	-
FIX	AWY-HI	11.55306	0 m	-	-
NOTGO	UL620	51.21056	0 ft	15	-
FIX	AWY-HI	11.94667	0 m	-	-
SULED	UL620	51.16194	0 ft	11	-
FIX	AWY-HI	12.23000	0 m	-	-
TALEG	UL620	51.09267	0 ft	15	-
FIX	AWY-HI	12.61967	0 m	-	-
EKPEK	UL620	50.96444	0 ft	27	-
FIX	AWY-HI	13.32139	0 m	-	-
BESIP	UL620	50.93528	0 ft	6	-
FIX	AWY-HI	13.48528	0 m	-	-
OMELO	UL620	50.83778	0 ft	20	-
FIX	AWY-HI	14.00083	0 m	-	-
KOPIT	-	50.18821	0 ft	58	-
FIX	-	15.15795	0 m	-	-
MIKOV	-	48.78472	0 ft	101	-
FIX	-	16.62111	0 m	-	-
LOWW	-	48.11007	0 ft	40	Wien Schwechat
APT	-	16.56964	0 m	-	

## EHRD

Region: NETHERLANDS  
Timezone: EUROPE/AMSTERDAM  
Runways: 1

Elevation: -15 ft / -5 m  
Location: 51.957500 4.441690  
Magnetic Var: 1.962 E

## METAR

EHRD 050755Z AUTO 27008KT 220V330 9999 NSC 14/07 Q1012 NOSIG

## TAF

TAF EHRD 050435Z 0506/0612 28008KT 9999 SCT025 BECMG 0510/0513 28013KT BECMG 0517/0520 24006KT PROB30 TEMPO 0608/

## Frequencies

TWR - 118.20 MHz - ROTTERDAM TOWER  
REC - 110.40 MHz - ROTTERDAM ATIS  
GND - 122.17 MHz - ROTTERDAM GROUND

APP - 127.02 MHz - ROTTERDAM APPROACH  
CLD - 128.80 MHz - ROTTERDAM DELIVERY

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	7,198 ft	57.03	ASPHALT	643 ft	0 ft
	45 m	2,194 m	55.07		196 m	0 m
24	148 ft	7,198 ft	237.05	ASPHALT	646 ft	0 ft
	45 m	2,194 m	235.09		197 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ROS	110.90 MHz	18 nm	-	-	-15 ft
				33 km	-		-15 m
24	DME	RSV	110.90 MHz	18 nm	-	-	-15 ft
				33 km	-		-15 m
06	LOC-ILS	ROS	109.10 MHz	18 nm	56.94	-	-15 ft
				33 km	54.98		-15 m
24	LOC-ILS	RSV	110.90 MHz	18 nm	236.94	-	-15 ft
				33 km	234.98		-15 m

## LOWW

Region: AUSTRIA  
Timezone: EUROPE/VIENNA  
Runways: 2

Elevation: 600 ft / 183 m  
Location: 48.110100 16.569600  
Magnetic Var: 5.022 E

## METAR

LOWW 050750Z VRB03KT CAVOK 20/14 Q1015 NOSIG

## TAF

TAF LOWW 050515Z 0506/0612 VRB05KT CAVOK TX25/0514Z TN15/0603Z TEMPO 0512/0519 FEW050CB TEMPO 0515/0521 18007KT

## Frequencies

REC - 122.95 MHz - ATIS ARRIVAL	REC - 121.72 MHz - ATIS DEPARTURE
TWR - 124.47 MHz - WIEN TOWER	TWR - 123.80 MHz - WIEN TOWER
TWR - 121.20 MHz - WIEN TOWER	TWR - 119.40 MHz - WIEN TOWER
GND - 121.77 MHz - WIEN GROUND	GND - 121.60 MHz - WIEN GROUND
CLD - 122.12 MHz - CLEARANCE DELIVERY	APP - 134.67 MHz - WIEN RADAR
APP - 125.17 MHz - WIEN RADAR	APP - 129.05 MHz - WIEN RADAR
APP - 118.77 MHz - WIEN RADAR	APP - 136.25 MHz - WIEN RADAR
APP - 119.80 MHz - WIEN DIRECTOR	APP - 134.12 MHz - WIEN DIRECTOR
REC - 118.52 MHz - WIEN INFORMATION	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,822 ft	164.23	ASPHALT	0 ft	197 ft
	45 m	3,604 m	159.21		0 m	60 m
34	148 ft	11,822 ft	344.24	ASPHALT	0 ft	194 ft
	45 m	3,604 m	339.22		0 m	59 m
11	148 ft	11,495 ft	115.99	ASPHALT	0 ft	174 ft
	45 m	3,504 m	110.96		0 m	53 m
29	148 ft	11,495 ft	296.02	ASPHALT	0 ft	187 ft
	45 m	3,504 m	291.00		0 m	57 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	OEW	110.30 MHz	18 nm	-	-	593 ft
				33 km	-		593 m
16	DME	O EZ	108.50 MHz	18 nm	-	-	610 ft
				33 km	-		610 m
29	DME	O EX	109.55 MHz	18 nm	-	-	624 ft
				33 km	-		624 m
34	DME	O EN	108.10 MHz	18 nm	-	-	572 ft
				33 km	-		572 m
11	LOC-ILS	OEW	110.30 MHz	18 nm	116.04	-	600 ft
				33 km	111.02		600 m
16	LOC-ILS	O EZ	108.50 MHz	18 nm	164.25	-	600 ft
				33 km	159.23		600 m
29	LOC-ILS	O EX	109.55 MHz	18 nm	295.98	-	600 ft
				33 km	290.96		600 m
34	LOC-ILS	O EN	108.10 MHz	18 nm	344.21	-	600 ft
				33 km	339.19		600 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	GS	OEW	110.30 MHz	10 nm	116.02	3.10	593 ft
				19 km	111.00		593 m
16	GS	OEZ	108.50 MHz	10 nm	164.47	3.00	610 ft
				19 km	159.45		610 m
29	GS	OEX	109.55 MHz	10 nm	296.02	3.00	624 ft
				19 km	291.00		624 m
34	GS	OEN	108.10 MHz	10 nm	344.47	3.00	604 ft
				19 km	339.45		604 m