


2024/05/08 0430Z

EPP0 VAVUN **M602** BINKA **UM602** PENET **T298** MONAK EKAH

323.23 nm / 598.63 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EPP0	-	52.42160	0 ft	-	Poznan-Henryk Wieniawski
APT	-	16.82360	0 m	-	
VAVUN	-	53.47530	29,600 ft	83	-
FIX	-	15.33310	9,022 m	-	-
IRGET	M602	53.66970	35,000 ft	28	-
FIX	AWY-HI	14.61470	10,668 m	-	-
BINKA	M602	53.75940	35,000 ft	13	-
FIX	AWY-HI	14.27560	10,668 m	-	-
USEDU	UM602	53.95310	35,000 ft	15	-
FIX	AWY-HI	13.96670	10,668 m	-	-
PENET	UM602	54.10030	35,000 ft	12	-
FIX	AWY-HI	13.72890	10,668 m	-	-
LABES	T298	54.19310	34,800 ft	7	-
FIX	AWY-HI	13.57640	10,607 m	-	-
ADUKI	T298	54.32560	32,500 ft	10	-
FIX	AWY-HI	13.36030	9,906 m	-	-
PEROM	T298	54.45970	30,100 ft	11	-
FIX	AWY-HI	13.13770	9,174 m	-	-
RAMUX	T298	54.71000	25,600 ft	20	-
FIX	AWY-HI	12.71690	7,803 m	-	-
KOSEB	T298	54.78000	24,300 ft	5	-
FIX	AWY-HI	12.59780	7,407 m	-	-
MONAK	T298	54.94560	21,300 ft	13	-
FIX	AWY-HI	12.31360	6,492 m	-	-
EKAH	-	56.30430	0 ft	99	Aarhus
APT	-	10.61940	0 m	-	

## EPP0

Region: POLAND  
Timezone: EUROPE/WARSAW  
Runways: 1

Elevation: 308 ft / 94 m  
Location: 52.421600 16.823600  
Magnetic Var: 5.576 E

## METAR

EPP0 080400Z 04003KT CAVOK 04/01 Q1024

## TAF

TAF EPP0 072330Z 0800/0824 07008KT CAVOK

## Frequencies

TWR - 119.97 MHz - POZNAN TOWER  
APP - 127.22 MHz - POZNAN APPROACH  
REC - 126.30 MHz - ATIS

TWR - 121.80 MHz - POZNAN TOWER  
TWR - 129.02 MHz - POZNAN APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	164 ft	8,223 ft	107.59	ASPHALT	0 ft	0 ft
	50 m	2,506 m	102.01		0 m	0 m
28	164 ft	8,223 ft	287.62	ASPHALT	0 ft	0 ft
	50 m	2,506 m	282.04		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	LOC-ILS	POZ	110.30 MHz	18 nm	287.60	-	308 ft
				33 km	282.02		308 m
28	GS	POZ	110.30 MHz	10 nm	287.60	3.00	308 ft
				19 km	282.02		308 m

## EKAH

Region: DENMARK / FAROE ISLANDS  
Timezone: EUROPE/COPENHAGEN  
Runways: 2

Elevation: 82 ft / 25 m  
Location: 56.304300 10.619400  
Magnetic Var: 4.024 E

## METAR

EKAH 080420Z AUTO 16001KT 9999 OVC110/// 07/05 Q1026

## TAF

TAF EKAH 072301Z 0800/0824 VRB02KT 9999 SCT025

## Frequencies

TWR - 118.52 MHz - AARHUS TOWER

APP - 119.27 MHz - AARHUS APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10L	75 ft	9,081 ft	100.30	ASPHALT	0 ft	0 ft
	23 m	2,768 m	96.28		0 m	0 m
28R	75 ft	9,081 ft	280.34	ASPHALT	0 ft	0 ft
	23 m	2,768 m	276.31		0 m	0 m
10R	148 ft	8,837 ft	100.29	ASPHALT	0 ft	938 ft
	45 m	2,693 m	96.27		0 m	286 m
28L	148 ft	8,837 ft	280.33	ASPHALT	0 ft	738 ft
	45 m	2,693 m	276.30		0 m	225 m

## Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28L	DME	TR	111.10 MHz	18 nm	-	-	79 ft
				33 km	-		79 m
10R	LOC-ILS	AAR	111.90 MHz	18 nm	100.33	-	82 ft
				33 km	96.31		82 m
28L	LOC-ILS	TR	111.10 MHz	18 nm	280.29	-	82 ft
				33 km	276.27		82 m
10R	GS	AAR	111.90 MHz	10 nm	100.62	2.75	82 ft
				19 km	96.60		82 m
28L	GS	TR	111.10 MHz	10 nm	280.62	2.75	82 ft
				19 km	276.60		82 m