

KFAT

Fresno Yosemite Intl


KHII

Lake Havasu City

2024/05/23 0409Z

KFAT MITEL **J110** SHADO HIDDEN **V135** CLARR KHII

308.47 nm / 571.29 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KFAT APT	-	36.77660 -119.71900	0 ft 0 m	-	Fresno Yosemite Intl
MITEL FIX	-	36.68440 -118.58400	19,600 ft 5,974 m	54	-
FURNY FIX	J110 AWY-HI	36.49010 -117.46200	35,000 ft 10,668 m	55	-
SHADO FIX	J110 AWY-HI	36.26370 -116.23100	29,300 ft 8,931 m	61	-
HIDEN FIX	-	36.02840 -116.01000	25,500 ft 7,772 m	17	-
CLARR FIX	V135 AWY-LO	35.67570 -115.68000	19,800 ft 6,035 m	26	-
KHII APT	-	34.57110 -114.35800	0 ft 0 m	92	Lake Havasu City

KFAT

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 2

Elevation: 335 ft / 102 m
Location: 36.776600 -119.719000
Magnetic Var: 12.222 E

METAR

KFAT 230253Z 31012KT 10SM CLR 28/05 A2981 RMK A02 SLP090 T02830050 55003

TAF

TAF KFAT 222320Z 2300/2324 32008KT P6SM FEW200 FM230900 VRB05KT P6SM SKC

Frequencies

REC - 121.35 MHz - ATIS	COM - 122.95 MHz - FRESNO UNICOM
GND - 121.70 MHz - FRESNO GROUND	TWR - 118.20 MHz - FRESNO TOWER
CLD - 124.35 MHz - CLEARANCE DELIVERY	DEP - 118.50 MHz - FRESNO DEPARTURE
DEP - 119.60 MHz - FRESNO DEPARTURE	DEP - 132.35 MHz - FRESNO DEPARTURE
APP - 118.50 MHz - FRESNO APPROACH	APP - 119.60 MHz - FRESNO APPROACH
APP - 132.35 MHz - FRESNO APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11R	150 ft	8,003 ft	125.46	ASPHALT	0 ft	997 ft
	46 m	2,439 m	113.24		0 m	304 m
29L	150 ft	8,003 ft	305.48	ASPHALT	0 ft	1,004 ft
	46 m	2,439 m	293.26		0 m	306 m
11L	150 ft	9,537 ft	125.47	ASPHALT	0 ft	997 ft
	46 m	2,907 m	113.24		0 m	304 m
29R	150 ft	9,537 ft	305.48	ASPHALT	315 ft	850 ft
	46 m	2,907 m	293.26		96 m	259 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11L	DME	IRPW	111.30 MHz	18 nm	-	-	336 ft
				33 km	-		336 m
29R	DME	IFAT	111.30 MHz	18 nm	-	-	347 ft
				33 km	-		347 m
29R	LOC-ILS	IFAT	111.30 MHz	18 nm	305.48	-	335 ft
				33 km	293.26		335 m
11L	LOC-LOC	IRPW	111.30 MHz	18 nm	125.48	-	335 ft
				33 km	113.26		335 m
29R	GS	IFAT	111.30 MHz	10 nm	305.48	3.00	335 ft
				19 km	293.26		335 m