


2024/06/06 2003Z

ZBAA KM **A596** DKO **W66** NUKTI **B215** DUBUV KEXAB **W192** FKG URC **B215** AKVOV ZWKL

1543.77 nm / 2859.06 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ZBAA	-	40.07870	0 ft	-	Beijing-Capital
APT	-	116.59500	0 m		
KM	-	40.38830	19,100 ft	53	HUAILAI
NDB	-	115.49700	5,822 m		
TZH	A596	40.40830	35,000 ft	66	TIANZHEN
VOR	AWY-HI	114.05200	10,668 m		
SELGO	A596	40.47830	35,000 ft	44	-
FIX	AWY-HI	113.08700	10,668 m		
AKUKI	A596	40.50330	35,000 ft	16	-
FIX	AWY-HI	112.73300	10,668 m		
SZ	A596	40.51830	35,000 ft	10	LIANGCHENG
NDB	AWY-HI	112.49500	10,668 m		
EGANA	A596	40.52830	35,000 ft	14	-
FIX	AWY-HI	112.16700	10,668 m		
DOTOS	A596	40.52830	35,000 ft	9	-
FIX	AWY-HI	111.94800	10,668 m		
IRVAG	A596	40.53500	35,000 ft	4	-
FIX	AWY-HI	111.85000	10,668 m		
REPEP	A596	40.54000	35,000 ft	30	-
FIX	AWY-HI	111.18300	10,668 m		
BAV	A596	40.55670	35,000 ft	54	BAOTOU
VOR	AWY-HI	109.99800	10,668 m		
DKO	A596	40.31500	35,000 ft	137	DENGKOU
VOR	AWY-HI	106.99700	10,668 m		
ATBUG	W66	41.03000	35,000 ft	122	-
FIX	AWY-HI	104.47300	10,668 m		
GOBIN	W66	41.50000	35,000 ft	80	-
FIX	AWY-HI	102.80800	10,668 m		
JNQ	W66	41.99000	35,000 ft	84	EJINAQI
VOR	AWY-HI	101.05000	10,668 m		
GOVSA	W66	41.87170	35,000 ft	214	-
FIX	AWY-HI	96.24170	10,668 m		
NUKTI	W66	41.86170	35,000 ft	46	-
FIX	AWY-HI	95.20000	10,668 m		
HAM	B215	42.84330	35,000 ft	89	TAOJIAGONG
VOR	AWY-HI	93.66830	10,668 m		
IKENA	B215	43.23670	35,000 ft	78	-
FIX	AWY-HI	91.95170	10,668 m		
DUBUV	B215	43.80500	35,000 ft	111	-
FIX	AWY-HI	89.51670	10,668 m		
KEXAB	-	43.55830	35,000 ft	15	-
FIX	-	89.39330	10,668 m		
FKG	W192	44.17330	35,000 ft	71	FUKANG
VOR	AWY-HI	87.98330	10,668 m		
URC	-	43.90670	33,700 ft	27	URUMQI VOR-DME
DME	-	87.47500	10,272 m		
KABDO	B215	43.54330	25,200 ft	39	-
FIX	AWY-HI	86.71670	7,681 m		
AKVOV	B215	43.41670	22,300 ft	13	-
FIX	AWY-HI	86.45500	6,797 m		
ZWKL	-	41.70010	0 ft	104	Korla
APT	-	86.11520	0 m		

ZBAA

Region: CHINA
Timezone: ASIA/SHANGHAI
Runways: 3

Elevation: 115 ft / 35 m
Location: 40.078700 116.595000
Magnetic Var: 7.358 W

METAR

ZBAA 061930Z 05002MPS CAVOK 22/17 Q1007 NOSIG

TAF

TAF TAF ZBAA 061503Z 0618/0718 34004MPS 6000 NSC TX23/0707Z TN19/0621Z TEMPO 0622/0701 -TSRA FEW030CB BKN040 TEMP

Frequencies

REC - 127.60 MHz - ATIS	REC - 128.65 MHz - ATIS
CLD - 121.60 MHz - BEIJING DELIVERY	CLD - 121.65 MHz - BEIJING DELIVERY
GND - 121.90 MHz - BEIJING GROUND	GND - 121.80 MHz - BEIJING GROUND
GND - 121.70 MHz - BEIJING GROUND	GND - 121.75 MHz - BEIJING GROUND
GND - 121.85 MHz - BEIJING GROUND	GND - 122.22 MHz - BEIJING APRON
GND - 122.65 MHz - BEIJING APRON	TWR - 124.30 MHz - BEIJING TOWER
TWR - 118.50 MHz - BEIJING TOWER	TWR - 118.60 MHz - BEIJING TOWER
APP - 126.10 MHz - BEIJING APPROACH	APP - 119.00 MHz - BEIJING APPROACH
APP - 126.50 MHz - BEIJING APPROACH	APP - 121.10 MHz - BEIJING APPROACH
APP - 119.70 MHz - BEIJING APPROACH	APP - 124.70 MHz - BEIJING APPROACH
APP - 127.75 MHz - BEIJING APPROACH	APP - 120.60 MHz - BEIJING APPROACH
APP - 125.50 MHz - BEIJING APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	195 ft	12,481 ft	353.17	CONCRETE	0 ft	394 ft
	59 m	3,804 m	0.53		0 m	120 m
19	195 ft	12,481 ft	173.17	CONCRETE	0 ft	397 ft
	59 m	3,804 m	180.53		0 m	121 m
18L	197 ft	12,493 ft	173.17	ASPHALT	0 ft	190 ft
	60 m	3,808 m	180.53		0 m	58 m
36R	197 ft	12,493 ft	353.17	ASPHALT	0 ft	190 ft
	60 m	3,808 m	0.53		0 m	58 m
18R	164 ft	10,512 ft	173.15	ASPHALT	0 ft	200 ft
	50 m	3,204 m	180.51		0 m	61 m
36L	164 ft	10,512 ft	353.15	ASPHALT	0 ft	200 ft
	50 m	3,204 m	0.51		0 m	61 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
18R	DME	ILG	110.30 MHz	18 nm	-	-	135 ft
				33 km	-		135 m
01	LOC-ILS	INJ	108.50 MHz	18 nm	353.17	-	116 ft
				33 km	0.53		116 m
18L	LOC-ILS	IOR	109.30 MHz	18 nm	173.17	-	116 ft
				33 km	180.53		116 m
18R	LOC-ILS	ILG	110.30 MHz	18 nm	173.15	-	116 ft
				33 km	180.51		116 m
19	LOC-ILS	ISZ	108.90 MHz	18 nm	173.17	-	116 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	180.53		116 m
36L	LOC-ILS	IDK	111.70 MHz	18 nm	353.15	-	116 ft
				33 km	0.51		116 m
36R	LOC-ILS	IQU	109.90 MHz	18 nm	353.10	-	116 ft
				33 km	0.46		116 m
01	GS	INJ	108.50 MHz	10 nm	353.17	3.00	116 ft
				19 km	0.53		116 m
18L	GS	IOR	109.30 MHz	10 nm	173.17	3.00	116 ft
				19 km	180.53		116 m
18R	GS	ILG	110.30 MHz	10 nm	173.15	3.00	116 ft
				19 km	180.51		116 m
19	GS	ISZ	108.90 MHz	10 nm	173.17	3.20	116 ft
				19 km	180.53		116 m
36L	GS	IDK	111.70 MHz	10 nm	353.15	3.00	116 ft
				19 km	0.51		116 m
36R	GS	IQU	109.90 MHz	10 nm	353.17	3.00	116 ft
				19 km	0.53		116 m