


2024/05/04 2129Z

LIML BOTAL LIMJ

65.01 nm / 120.40 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIML	-	45.45030	0 ft	-	Milano Linate
APT	-	9.27280	0 m		
BOTAL	-	45.13361	7,100 ft	20	-
FIX	-	9.12278	2,164 m		
LIMJ	-	44.41196	0 ft	44	Genova Sestri
APT	-	8.84187	0 m		

LIML

Region: ITALY
Timezone: EUROPE/ROME
Runways: 2

Elevation: 354 ft / 108 m
Location: 45.450300 9.272810
Magnetic Var: 3.237 E

METAR

LIML 042050Z VRB01KT CAVOK 16/12 Q1016 NOSIG

TAF

TAF LIML 041700Z 0418/0518 VRB05KT 9999 FEW030 BECMG 0506/0508 25010KT

Frequencies

REC - 136.37 MHz - ATIS	GND - 121.80 MHz - LINATE GROUND
TWR - 118.40 MHz - LINATE TOWER	TWR - 118.10 MHz - LINATE TOWER
APP - 134.17 MHz - MILANO RADAR	APP - 126.75 MHz - MILANO RADAR
APP - 126.30 MHz - MILANO RADAR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
18	197 ft	8,019 ft	175.67	ASPHALT	0 ft	200 ft
	60 m	2,444 m	172.43		0 m	61 m
36	197 ft	8,019 ft	355.67	ASPHALT	0 ft	413 ft
	60 m	2,444 m	352.43		0 m	126 m
17	72 ft	1,974 ft	175.66	ASPHALT	0 ft	0 ft
	22 m	602 m	172.43		0 m	0 m
35	72 ft	1,974 ft	355.66	ASPHALT	0 ft	0 ft
	22 m	602 m	352.43		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
36	DME	ILNT	109.55 MHz	25 nm	-	-	352 ft
				46 km	-		352 m
36	LOC-ILS	ILNT	109.55 MHz	18 nm	355.69	-	353 ft
				33 km	352.45		353 m
36	GS	ILNT	109.55 MHz	10 nm	355.68	3.00	352 ft
				19 km	352.44		352 m

LIMJ

Region: ITALY
Timezone: UNKNOWN
Runways: 1

Elevation: 13 ft / 4 m
Location: 44.412000 8.841870
Magnetic Var: 3.109 E

METAR

LIMJ 042050Z 02003KT 9999 FEW016 16/12 Q1018

TAF

TAF LIMJ 041700Z 0418/0518 VRB06KT 9999 FEW020 BECMG 0504/0506 14016KT

Frequencies

REC - 122.82 MHz - ATIS
TWR - 257.80 MHz - GENOVA TOWER
APP - 119.60 MHz - GENOVA APPROACH
TWR - 118.60 MHz - GENOVA TOWER
APP - 119.85 MHz - GENOVA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	9,576 ft	105.34	ASPHALT	0 ft	197 ft
	45 m	2,919 m	102.23		0 m	60 m
28	148 ft	9,576 ft	285.37	ASPHALT	535 ft	0 ft
	45 m	2,919 m	282.26		163 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
28	DME	GSE	109.30 MHz	18 nm	-	-	26 ft
				33 km	-		26 m
28	LOC-ILS	GSE	109.30 MHz	18 nm	285.40	-	9 ft
				33 km	282.29		9 m
28	GS	GSE	109.30 MHz	10 nm	285.40	3.17	26 ft
				19 km	282.29		26 m