

KJFK

John F. Kennedy Intl


EGPF

Glasgow

2024/05/18 1421Z

KJFK BAF **Q480** ENE **J573** EBONY **N555A** NEEKO **X** NETKI 5500N01300W 5500N01200W 5500N01100W 5500N01000W
5500N0900W 5500N0800W RUBEX EGPF

2849.28 nm / 5276.86 km



Notes

Using NAT tracks from 21/4/2024

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes

- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KJFK APT	-	40.64010 -73.77650	0 ft 0 m	-	John F. Kennedy Intl
BAF VOR	-	42.16200 -72.71620	35,000 ft 10,668 m	103	BARNES (WESTFIELD/SPRINGFIELD)
ENE VOR	Q480 AWY-HI	43.42570 -70.61350	35,000 ft 10,668 m	119	KENNEBUNK
SCARS FIX	J573 AWY-HI	43.54860 -70.34110	35,000 ft 10,668 m	13	-
SEAER FIX	J573 AWY-HI	43.92460 -69.49180	35,000 ft 10,668 m	43	-
EBONY FIX	J573 AWY-HI	44.90240 -67.15660	35,000 ft 10,668 m	116	-
NEEKO FIX	N555A AWY-HI	52.40000 -55.83330	35,000 ft 10,668 m	634	-
54/50 LATLON	X NAT	54.00000 -50.00000	35,000 ft 10,668 m	230	-
55/40 LATLON	X NAT	55.00000 -40.00000	35,000 ft 10,668 m	353	-
55/30 LATLON	X NAT	55.00000 -30.00000	35,000 ft 10,668 m	344	-
55/20 LATLON	X NAT	55.00000 -20.00000	35,000 ft 10,668 m	344	-
RESNO FIX	X NAT	55.00000 -15.00000	35,000 ft 10,668 m	172	-
NETKI FIX	X NAT	55.00000 -14.00000	35,000 ft 10,668 m	34	-
5500N01300W LATLON	- -	55.00000 -13.00000	35,000 ft 10,668 m	34	-
5500N01200W LATLON	- -	55.00000 -12.00000	35,000 ft 10,668 m	34	-
5500N01100W LATLON	- -	55.00000 -11.00000	35,000 ft 10,668 m	34	-
5500N01000W LATLON	- -	55.00000 -10.00000	35,000 ft 10,668 m	34	-
5500N0900W LATLON	- -	55.00000 -9.00000	35,000 ft 10,668 m	34	-
5500N0800W LATLON	- -	55.00000 -8.00000	28,300 ft 8,626 m	34	-
RUBEX FIX	- -	55.32000 -6.93528	19,500 ft 5,944 m	41	-
EGPF APT	- -	55.87170 -4.43370	0 ft 0 m	91	Glasgow

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.819 W

METAR

KJFK 181351Z 34006KT 10SM FEW035 SCT130 BKN250 19/12 A2999 RMK A02 SLP156 T01940117

TAF

TAF KJFK 181120Z 1812/1918 03007KT P6SM SCT025 SCT045 BKN150 TEMPO 1817/1821 BKN030 FM182100 10007KT P6SM SCT030 B

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.49		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.49		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.49		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
31R	DME	IRTH	111.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm 33 km	30.68 43.50	-	12 ft 12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm 33 km	30.67 43.49	-	12 ft 12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm 33 km	120.87 133.69	-	12 ft 12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm 33 km	210.67 223.49	-	12 ft 12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm 33 km	210.68 223.50	-	12 ft 12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm 33 km	300.84 313.66	-	12 ft 12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm 33 km	300.87 313.69	-	12 ft 12 m
04L	GS	IHIQ	110.90 MHz	10 nm 19 km	30.68 43.50	3.00	12 ft 12 m
04R	GS	IJFK	109.50 MHz	10 nm 19 km	30.67 43.49	3.00	12 ft 12 m
13L	GS	ITLK	111.50 MHz	10 nm 19 km	120.87 133.69	3.00	12 ft 12 m
22L	GS	IIWY	110.90 MHz	10 nm 19 km	210.67 223.49	3.00	12 ft 12 m
22R	GS	IJOC	109.50 MHz	10 nm 19 km	210.68 223.50	3.00	12 ft 12 m
31L	GS	IMOH	111.35 MHz	10 nm 19 km	300.84 313.66	3.00	12 ft 12 m
31R	GS	IRTH	111.50 MHz	10 nm 19 km	300.87 313.69	3.00	12 ft 12 m

EGPF

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 1

Elevation: 26 ft / 8 m
Location: 55.871700 -4.433700
Magnetic Var: 1.630 W

METAR

EGPF 181350Z 09005KT 040V140 CAVOK 24/12 Q1016

TAF

TAF EGPF 181057Z 1812/1912 VRB03KT 9999 SCT008 PROB40 TEMPO 1812/1815 7000 BECMG 1815/1818 31010KT PROB30 TEMPO 1

Frequencies

APP - 119.10 MHz - GLASGOW APPROACH
GND - 121.70 MHz - GLASGOW GROUND

TWR - 118.80 MHz - GLASGOW TOWER
REC - 129.57 MHz - GLASGOW INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	8,699 ft	46.34	ASPHALT	0 ft	489 ft
	45 m	2,651 m	47.96		0 m	149 m
23	148 ft	8,699 ft	226.36	ASPHALT	974 ft	0 ft
	45 m	2,651 m	227.99		297 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	IUU	110.10 MHz	18 nm	-	-	25 ft
				33 km	-		25 m
23	DME	IOO	110.10 MHz	18 nm	-	-	25 ft
				33 km	-		25 m
05	LOC-ILS	IUU	110.10 MHz	18 nm	46.35	-	26 ft
				33 km	47.98		26 m
23	LOC-ILS	IOO	110.10 MHz	18 nm	226.35	-	26 ft
				33 km	227.98		26 m
05	GS	IUU	110.10 MHz	10 nm	46.35	3.00	26 ft
				19 km	47.98		26 m
23	GS	IOO	110.10 MHz	10 nm	226.35	3.00	26 ft
				19 km	227.98		26 m